

**Supplementary File 07:** Number of COI sequences per species label in database 1, and relative representativity of each. The species labels given follow the corrections given on Supplementary File 8.

Species label	Author	Number of COI sequences	Representativity (%)
<i>Taeniothrips inconsequens</i>	(Uzel, 1895)	3,178	28.64
<i>Frankliniella occidentalis</i>	(Pergande, 1895)	762	6.87
<i>Thrips tabaci</i>	Lindeman, 1889	517	4.66
<i>Frankliniella tritici</i>	(Fitch, 1855)	505	4.55
<i>Taeniothrips orionis</i>	Treherne, 1924	455	4.10
<i>Frankliniella schultzei</i>	(Trybom, 1910)	424	3.82
<i>Thrips palmi</i>	Karny, 1925	403	3.63
<i>Thrips vulgatissimus</i>	Haliday, 1836	364	3.28
<i>Scirtothrips dorsalis</i>	Hood, 1919	346	3.12
<i>Scirtothrips aurantii</i>	Faure, 1929	255	2.30
<i>Aptinothrips rufus</i>	(Haliday, 1836)	226	2.04
<i>Haplothrips leucanthemi</i>	(Schrank, 1781)	183	1.65
<i>Thrips australis</i>	(Bagnall, 1915)	138	1.24
<i>Megalurothrips distalis</i>	(Karny, 1913)	134	1.21
<i>Thrips flavidulus</i>	(Bagnall, 1923)	129	1.16
<i>Aeolothrips fasciatus</i>	(Linnaeus, 1758)	127	1.14
<i>Frankliniella intonsa</i>	(Trybom, 1895)	111	1.00
<i>Thrips physapus</i>	Linnaeus, 1758	110	0.99
<i>Thrips parvispinus</i>	(Karny, 1922)	93	0.84
<i>Aeolothrips intermedius</i>	Bagnall, 1934	87	0.78
<i>Aeolothrips ericae</i>	Bagnall, 1920	86	0.77

<i>Odontothrips loti</i>	(Haliday, 1852)	81	0.73
<i>Cephalothrips monilicornis</i>	(Reuter, 1885)	71	0.64
<i>Heliothrips haemorrhoidalis</i>	(Bouché, 1833)	71	0.64
<i>Megalurothrips usitatus</i>	(Bagnall, 1913)	68	0.61
<i>Caliothrips fasciatus</i>	(Pergande, 1895)	65	0.59
<i>Anaphothrips obscurus</i>	(Muller, 1776)	64	0.58
<i>Limothrips denticornis</i>	(Haliday, 1836)	64	0.58
<i>Ctenothrips bridwelli</i>	Franklin, 1907	60	0.54
<i>Cycadothrips chadwicki</i>	Mound, 1991	60	0.54
<i>Odontothrips biuncus</i>	John, 1921	59	0.53
<i>Scirtothrips perseae</i>	Nakahara, 1997	56	0.50
<i>Haplothrips ganglbaueri</i>	Schmutz, 1913	53	0.48
<i>Chirothrips manicatus</i>	(Haliday, 1836)	51	0.46
<i>Aptinothrips stylifer</i>	Trybom, 1894	48	0.43
<i>Thrips flavus</i>	Schrank, 1776	48	0.43
<i>Sciothrips cardamomi</i>	(Ramakrishna, 1935)	45	0.41
<i>Thrips hawaiiensis</i>	(Morgan, 1913)	42	0.38
<i>Frankliniella insularis</i>	(Franklin, 1908)	41	0.37
<i>Thrips nigropilosus</i>	Uzel, 1895	31	0.28
<i>Haplothrips tenuipennis</i>	Bagnall, 1918	29	0.26
<i>Frankliniella panamensis</i>	Hood, 1925	26	0.23
<i>Microcephalothrips abdominalis</i>	(Crawford DL, 1910)	26	0.23
<i>Frankliniella tenuicornis</i>	(Uzel, 1895)	24	0.22
<i>Plicothrips apicalis</i>	(Bagnall, 1915)	24	0.22
<i>Dendrothrips minowai</i>	Priesner, 1935	23	0.21

<i>Echinothrips americanus</i>	Morgan, 1913	23	0.21
<i>Dolicholepta micrura</i>	(Bagnall, 1914)	21	0.19
<i>Haplothrips aculeatus</i>	(Fabricius, 1803)	21	0.19
<i>Thrips trehernei</i>	Priesner, 1927	20	0.18
<i>Ceratothripoides brunneus</i>	Bagnall, 1918	19	0.17
<i>Franklinothrips vespiformis</i>	(Crawford DL, 1909)	19	0.17
<i>Haplothrips nigricornis</i>	(Bagnall, 1910)	19	0.17
<i>Desmothrips propinquus</i>	(Bagnall, 1916)	18	0.16
<i>Frankliniella bispinosa</i>	(Morgan, 1913)	18	0.16
<i>Klambothrips myopori</i>	Mound & Morris, 2007	18	0.16
<i>Thrips coloratus</i>	Schmutz, 1913	18	0.16
<i>Anaphothrips sudanensis</i>	Trybom, 1911	17	0.15
<i>Frankliniella borinquen</i>	Hood, 1942	17	0.15
<i>Haplothrips globiceps</i>	(Bagnall, 1934)	17	0.15
<i>Hoplothrips japonicus</i>	(Karny, 1913)	17	0.15
<i>Mycterothrips glycines</i>	(Okamoto, 1911)	17	0.15
<i>Neohydatothrips samayunkur</i>	(Kudo, 1995)	17	0.15
<i>Oxythrips ajugae</i>	Uzel, 1895	17	0.15
<i>Stenchaetothrips biformis</i>	(Bagnall, 1913)	17	0.15
<i>Thrips validus</i>	Uzel, 1895	17	0.15
<i>Helionothrips mube</i>	Kudo, 1992	16	0.14
<i>Gynaikothrips ficorum</i>	(Marchal, 1908)	15	0.13
<i>Pezothrips kellyanus</i>	(Bagnall, 1916)	15	0.13
<i>Thrips andrewsi</i>	(Bagnall, 1921)	15	0.13
<i>Thrips major</i>	Uzel, 1895	15	0.13
<i>Thrips carthami</i>	Shumsher, 1946	14	0.13

<i>Lefroyothrips lefroyi</i>	(Bagnall, 1913)	13	0.12
<i>Megalurothrips peculiaris</i>	(Bagnall, 1918)	13	0.12
<i>Thrips florum</i>	Schmutz, 1913	13	0.12
<i>Bactrothrips brevitubus</i>	Takahashi, 1935	12	0.11
<i>Caliothrips striatopterus</i>	(Kobus, 1893)	12	0.11
<i>Gynaikothrips uzeli</i>	(Zimmermann, 1900)	12	0.11
<i>Neohydatothrips burungae</i>	(Hood, 1935)	12	0.11
<i>Scirtothrips oligochaetus</i>	(Karny, 1926)	12	0.11
<i>Thrips apicatus</i>	Priesner, 1934	12	0.11
<i>Florithrips traegardhi</i>	(Trybom, 1911)	11	0.10
<i>Haplothrips reuteri</i>	(Karny, 1907)	11	0.10
<i>Mesothrips jordani</i>	Zimmermann, 1900	11	0.10
<i>Thrips minutissimus</i>	Linnaeus, 1758	11	0.10
<i>Aeolothrips albicinctus</i>	Haliday, 1836	10	0.09
<i>Chirothrips meridionalis</i>	Bagnall, 1927	10	0.09
<i>Haplothrips verbasci</i>	(Osborn, 1897)	10	0.09
<i>Haplothrips victoriensis</i>	Bagnall, 1918	10	0.09
<i>Hoplothrips karnyi</i>	(Hood, 1914)	10	0.09
<i>Karnyothrips flavipes</i>	(Jones, 1912)	10	0.09
<i>Caliothrips indicus</i>	(Bagnall, 1913)	9	0.08
<i>Dendrothripoides innoxius</i>	(Karny, 1914)	9	0.08
<i>Dolichothrips fialae</i>	Mound & Okajima, 2015	9	0.08
<i>Mycterothrips setiventris</i>	(Bagnall, 1918)	9	0.08
<i>Odontothrips ulicis</i>	(Haliday, 1836)	9	0.08
<i>Orothrips yosemitii</i>	Moulton, 1911	9	0.08
<i>Tenothrips frici</i>	(Uzel, 1895)	9	0.08

<i>Chirothrips africanus</i>	Priesner, 1932	8	0.07
<i>Sericothrips staphylinus</i>	Haliday, 1836	8	0.07
<i>Thrips urticae</i>	Fabricius, 1781	8	0.07
<i>Dolichothrips longicollis</i>	Karny, 1912	7	0.06
<i>Frankliniella gardeniae</i>	Moulton, 1948	7	0.06
<i>Haplothrips andresi</i>	Priesner, 1931	7	0.06
<i>Megalurothrips typicus</i>	Bagnall, 1915	7	0.06
<i>Pseudophilothrips ichini</i>	(Hood, 1949)	7	0.06
<i>Selenothrips rubrocinctus</i>	(Giard, 1901)	7	0.06
<i>Haplothrips statice</i>	(Haliday, 1836)	6	0.05
<i>Mycterothrips gongshanensis</i>	Li, Li & Zhang, 2017	6	0.05
<i>Neohydatothrips sp.</i> "	**	6	0.05
<i>geminus</i> "			
<i>Thrips alatus</i>	Bhatti, 1980	6	0.05
<i>Thrips moundi</i>	Tyagi & Kumar, 2015	6	0.05
<i>Thrips obscuratus</i>	(Crawford JC, 1941)	6	0.05
<i>Thrips setipennis</i>	(Bagnall, 1916)	6	0.05
<i>Arorathrips mexicanus</i>	(Crawford DL, 1909)	5	0.04
<i>Arrhenothrips acuminatus</i>	Ananthakrishnan, 1969	5	0.04
<i>Ayyaria chaetophora</i>	Karny, 1926	5	0.04
<i>Cycadothrips albrechti</i>	Mound & Terry, 2001	5	0.04
<i>Dolichothrips utae</i>	Mound & Okajima, 2015	5	0.04
<i>Eremiothrips antilope</i>	(Priesner, 1923)	5	0.04
<i>Franklinothrips megalops</i>	(Trybom, 1912)	5	0.04
<i>Fulmekiola serrata</i>	(Kobus, 1893)	5	0.04
<i>Haplothrips bagrolis</i>	Bhatti, 1973	5	0.04

<i>Haplothrips clarisetis</i>	Priesner, 1930	5	0.04
<i>Haplothrips froggatti</i>	Hood, 1918	5	0.04
<i>Haplothrips setiger</i>	Priesner, 1921	5	0.04
<i>Haplothrips</i> sp. " <i>ciliatus</i> "	Undescribed	5	0.04
<i>Hercinothrips femoralis</i>	(Reuter, 1891)	5	0.04
<i>Hydatothrips adolfifriderici</i>	Karny, 1913	5	0.04
<i>Kladothrips rugosus</i>	Froggatt, 1906	5	0.04
<i>Neohydatothrips annulipes</i>	(Hood, 1927)	5	0.04
<i>Neohydatothrips tiliae</i>	(Hood, 1931)	5	0.04
<i>Taeniothrips major</i>	Bagnall, 1916	5	0.04
<i>Thrips orientalis</i>	(Bagnall, 1915)	5	0.04
<i>Thrips setosus</i>	(Moulton, 1928)	5	0.04
<i>Thrips subnudula</i>	(Karny, 1926)	5	0.04
<i>Aeolothrips distinctus</i>	Bhatti, 1971	4	0.04
<i>Chaetanaphothrips orchidii</i>	(Moulton, 1907)	4	0.04
<i>Dendrothrips degeeri</i>	Uzel, 1895	4	0.04
<i>Haplothrips cenchricola</i>	zur Strassen, 1966	4	0.04
<i>Haplothrips distinguendus</i>	(Uzel, 1895)	4	0.04
<i>Mycterothrips nilgiriensis</i>	(Ananthakrishnan, 1960)	4	0.04
<i>Smilothrips productus</i>	Bhatti, 1976	4	0.04
<i>Tryphactothrips rutherfordi</i>	(Bagnall, 1915)	4	0.04
<i>Apterothrips secticornis</i>	(Trybom, 1896)	3	0.03
<i>Bathrips melanicornis</i>	(Shumsher, 1946)	3	0.03
<i>Ceratothrips ericae</i>	(Haliday, 1836)	3	0.03
<i>Dolichothrips chikakoae</i>	Mound & Okajima, 2015	3	0.03
<i>Frankliniella brunnea</i>	(Priesner, 1932)	3	0.03

<i>Frankliniella cephalica</i>	(Crawford DL, 1910)	3	0.03
<i>Frankliniella fusca</i>	(Hinds, 1902)	3	0.03
<i>Frankliniella unicolor</i>	Morgan, 1925	3	0.03
<i>Haplothrips graminis</i>	Hood, 1912	3	0.03
<i>Haplothrips subtilissimus</i>	(Haliday, 1852)	3	0.03
<i>Haplothrips tritici</i>	(Kurdjumov, 1912)	3	0.03
<i>Kakothrips pisivorus</i>	(Westwood, 1880)	3	0.03
<i>Kladothrips antennatus</i>	(Moulton, 1968)	3	0.03
<i>Kladothrips habrus</i>	(Mound, 1971)	3	0.03
<i>Leptothrips mali</i>	(Fitch, 1855)	3	0.03
<i>Neohydatothrips signifer</i>	(Priesner, 1932)	3	0.03
<i>Parthenothrips dracaenae</i>	(Heeger, 1854)	3	0.03
<i>Phibalothrips peringueyi</i>	(Faure, 1925)	3	0.03
<i>Pseudophilothrips perseae</i>	(Watson, 1924)	3	0.03
	Johansen & Mojica-	3	0.03
<i>Scirtothrips silvicola</i>	Guzman, 1999		
<i>Scolothrips rhagebianus</i>	Priesner, 1950	3	0.03
<i>Stenchaetothrips spinulae</i>	Tyagi & Kumar, 2008	3	0.03
<i>Thrips fuscipennis</i>	Haliday, 1836	3	0.03
<i>Thrips imaginis</i>	Bagnall, 1926	3	0.03
<i>Aeolothrips duvali</i>	Moulton, 1927	2	0.02
<i>Aeolothrips mongolicus</i>	Pelikan, 1985	2	0.02
<i>Apterygothrips pellucidus</i>	(Ananthakrishnan, 1968)	2	0.02
<i>Bactrothrips flectoventris</i>	Haga & Okajima, 1989	2	0.02
<i>Bactrothrips honoris</i>	(Bagnall, 1921)	2	0.02
<i>Bactrothrips pictipes</i>	Haga & Okajima, 1989	2	0.02

<i>Bactrothrips</i>	(Bagnall, 1908)	2	0.02
<i>quadrituberculatus</i>			
<i>Bolacothrips striatopennatus</i>	(Schmutz, 1913)	2	0.02
<i>Bolothrips dentipes</i>	(Reuter, 1880)	2	0.02
<i>Diarthrothrips nimbus</i>	(Ananthakrishnan, 1965)	2	0.02
<i>Dolichothrips citripes</i>	(Bagnall, 1921)	2	0.02
<i>Dolichothrips ochripes</i>	Karny, 1926	2	0.02
<i>Elaphrothrips curvipes</i>	Priesner, 1929	2	0.02
<i>Haplothrips ceylonicus</i>	Schmutz, 1913	2	0.02
<i>Haplothrips flavicinctus</i>	(Karny, 1910)	2	0.02
<i>Haplothrips gowdeyi</i>	(Franklin, 1908)	2	0.02
<i>Haplothrips pallescens</i>	(Hood, 1919)	2	0.02
	Bhatti & Ananthakrishnan,	2	0.02
<i>Holarthrothrips indicus</i>	1978		
<i>Kladothrips intermedius</i>	Bagnall, 1929	2	0.02
	McLeish, Chapman &	2	0.02
<i>Kladothrips nicolsoni</i>	Mound, 2006		
<i>Kladothrips rodwayi</i>	Hardy, 1915	2	0.02
	(Mound, Crespi & Kranz,	2	0.02
<i>Kladothrips sternalis</i>	1996)		
<i>Kladothrips waterhousei</i>	(Mound & Crespi, 1995)	2	0.02
<i>Koptothrips flavicornis</i>	Bagnall, 1929	2	0.02
	Muraleedharan & Sen,	2	0.02
<i>Liothrips infrequens</i>	1981		
<i>Liothrips oleae</i>	(Costa, 1857)	2	0.02
<i>Liothrips tractabilis</i>	Mound & Pereyra, 2008	2	0.02



	Ramakrishna &	2	0.02
<i>Mymarothrips garuda</i>	Margabandhu, 1931		
<i>Neoheegeria dalmatica</i>	Schmutz, 1909	2	0.02
<i>Neoheliothrips sylvanus</i>	(Faure, 1933)	2	0.02
<i>Odontothrips ignobilis</i>	Bagnall, 1919	2	0.02
<i>Odontothrips meliloti</i>	Priesner, 1951	2	0.02
<i>Oxythrips kochummani</i>	Ananthakrishnan, 1969	2	0.02
<i>Pseudodendrothrips bhattii</i>	Kudo, 1984	2	0.02
<i>Retithrips syriacus</i>	(Mayet, 1890)	2	0.02
<i>Scirtothrips bounites</i>	Mound & Marullo, 1996	2	0.02
<i>Scirtothrips citri</i>	(Moulton, 1909)	2	0.02
<i>Scirtothrips kenyaensis</i>	Mound, 1968	2	0.02
<i>Scolothrips takahashii</i>	Priesner, 1950	2	0.02
<i>Sericothrips kaszabi</i>	Pelikan, 1984	2	0.02
<i>Stenchaetothrips pteratus</i>	Bhatti, 1982	2	0.02
<i>Taeniothrips picipes</i>	(Zetterstedt, 1828)	2	0.02
<i>Teuchothrips disjunctus</i>	(Hood, 1918)	2	0.02
<i>Thrips alliorum</i>	(Priesner, 1935)	2	0.02
<i>Thrips sambuci</i>	Heeger, 1854	2	0.02
<i>Thrips simplex</i>	(Morison, 1930)	2	0.02
<i>Tusothrips sumatrensis</i>	(Karny, 1925)	2	0.02
<i>Aeolothrips melaleucus</i>	Haliday, 1852	1	0.01
<i>Ananthakrishnana euphorbiae</i>	(Priesner, 1931)	1	0.01
<i>Andrethrips floydi</i>	Mound, 1974	1	0.01
<i>Androthrips flavipes</i>	Schmutz, 1913	1	0.01

<i>Ankothrips yuccae</i>	Moulton, 1926	1	0.01
<i>Astrothrips tumiceps</i>	Karny, 1923	1	0.01
<i>Australothrips bicolor</i>	Bagnall, 1916	1	0.01
<i>Azaleothrips amabilis</i>	Ananthakrishnan, 1964	1	0.01
<i>Caliothrips punctipennis</i>	(Hood, 1912)	1	0.01
<i>Cartomothrips browni</i>	Stannard, 1962	1	0.01
<i>Dactuliothrips boharti</i>	Bailey, 1937	1	0.01
<i>Danothrips trifasciatus</i>	Sakimura, 1975	1	0.01
<i>Dolichothrips eriae</i>	Mound & Okajima, 2015	1	0.01
<i>Elaphrothrips tuberculatus</i>	(Hood, 1908)	1	0.01
<i>Euphysothrips minozzii</i>	Bagnall, 1926	1	0.01
<i>Exothrips ornus</i>	Bhatti, 1975	1	0.01
<i>Frankliniella australis</i>	Morgan, 1925	1	0.01
<i>Frankliniella aztecus</i>	(Crawford JC, 1945)	1	0.01
<i>Frankliniella citripes</i>	(Crawford JC, 1945)	1	0.01
<i>Frankliniella minuta</i>	(Moulton, 1907)	1	0.01
<i>Frankliniella rostrata</i>	Priesner, 1932	1	0.01
<i>Franklinothrips orizabensis</i>	Johansen, 1974	1	0.01
<i>Gigantothrips elegans</i>	Zimmermann, 1900	1	0.01
<i>Gynaikothrips bengalensis</i>	Ananthakrishnan, 1973	1	0.01
<i>Haplothrips dianthinus</i>	Priesner, 1924	1	0.01
<i>Haplothrips jasionis</i>	Priesner, 1950	1	0.01
<i>Haplothrips kermanensis</i>	zur Strassen, 1975	1	0.01
<i>Haplothrips sp. "stylatus"</i>	Undescribed	1	0.01
<i>Helionothrips parvus</i>	Bhatti, 1968	1	0.01
<i>Heterothrips aesculi</i>	Watson, 1915	1	0.01

<i>Heterothrips arisaemae</i>	Hood, 1908	1	0.01
<i>Holothrips cracens</i>	(Ananthakrishnan, 1968)	1	0.01
<i>Hoplandrothrips quadriconus</i>	(Girault, 1928)	1	0.01
<i>Hoplothrips carpathicus</i>	Pelikan, 1961	1	0.01
<i>Hydatothrips atactus</i>	Bhatti, 1973	1	0.01
<i>Hydatothrips aureus</i>	Bhatti, 1973	1	0.01
<i>Idiothrips bellus</i>	Faure, 1933	1	0.01
<i>Kladothrips acaciae</i>	(Moulton, 1968)	1	0.01
<i>Kladothrips arotrum</i>	(Mound, 1971)	1	0.01
<i>Kladothrips augonsaxos</i>	Moulton, 1927	1	0.01
<i>Kladothrips ellobus</i>	Mound, 1971	1	0.01
<i>Kladothrips hamiltoni</i>	Mound & Crespi, 1995	1	0.01
	Mound, Crespi & Kranz,	1	0.01
<i>Kladothrips harpophyllae</i>	1996		
	Mound, Crespi & Kranz,	1	0.01
<i>Kladothrips morrisi</i>	1996		
	Mound, Crespi & Kranz,	1	0.01
<i>Kladothrips pilbara</i>	1996		
<i>Kladothrips tepperi</i>	(Uzel, 1905)	1	0.01
	(Mound, Crespi & Kranz,	1	0.01
<i>Kladothrips torus</i>	1996)		
<i>Leeuwenia ananthakrishnani</i>	Varatharajan & Sen, 2000	1	0.01
<i>Leeuwenia scolopiae</i>	Mound, 2004	1	0.01
<i>Liothrips reuteri</i>	(Bagnall, 1913)	1	0.01
	Kudo & Ananthakrishnan,	1	0.01
<i>Meiothrips nepalensis</i>	1974		

<i>Melanthrips fuscus</i>	Sulzer, 1776	1	0.01
<i>Merothrips floridensis</i>	Watson, 1927	1	0.01
<i>Moundinothrips robustus</i>	(Bhatti, 1995)	1	0.01
	(Varatharajan & Singh,	1	0.01
<i>Nagathrips crenulatus</i>	2000)		
<i>Neohydatothrips chandrai</i>	Tyagi & Kumar, 2016	1	0.01
<i>Neohydatothrips plumeria</i>	Tyagi & Kumar, 2016	1	0.01
<i>Orothrips kelloggii</i>	Moulton, 1907	1	0.01
<i>Parabaliouthrips coluckus</i>	(Kudo, 1977)	1	0.01
<i>Parabaliouthrips takahashii</i>	Priesner, 1935	1	0.01
<i>Phaulothrips inquilinus</i>	(Kelly, 1934)	1	0.01
<i>Pseudanaphothrips achaetus</i>	(Bagnall, 1916)	1	0.01
<i>Pseudodendrothrips mori</i>	(Niwa, 1908)	1	0.01
<i>Rhipidothrips graciosus</i>	Uzel, 1895	1	0.01
<i>Rhipiphorothrips cruentatus</i>	Hood, 1919	1	0.01
<i>Scirtothrips aceri</i>	Moulton, 1926	1	0.01
<i>Scirtothrips astrictus</i>	Mound & Marullo, 1996	1	0.01
<i>Scirtothrips drepanofortis</i>	Hoddle & Mound, 2003	1	0.01
<i>Scirtothrips frondis</i>	Hoddle & Mound, 2003	1	0.01
<i>Scirtothrips inermis</i>	Priesner, 1933	1	0.01
	Johansen & Mojica-	1	0.01
<i>Scirtothrips zacualtipanensis</i>	Guzman, 1999		
<i>Scopaeothrips bicolor</i>	Hood, 1912	1	0.01
<i>Stephanothrips japonicus</i>	Saikawa, 1974	1	0.01
<i>Strepterothrips tuberculatus</i>	(Girault, 1929)	1	0.01
<i>Synaptothrips psoraleae</i>	(Jacot-Guillarmod, 1937)	1	0.01

<i>Taeniothrips euchariei</i>	(Whetzel, 1923)	1	0.01
<i>Teuchothrips ater</i>	(Girault, 1927)	1	0.01
<i>Thrips decens</i>	Palmer, 1992	1	0.01
<i>Thrips knoxi</i>	(Girault, 1927)	1	0.01
<i>Thrips speratus</i>	zur Strassen, 1978	1	0.01
<i>Treherniella amplipennis</i>	(Morgan, 1913)	1	0.01
<i>Xaniothrips foederatus</i>	Mound & Morris, 1999	1	0.01