

Table A1: Alternate models of scope

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.436*** (0.102)	1.128*** (0.088)
Southern African colony	-0.874*** (0.151)	1.484*** (0.143)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.178* (0.108)	-0.554*** (0.109)
<i>Alternative providers</i>		
Mission hospitals per capita	-0.143*** (0.029)	0.034 (0.032)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.152* (0.086)	-0.426*** (0.087)
1940-1960	0.299** (0.135)	-0.671*** (0.137)
Real TGR per capita	0.356*** (0.070)	0.661*** (0.066)
TME share of TGE	-0.017 (0.014)	0.091*** (0.014)
Medical department est.	-0.196** (0.076)	0.608*** (0.072)
European staff per capita	0.509*** (0.049)	-0.014 (0.060)
State hospitals per capita	0.836*** (0.055)	
Country area	0.000*** (0.000)	-0.000 (0.000)
Average no. beds per hospital		-0.179*** (0.060)
Constant	5.483*** (1.132)	-14.226*** (0.907)
Observations	304	304
r2_w	0.464	0.265
r2_b	0.976	0.898

State hospitals and hospital beds for patients of all races.

Nearest neighbour ratio applied for country adjustments.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table A2: Alternate models of utilization

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.853*** (0.082)	1.613*** (0.133)
Southern African colony	0.953*** (0.130)	1.992*** (0.209)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.240*** (0.084)	-0.942*** (0.135)
<i>Alternative providers</i>		
Mission hospitals per capita	0.138*** (0.025)	0.137*** (0.040)
<i>Period</i>		
1900-1919	0.000 (.)	0.000 (.)
1920-1939	0.397*** (0.068)	0.760*** (0.110)
1940-1960	0.460*** (0.107)	0.767*** (0.173)
Real TGR per capita	0.410*** (0.058)	0.627*** (0.094)
TME share of TGE	-0.008 (0.011)	0.108*** (0.018)
Medical department est.	0.429*** (0.060)	0.290*** (0.098)
European staff per capita	-0.138*** (0.046)	0.037 (0.073)
State hospitals per capita	0.202*** (0.044)	
Average no. beds per hospital	0.316*** (0.048)	0.228*** (0.077)
Country area	-0.000 (0.000)	-0.000* (0.000)
State hospitals per capita		-0.043 (0.070)
Constant	-5.921*** (0.927)	-4.848*** (1.496)
Observations	295	295
r2_w	0.745	0.724
r2_b	0.992	0.957

State hospitals and state hospital beds exclude those designated for Europeans.

Nearest neighbour ratio applied for country adjustments.

All continuous variables are logged

Standard errors in parentheses

* p<0.10, ** p<0.05, *** p<0.01

Table B1: Alternate models of scope: TME instead of TGR

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.369*** (0.099)	1.106*** (0.082)
Southern African colony	-1.008*** (0.141)	1.410*** (0.134)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.043 (0.102)	-0.558*** (0.100)
<i>Alternative providers</i>		
Mission hospitals per capita	-0.133*** (0.030)	0.029 (0.031)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.167* (0.090)	-0.496*** (0.088)
1940-1960	0.355*** (0.135)	-0.658*** (0.135)
Real TME per capita	0.303*** (0.068)	0.718*** (0.059)
Medical department est.	-0.275*** (0.073)	0.610*** (0.069)
European staff per capita	0.554*** (0.047)	-0.031 (0.059)
State hospitals per capita	0.785*** (0.055)	
Average no. beds per hospital		-0.227*** (0.059)
Country area	0.000*** (0.000)	0.000 (0.000)
Constant	6.336*** (0.975)	-11.668*** (0.828)
Observations	305	305
r ² _w	0.466	0.266
r ² _b	0.971	0.899

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B2: Alternate models of utilization: TME instead of TGR

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.716*** (0.082)	1.588*** (0.127)
Southern African colony	0.767*** (0.128)	1.942*** (0.199)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.399*** (0.081)	-0.996*** (0.125)
<i>Alternative providers</i>		
Mission hospitals per capita	0.164*** (0.025)	0.120*** (0.039)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	0.406*** (0.073)	0.690*** (0.113)
1940-1960	0.540*** (0.109)	0.780*** (0.170)
Real TME per capita	0.280*** (0.057)	0.729*** (0.088)
Medical department est.	0.343*** (0.060)	0.312*** (0.094)
European staff per capita	-0.103** (0.047)	-0.003 (0.072)
State hospitals per capita	0.207*** (0.045)	-0.028 (0.070)
Average no. beds per hospital	0.368*** (0.048)	0.174** (0.075)
Country area	-0.000 (0.000)	-0.000 (0.000)
Constant	-4.390*** (0.844)	-2.357* (1.309)
Observations	296	296
r2_w	0.738	0.741
r2_b	0.987	0.948

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B3: Alternate models of scope: Mission hospitals per sqkm

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.529*** (0.100)	1.145*** (0.085)
Southern African colony	-0.943*** (0.141)	1.419*** (0.133)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.292*** (0.107)	-0.637*** (0.106)
<i>Alternative providers</i>		
Mission hospitals per square kilometer	-0.134*** (0.021)	-0.103*** (0.022)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.059 (0.082)	-0.419*** (0.082)
1940-1960	0.392*** (0.131)	-0.590*** (0.133)
Real TGR per capita	0.428*** (0.070)	0.796*** (0.061)
TME share of TGE	-0.022 (0.014)	0.082*** (0.013)
Medical department est.	-0.219*** (0.074)	0.538*** (0.072)
European staff per capita	0.453*** (0.048)	0.008 (0.057)
State hospitals per capita	0.728*** (0.054)	
Country area	0.000*** (0.000)	-0.000 (0.000)
Average no. beds per hospital		-0.291*** (0.058)
Constant	4.231*** (1.133)	-14.596*** (0.841)
Observations	304	304
r2_w	0.461	0.253
r2_b	0.980	0.925

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B4: Alternate models of utilization: Mission hospitals per sqkm

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.761*** (0.080)	1.515*** (0.131)
Southern African colony	1.153*** (0.123)	2.207*** (0.203)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.365*** (0.082)	-0.806*** (0.136)
<i>Alternative providers</i>		
Mission hospitals per square kilometer	0.141*** (0.018)	0.150*** (0.030)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	0.302*** (0.065)	0.665*** (0.106)
1940-1960	0.337*** (0.104)	0.639*** (0.171)
Real TGR per capita	0.306*** (0.059)	0.507*** (0.098)
TME share of TGE	-0.003 (0.010)	0.112*** (0.017)
Medical department est.	0.482*** (0.058)	0.348*** (0.096)
European staff per capita	-0.123*** (0.043)	0.046 (0.071)
State hospitals per capita	0.310*** (0.043)	0.071 (0.071)
Average no. beds per hospital	0.386*** (0.048)	0.314*** (0.078)
Country area	0.000 (0.000)	-0.000 (0.000)
Constant	-5.289*** (0.889)	-4.188*** (1.465)
Observations	295	295
r ² _w	0.773	0.750
r ² _b	0.989	0.949

State hospitals and state hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B5: Alternate models of scope: excluding the Gambia and Zanzibar

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.642*** (0.104)	1.280*** (0.090)
Southern African colony	-0.622*** (0.151)	1.389*** (0.145)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.307*** (0.107)	-0.672*** (0.110)
<i>Alternative providers</i>		
Mission hospitals per capita	-0.149*** (0.031)	0.023 (0.035)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.117 (0.082)	-0.395*** (0.085)
1940-1960	0.245* (0.131)	-0.676*** (0.136)
Real TGR per capita	0.410*** (0.069)	0.701*** (0.067)
TME share of TGE	-0.000 (0.014)	0.103*** (0.014)
Medical department est.	-0.069 (0.077)	0.652*** (0.072)
European staff per capita	0.518*** (0.050)	0.027 (0.064)
State hospitals per capita	0.736*** (0.054)	
Country area	0.000*** (0.000)	0.000** (0.000)
Average no. beds per hospital		-0.307*** (0.063)
Constant	3.491*** (1.149)	-13.935*** (0.927)
Observations	279	279
r ² _w	0.521	0.308
r ² _b	0.991	0.925

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B6: Alternate models of utilization: excluding the Gambia and Zanzibar

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.746*** (0.092)	1.407*** (0.142)
Southern African colony	0.988*** (0.133)	2.084*** (0.206)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.321*** (0.090)	-0.715*** (0.139)
<i>Alternative providers</i>		
Mission hospitals per capita	0.133*** (0.029)	0.038 (0.045)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	0.386*** (0.069)	0.774*** (0.108)
1940-1960	0.468*** (0.111)	0.849*** (0.172)
Real TGR per capita	0.385*** (0.064)	0.662*** (0.099)
TME share of TGE	-0.015 (0.012)	0.095*** (0.018)
Medical department est.	0.400*** (0.064)	0.178* (0.099)
European staff per capita	-0.176*** (0.052)	0.102 (0.080)
State hospitals per capita	0.249*** (0.047)	0.038 (0.073)
Average no. beds per hospital	0.389*** (0.055)	0.270*** (0.086)
Country area	-0.000** (0.000)	-0.000** (0.000)
Constant	-5.786*** (0.980)	-3.945*** (1.518)
Observations	270	270
r2_w	0.755	0.726
r2_b	0.995	0.979

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B7: Alternate models of scope: excluding Zanzibar

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.528*** (0.107)	1.204*** (0.089)
Southern African colony	-0.838*** (0.153)	1.383*** (0.144)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.275** (0.113)	-0.656*** (0.111)
<i>Alternative providers</i>		
Mission hospitals per capita	-0.116*** (0.032)	0.063* (0.034)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.133 (0.086)	-0.417*** (0.086)
1940-1960	0.306** (0.138)	-0.691*** (0.138)
Real TGR per capita	0.364*** (0.071)	0.654*** (0.066)
TME share of TGE	-0.014 (0.015)	0.099*** (0.014)
Medical department est.	-0.136* (0.079)	0.643*** (0.073)
European staff per capita	0.466*** (0.051)	-0.040 (0.059)
State hospitals per capita	0.793*** (0.057)	
Country area	0.000*** (0.000)	0.000 (0.000)
Average no. beds per hospital		-0.220*** (0.060)
Constant	4.537*** (1.168)	-14.265*** (0.895)
Observations	292	292
r ² _w	0.498	0.293
r ² _b	0.971	0.898

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B8: Alternate models of utilization: excluding Zanzibar

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.781*** (0.088)	1.368*** (0.136)
Southern African colony	0.960*** (0.131)	2.053*** (0.202)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.306*** (0.089)	-0.694*** (0.137)
<i>Alternative providers</i>		
Mission hospitals per capita	0.114*** (0.027)	0.062 (0.041)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	0.391*** (0.069)	0.755*** (0.107)
1940-1960	0.485*** (0.111)	0.834*** (0.171)
Real TGR per capita	0.409*** (0.059)	0.612*** (0.092)
TME share of TGE	-0.013 (0.011)	0.094*** (0.018)
Medical department est.	0.393*** (0.063)	0.166* (0.097)
European staff per capita	-0.119** (0.046)	0.093 (0.072)
State hospitals per capita	0.229*** (0.046)	0.047 (0.070)
Average no. beds per hospital	0.333*** (0.049)	0.306*** (0.075)
Country area	-0.000 (0.000)	-0.000*** (0.000)
Constant	-5.523*** (0.949)	-3.647** (1.465)
Observations	283	283
r2_w	0.747	0.724
r2_b	0.995	0.983

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B9: Alternate models of scope: excluding the Gambia

	(1) Beds per capita	(2) Hospitals per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.576*** (0.099)	1.212*** (0.089)
Southern African colony	-0.626*** (0.149)	1.477*** (0.143)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	-0.227** (0.102)	-0.578*** (0.107)
<i>Alternative providers</i>		
Mission hospitals per capita	-0.175*** (0.028)	-0.008 (0.033)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	-0.117 (0.081)	-0.402*** (0.086)
1940-1960	0.256** (0.128)	-0.650*** (0.136)
Real TGR per capita	0.407*** (0.068)	0.710*** (0.067)
TME share of TGE	-0.006 (0.013)	0.094*** (0.014)
Medical department est.	-0.118 (0.074)	0.613*** (0.072)
European staff per capita	0.554*** (0.048)	0.061 (0.064)
State hospitals per capita	0.765*** (0.053)	
Country area	0.000*** (0.000)	0.000 (0.000)
Average no. beds per hospital		-0.282*** (0.063)
Constant	4.161*** (1.113)	-13.772*** (0.936)
Observations	291	291
r ² _w	0.497	0.282
r ² _b	0.993	0.923

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01

Table B10: Alternate models of utilization: excluding the Gambia

	(1) In-patients per capita	(2) Out-patients per capita
<i>Region</i>		
West African colony	Ref.	Ref.
East African colony	0.810*** (0.086)	1.649*** (0.140)
Southern African colony	0.973*** (0.131)	2.027*** (0.212)
<i>European settler share</i>		
Non-settler colony	Ref.	Ref.
Settler colony	0.258*** (0.084)	-0.962*** (0.137)
<i>Alternative providers</i>		
Mission hospitals per capita	0.156*** (0.027)	0.114*** (0.043)
<i>Period</i>		
1900-1919	Ref.	Ref.
1920-1939	0.387*** (0.068)	0.778*** (0.111)
1940-1960	0.438*** (0.108)	0.771*** (0.175)
Real TGR per capita	0.384*** (0.063)	0.677*** (0.102)
TME share of TGE	-0.010 (0.011)	0.110*** (0.018)
Medical department est.	0.434*** (0.061)	0.307*** (0.099)
European staff per capita	-0.194*** (0.050)	0.040 (0.082)
State hospitals per capita	0.226*** (0.045)	-0.049 (0.073)
Average no. beds per hospital	0.375*** (0.054)	0.199** (0.087)
Country area	-0.000* (0.000)	-0.000 (0.000)
Constant	-6.125*** (0.946)	-5.193*** (1.537)
Observations	282	282
r2_w	0.755	0.726
r2_b	0.992	0.945

State hospitals and hospital beds exclude those designated for Europeans.

All country average ratio method applied for exclusions.

All continuous variables are logged.

Standard errors in parentheses.

* p<0.10, ** p<0.05, *** p<0.01