

# Are tropical oceanic islands overlooked? Knowledge gaps regarding the vulnerability of amphibians to global anthropogenic threats

RENOIR J. AUGUSTE, AMY E. DEACON and MARK F. HULME

Supplementary material is published as supplied by the authors. It is not checked for accuracy, copyedited, typeset or proofread. The responsibility for scientific accuracy and file functionality remains with the authors.

SUPPLEMENTARY MATERIAL 1 Climate change literature located using specific search terms, as described in the methods section of the main article.

- ABNEY, C.R., BALZER, S.W., DUECKMAN, A., BAYLIS, A., & CLEMENTS, D.R. (2019) Early spring and early vanishing wetlands as harbingers of the future? The climate change trap for ephemeral pond-breeding frogs. *Northwest Science*, 93, 52–65.
- ABREU-JARDIM, T.P., JARDIM, L., BALLESTEROS-MEJIA, L., MACIEL, N.M., & COLLEVATTI, R.G. (2021) Predicting impacts of global climatic change on genetic and phylogeographical diversity of a Neotropical treefrog. *Diversity and Distributions*, 27, 1519–1535.
- ACOSTA-CHAVES, V.J., MADRIGAL-ELIZONDO, V., CHAVES, G., MORERA-CHACÓN, B., GARCÍA-RODRÍGUEZ, A., & BOLAÑOS, F. (2019) Shifts in the diversity of an amphibian community from a premontane forest of San Ramón, Costa Rica. *Revista de Biología Tropical*, 67, 259–273.
- ADAMS, M.J., HOSSACK, B.R., KNAPP, R.A., CORN, P.S., DIAMOND, S.A., TRENHAM, P.C., et al. (2005) Distribution patterns of lentic-breeding amphibians in relation to ultraviolet radiation exposure in western North America. *Ecosystems*, 8, 488–500.
- ADAMS, A.J., KUPFERBERG, S.J., WILBER, M.Q., PESSIER, A.P., GREFSRUD, M., BOBZIEN, S. et al. (2017) Extreme drought, host density, sex, and bullfrogs influence fungal pathogen infection in a declining lotic amphibian. *Ecosphere*, 8, e01740.
- AGUDELO-CANTERO, G.A., & NAVAS, C.A. (2019) Interactive effects of experimental heating rates, ontogeny and body mass on the upper thermal limits of anuran larvae. *Journal of Thermal Biology*, 82, 43–51.
- ALBECKER, M.A., & MCCOY, M.W. (2017) Adaptive responses to salinity stress across multiple life stages in anuran amphibians. *Frontiers in Zoology*, 14, 1–16.
- ALCALA, A.C., BUCOL, A.A., DIEMOS, A.C., & BROWN, R.M. (2012) Vulnerability of Philippine amphibians to climate change. *Philippine Journal of Science*, 141, 77–87.
- ALEXANDER, L.G., LAILVAUX, S.P., PECHMANN, J.H. & DEVRIES, P.J. (2012) Effects of salinity on early life stages of the Gulf Coast toad, *Incilius nebulifer* (Anura: Bufonidae). *Copeia*, 2012, 106–114.

- ALVES-FERREIRA, G., GINÉ, G.A.F., DE SIQUEIRA FORTUNATO, D., SOLÉ, M., & HEMING, N.M. (2022) Projected responses of Cerrado anurans to climate change are mediated by biogeographic character. *Perspectives in Ecology and Conservation*, 20, 126–131.
- ALGIRIYAGE, D.P., JAYAWEEERA, H. & WIJESINGHE, M.R. (2020) Inter-population variation in thermal sensitivity of the tropical toad *Duttaphrynus melanostictus*, across a small spatial scale in Sri Lanka. *Journal of Thermal Biology*, 89, 102568.
- AMBURGEY, S., FUNK, W.C., MURPHY, M. & MUTHS, E. (2012) Effects of hydroperiod duration on survival, developmental rate, and size at metamorphosis in boreal chorus frog tadpoles (*Pseudacris maculata*). *Herpetologica*, 68, 456–467.
- AMBURGEY, S.M., MURPHY, M. & CHRIS FUNK, W. (2016) Phenotypic plasticity in developmental rate is insufficient to offset high tadpole mortality in rapidly drying ponds. *Ecosphere*, 7, e01386.
- AMIRI, N., VAISSI, S., AGHAMIR, F., SABERI-PIROOZ, R., RÖDDER, D., EBRAHIMI, E., & AHMADZADEH, F. (2021) Tracking climate change in the spatial distribution pattern and the phylogeographic structure of Hyrcanian wood frog, *Rana pseudodalmatina* (Anura: Ranidae). *Journal of Zoological Systematics and Evolutionary Research*, 59, 1604–1619.
- ANCHUKAITIS, K.J. & EVANS, M.N. (2010) Tropical cloud forest climate variability and the demise of the Monteverde golden toad. *Proceedings of the National Academy of Sciences*, 107, 5036–5040.
- ARAGÓN, P., RODRÍGUEZ, M.A., OLALLA-TÁRRAGA, M.A., & LOBO, J.M. (2010) Predicted impact of climate change on threatened terrestrial vertebrates in central Spain highlights differences between endotherms and ectotherms. *Animal Conservation*, 13, 363–373.
- ARAÚJO, M.B., THUILLER, W., & PEARSON, R.G. (2006) Climate warming and the decline of amphibians and reptiles in Europe. *Journal of biogeography*, 33, 1712–1728.
- ARIETTA, A.A., & SKELLY, D.K. (2021) Rapid microgeographic evolution in response to climate change. *Evolution*, 75, 2930–2943.
- ARIETTA, A.A., FREIDENBURG, L.K., URBAN, M.C., RODRIGUES, S.B., RUBINSTEIN, A., & SKELLY, D. K. (2020). Phenological delay despite warming in wood frog *Rana sylvatica* reproductive timing: a 20-year study. *Ecography*, 43, 1791–1800.
- ARNFIELD, H., GRANT, R., MONK, C., & ULLER, T. (2012) Factors influencing the timing of spring migration in common toads (*Bufo bufo*). *Journal of Zoology*, 288, 112–118.
- ASHRAFZADEH, M.R., NAGHIPOUR, A.A., HAIDARIAN, M., KUSZA, S., & PILLIOD, D.S. (2019) Effects of climate change on habitat and connectivity for populations of a vulnerable, endemic salamander in Iran. *Global Ecology and Conservation*, 19, e00637.
- BAIER, F., JEDINGER, M., GRUBER, E., & ZALLER, J.G. (2016) Temperature-dependence of glyphosate-based herbicide's effects on egg and tadpole growth of Common Toads. *Frontiers in Environmental Science*, 4, 51.

- BAKER, D.J., HARTLEY, A.J., BURGESS, N.D., BUTCHART, S.H.M., CARR, J.A., SMITH, R.J. et al. (2015) Assessing climate change impacts for vertebrate fauna across the West African protected area network using regionally appropriate climate projections. *Diversity and Distributions*, 21, 991–1003.
- BARKER, B.S., RODRÍGUEZ-ROBLES, J.A. & COOK, J.A. (2015) Climate as a driver of tropical insular diversity: comparative phylogeography of two ecologically distinctive frogs in Puerto Rico. *Ecography*, 38, 769–781.
- BARRETT, K., NIBBELINK, N.P., & MAERZ, J.C. (2014) Identifying priority species and conservation opportunities under future climate scenarios: amphibians in a biodiversity hotspot. *Journal of Fish and Wildlife Management*, 5, 282–297.
- BARRIA, A.M., & BACIGALUPE, L.D. (2017) Intraspecific geographic variation in thermal limits and acclimatory capacity in a wide distributed endemic frog. *Journal of Thermal Biology*, 69, 254–260.
- BARTELT, P.E., THORNTON, P.E., & KLAVER, R.W. (2022) Modelling physiological costs to assess impacts of climate change on amphibians in Yellowstone National Park, USA. *Ecological Indicators*, 135, 108575.
- BARTHELD, J.L., ARTACHO, P. & BACIGALUPE, L. (2017). Thermal performance curves under daily thermal fluctuation: A study in helmeted water toad tadpoles. *Journal of Thermal Biology*, 70, 80–85.
- BELLAKHAL, M., NEVEU, A., FARTOUNA-BELLAKHAL, M., MISSAOUI, H. & ALEYA, L. (2014) Effects of temperature, density and food quality on larval growth and metamorphosis in the north African green frog *Pelophylax saharicus*. *Journal of Thermal Biology*, 45, 81–86.
- BENARD, M.F. (2015) Warmer winters reduce frog fecundity and shift breeding phenology, which consequently alters larval development and metamorphic timing. *Global Change Biology*, 21, 1058–1065.
- BERANEK, C.T., CLULOW, J. & MAHONY, M. (2020) A simple design feature to increase hydro-period in constructed ephemeral wetlands to avoid tadpole desiccation-induced mortality. *Ecological Management & Restoration*, 21, 250–253.
- BERANEK, C.T., SANDERS, S., CLULOW, J. & MAHONY, M. (2022) Factors influencing persistence of a threatened amphibian in restored wetlands despite severe population decline during climate change driven weather extremes. *Biodiversity and Conservation*, 31, 1267–1287.
- BEYER, S.E., PHILLIPS, C.A. & SCHOOLEY, R.L. (2015) Canopy cover and drought influence the landscape epidemiology of an amphibian chytrid fungus. *Ecosphere*, 6, 1–18.
- BISON, M., YOCCOZ, N.G., CARLSON, B.Z., KLEIN, G., LAIGLE, I., VAN REETH, C. et al. (2021) Earlier Snowmelt Advances Breeding Phenology of the Common Frog (*Rana temporaria*)

- but Increases the Risk of Frost Exposure and Wetland Drying. *Frontiers in Ecology and Evolution*, 9, 645585.
- BLANK, L., LUOTO, M., & MERILÄ, J. (2013) Potential effects of climate change on the distribution of the common frog *Rana temporaria* at its northern range margin. *Israel Journal of Ecology & Evolution*, 59, 130–140.
- BLAUSTEIN, A.R., BELDEN, L.K., OLSON, D.H., GREEN, D.M., ROOT, T.L., & KIESECKER, J.M. (2001) Amphibian breeding and climate change. *Conservation Biology*, 15, 1804–1809.
- BONINO, M.F., CRUZ, F.B. & PEROTTI, M.G. (2020) Does temperature at local scale explain thermal biology patterns of temperate tadpoles? *Journal of Thermal Biology*, 94, 102744.
- BONNEFOND, A., COURTOIS, E.A., SUEUR, J., SUGAI, L.S.M. & LLUSIA, D. (2020) Climatic breadth of calling behaviour in two widespread Neotropical frogs: Insights from humidity extremes. *Global Change Biology*, 26, 5431–5446.
- BOSCH, J., CARRASCAL, L.M., DURAN, L., WALKER, S., & FISHER, M.C. (2007) Climate change and outbreaks of amphibian chytridiomycosis in a montane area of Central Spain; is there a link? *Proceedings of the Royal Society B: Biological Sciences*, 274, 253–260.
- BOTTS, E.A., ERASMUS, B.F., & ALEXANDER, G.J. (2013) Small range size and narrow niche breadth predict range contractions in South African frogs. *Global Ecology and Biogeography*, 22, 567–576.
- BOTTS, E.A., ERASMUS, B.F., & ALEXANDER, G.J. (2015) Observed range dynamics of South African amphibians under conditions of global change. *Austral Ecology*, 40, 309–317.
- BOURKE, J., BUSSE, K., & BOEHME, W. (2018) Potential effects of climate change on the distribution of the endangered Darwin's frog. *North-Western Journal of Zoology*, 14, e171508.
- BOYER, I., CAYUELA, H., BERTRAND, R., & ISSELIN-NONDEDEU, F. (2021) Improving biological relevance of model projections in response to climate change by considering dispersal amongst lineages in an amphibian. *Journal of Biogeography*, 48, 561–576.
- BRADLEY, P.W., BRAWNER, M.D., RAFFEL, T.R., ROHR, J.R., OLSON, D.H., & BLAUSTEIN, A.R. (2019) Shifts in temperature influence how *Batrachochytrium dendrobatidis* infects amphibian larvae. *PloS One*, 14, e0222237.
- BRANNELLY, L.A., OHMER, M.E., SAENZ, V., & RICHARDS-ZAWACKI, C.L. (2019) Effects of hydroperiod on growth, development, survival and immune defences in a temperate amphibian. *Functional Ecology*, 33, 1952–1961.
- BREDEWEG, E.M., URBINA, J., MORZILLO, A.T. & GARCIA, T.S. (2019) Starting on the right foot: carryover effects of larval hydroperiod and terrain moisture on post-metamorphic frog movement behaviour. *Frontiers in Ecology and Evolution*, 7, 97.

- BURROWES, P.A., NAVAS, C.A., JIMÉNEZ-ROBLES, O., DELGADO, P., & DE LA RIVA, I. (2020) Climatic heterogeneity in the Bolivian Andes: are frogs trapped? *South American Journal of Herpetology*, 18, 1–12.
- BUSTAMANTE, H.M., LIVO, L.J. & CAREY, C. (2010) Effects of temperature and hydric environment on survival of the Panamanian Golden Frog infected with a pathogenic chytrid fungus. *Integrative Zoology*, 5, 143–153.
- BUTTON, S.T., GREENBERG, C.H., & AUSTIN, J.D. (2022) Recruitment Patterns and Potential Climate Change Impacts on Three Florida Hylids with Different Life Histories. *Diversity*, 14, 129.
- CAMPOS, F.S., LOURENÇO-DE-MORAES, R., RUAS, D.S., MIRA-MENDES, C.V., FRANCH, M., LLORENTE, G.A., et al. (2020) Searching for networks: ecological connectivity for amphibians under climate change. *Environmental management*, 65, 46–61.
- CAMPOS-CERQUEIRA, M., TERANDO, A.J., MURRAY, B.A., COLLAZO, J.A., & AIDE, T.M. (2021) Climate change is creating a mismatch between protected areas and suitable habitats for frogs and birds in Puerto Rico. *Biodiversity and Conservation*, 30, 3509–3528.
- CAO, Y., CUI, K., PAN, H., WU, J., & WANG, L. (2019). The impact of multiple climatic and geographic factors on the chemical defences of Asian toads (*Bufo gargarizans* Cantor). *Scientific Reports*, 9, 1–11.
- CARREIRA, B.M., SEGURADO, P., ORIZAOLA, G., GONÇALVES, N., PINTO, V., LAURILA, A. et al. (2016) Warm vegetarians? Heat waves and diet shifts in tadpoles. *Ecology*, 97, 2964–2974.
- CARROLL, E.A., SPARKS, T.H., COLLINSON, N. & BEEBEE, T.J.C. (2009) Influence of temperature on the spatial distribution of first spawning dates of the common frog (*Rana temporaria*) in the UK. *Global Change Biology*, 15, 467–473.
- CARTWRIGHT, J., MORELLI, T.L., & GRANT, E.H.C. (2022) Identifying climate-resistant vernal pools: Hydrologic refugia for amphibian reproduction under droughts and climate change. *Ecohydrology*, 15, e2354.
- CARVALHO, S.B., BRITO, J.C., CRESPO, E.J., & POSSINGHAM, H.P. (2010) From climate change predictions to actions—conserving vulnerable animal groups in hotspots at a regional scale. *Global Change Biology*, 16, 3257–3270.
- CATENAZZI, A. & KUPFERBERG, S.J. (2013) The importance of thermal conditions to recruitment success in stream-breeding frog populations distributed across a productivity gradient. *Biological Conservation*, 168, 40–48.
- CATENAZZI, A., LEHR, E., & VREDENBURG, V.T. (2014). Thermal physiology, disease, and amphibian declines on the eastern slopes of the Andes. *Conservation Biology*, 28, 509–517.

- CAYUELA, H., ARSOVSKI, D., BONNAIRE, E., DUGUET, R., JOLY, P., & BESNARD, A. (2016) The impact of severe drought on survival, fecundity, and population persistence in an endangered amphibian. *Ecosphere*, 7, e01246.
- CAYUELA, H., LEMAÎTRE, J.F., MUTHS, E., MCCAFFERY, R.M., FRÉTEY, T., LE GARFF, B., et al. (2021) Thermal conditions predict intraspecific variation in senescence rate in frogs and toads. *Proceedings of the National Academy of Sciences*, 118, e2112235118.
- CERON, K., SANTANA, D.J., LUCAS, E.M., ZOCHE, J.J., & PROVETE, D.B. (2020) Climatic variables influence the temporal dynamics of an anuran metacommunity in a nonstationary way. *Ecology and Evolution*, 10, 4630–4639.
- CHEN, Y., & ESCALANTE, T. (2018) Correlates of ecological-niche diversity and extinction risk of amphibians in China under climate change. *Australian Systematic Botany*, 30, 414–421.
- CHEN, X., REN, C., TENG, Y., SHEN, Y., WU, M., XIAO, H. et al. (2021) Effects of temperature on growth, development and the leptin signaling pathway of *Bufo gargarizans*. *Journal of Thermal Biology*, 96, 102822.
- CLARE, F.C., HALDER, J.B., DANIEL, O., BIELBY, J., SEMENOV, M.A., JOMBART, T., et al. (2016) Climate forcing of an emerging pathogenic fungus across a montane multi-host community. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371, 20150454.
- CLARK, M.A., OTA, W.M., SMITH, S.J., MURAMOTO, B.K., NGO, S., CHAN, G.E., et al. (2022) A natural experiment identifies an impending ecological trap for a neotropical amphibian in response to extreme weather events. *Ecology and Evolution*, 12, e8848.
- COBOS, M.E., & BOSCH, R.A. (2018) Recent and future threats to the Endangered Cuban toad *Peltophryne longinasus*: potential additive impacts of climate change and habitat loss. *Oryx*, 52, 116–125.
- COHEN, J.M., CIVITELLO, D.J., VENESKY, M.D., MCMAHON, T.A., & ROHR, J.R. (2017) Thermal mismatches explain how climate change and infectious disease drove widespread amphibian extinctions. *BioRxiv*, 164814.
- COHEN, J.M., CIVITELLO, D.J., VENESKY, M.D., MCMAHON, T.A., & ROHR, J.R. (2019) An interaction between climate change and infectious disease drove widespread amphibian declines. *Global Change Biology*, 25, 927–937.
- COLOMER, M.À., MARGALIDA, A., SANUY, I., LLORENTE, G.A., SANUY, D., & PUJOL-BUXÓ, E. (2021) A computational model approach to assess the effect of climate change on the growth and development of tadpoles. *Ecological Modelling*, 461, 109763.
- COMBES, M., PINAUD, D., BARBRAUD, C., TROTIGNON, J. & BRISCHOUX, F. (2018) Climatic influences on the breeding biology of the agile frog (*Rana dalmatina*). *The Science of Nature*, 105, 1–11.

- CORDIER, J.M., LESCANO, J.N., RÍOS, N.E., LEYNAUD, G.C., & NORI, J. (2020) Climate change threatens micro-endemic amphibians of an important South American high-altitude center of endemism. *Amphibia-Reptilia*, *41*, 233–243.
- CORTES, P.A., PUSCHEL, H., ACUÑA, P., BARTHELD, J.L. & BOZINOVIC, F. (2016) Thermal ecological physiology of native and invasive frog species: do invaders perform better? *Conservation Physiology*, *4*, cow056.
- COSTA, T.R., CARNAVAL, A.C., & TOLEDO, L.F. (2012) Climate change and its impacts on Brazilian amphibians. *Revista da Biologia*, *8*, 33–37.
- COURTOIS, E.A., MICHEL, E., MARTINEZ, Q., PINEAU, K., DEWYNTER, M., FICETOLA, G.F., et al. (2016) Taking the lead on climate change: modelling and monitoring the fate of an Amazonian frog. *Oryx*, *50*, 450–459.
- CRUMP, P. & HOULAHAN, J. (2017) The impacts of overwintered green frog larvae on wood frog embryo mortality under a wetter climate. *Freshwater Biology*, *62*, 1244–1254.
- CRUZ, M.J., ROBERT, E.M.R., COSTA, T., AVELAR, D., REBELO, R., & PULQUÉRIO, M. (2016) Assessing biodiversity vulnerability to climate change: testing different methodologies for Portuguese herpetofauna. *Regional Environmental Change*, *16*, 1293–1304.
- CUMMINS, C.P. (2003) UV-B radiation, climate change and frogs—the importance of phenology. *Annales Zoologici Fennici*, *40*, 61–67.
- CUMMINS, D., KENNINGTON, W.J., RUDIN-BITTERLI, T., & MITCHELL, N.J. (2019) A genome-wide search for local adaptation in a terrestrial-breeding frog reveals vulnerability to climate change. *Global Change Biology*, *25*, 3151–3162.
- CURTIS, A.N., & BIDART, M.G. (2021) Increased Temperature Influenced Growth and Development of Tadpoles Exposed to Leachates of the Invasive Plant European Buckthorn (*Rhamnus cathartica*) and a Triclopyr Herbicide. *Environmental Toxicology and Chemistry*, *40*, 2547–2558.
- D'AMEN, M., & BOMBI, P. (2009) Global warming and biodiversity: Evidence of climate-linked amphibian declines in Italy. *Biological Conservation*, *142*, 3060–3067.
- D'AMEN, M., BOMBI, P., PEARMAN, P.B., SCHMATZ, D.R., ZIMMERMANN, N.E., & BOLOGNA, M.A. (2011) Will climate change reduce the efficacy of protected areas for amphibian conservation in Italy? *Biological Conservation*, *144*, 989–997.
- DA SILVA E SILVA, Y.B., RIBEIRO, B.R., THIESEN BRUM, F., SOARES-FILHO, B., LOYOLA, R., & MICHALSKI, F. (2018) Combined exposure to hydroelectric expansion, climate change and forest loss jeopardies amphibians in the Brazilian Amazon. *Diversity and Distributions*, *24*, 1072–1082.
- DASTANSARA, N., VAISSI, S., MOSAVI, J., & SHARIFI, M. (2017). Impacts of temperature on growth, development and survival of larval *Bufo (Pseudepidalea) viridis* (Amphibia: Anura): implications of climate change. *Zoology and Ecology*, *27*, 228–234.

- DASZAK, P., SCOTT, D.E., KILPATRICK, A.M., FAGGIONI, C., GIBBONS, J.W., & PORTER, D. (2005) Amphibian population declines at Savannah River site are linked to climate, not chytridiomycosis. *Ecology*, *86*, 3232–3237.
- DAVENPORT, J.M., HOSSACK, B.R., & FISHBACK, L. (2017) Additive impacts of experimental climate change increase risk to an ectotherm at the Arctic's edge. *Global Change Biology*, *23*, 2262–2271.
- DAVIDSON, C., SHAFFER, H.B., & JENNINGS, M.R. (2001) Declines of the California red-legged frog: Climate, UV-B, habitat, and pesticides hypotheses. *Ecological Applications*, *11*, 464–479.
- DAVIDSON, C., SHAFFER, H.B., & JENNINGS, M.R. (2002) Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate-change hypotheses for California amphibian declines. *Conservation Biology*, *16*, 1588–1601.
- DAVIS, R.A., LOHR, C.A., & DALE ROBERTS, J. (2019) Frog survival and population viability in an agricultural landscape with a drying climate. *Population Ecology*, *61*, 102–112.
- DELGADO-SUAZO, P., & BURROWES, P.A. (2022) Response to thermal and hydric regimes point to differential inter- and intraspecific vulnerability of tropical amphibians to climate warming. *Journal of Thermal Biology*, *103*, 103148.
- DE MIRA-MENDES, C.V., COSTA, R.N., DIAS, I.R., CARILLO FILHO, L.M., MARIANO, R., LE PENDU, Y. et al. (2019) Effects of increasing temperature on predator-prey interaction between beetle larvae and tadpoles. *Studies on Neotropical Fauna and Environment*, *54*, 163–168.
- DE OLIVEIRA ANDERSON, R.C., BOVO, R.P. & ANDRADE, D.V. (2018) Seasonal variation in the thermal biology of a terrestrial toad, *Rhinella icterica* (Bufonidae), from the Brazilian Atlantic Forest. *Journal of Thermal Biology*, *74*, 77–83.
- DERAKHSHAN, Z. & NOKHBATOLFOGHAI, M. (2015) Thermal tolerance limits and effects of temperature on the growth and development of the green toad, *Bufo viridis*. *Salamandra*, *51*, 129–136.
- DERVO, B.K., BÆRUM, K.M., SKURDAL, J., & MUSETH, J. (2016) Effects of temperature and precipitation on breeding migrations of amphibian species in southeastern Norway. *Scientifica*, *2016*, 3174316.
- DIAMOND, S.A., PETERSON, G.S., TIETGE, J.E., & ANKLEY, G.T. (2002) Assessment of the risk of solar ultraviolet radiation to amphibians. III. Prediction of impacts in selected northern midwestern wetlands. *Environmental Science & Technology*, *36*, 2866–2874.
- DIAZ-RICAURTE, J.C., SERRANO, F.C., GUEVARA-MOLINA, E.C., ARAUJO, C. & MARTINS, M. (2020) Does behavioural thermal tolerance predict distribution pattern and habitat use in two sympatric Neotropical frogs? *PloS One*, *15*, e0239485.



- DITTRICH, C., DRAKULIĆ, S., SCHELLENBERG, M., THEIN, J. & RÖDEL, M.O. (2016) Some like it hot? Developmental differences in Yellow-bellied Toad (*Bombina variegata*) tadpoles from geographically close but different habitats. *Canadian Journal of Zoology*, *94*, 69–77.
- DOLGENER, N., FREUDENBERGER, L., SCHNEEWEISS, N., IBISCH, P.L., & TIEDEMANN, R. (2014) Projecting current and potential future distribution of the Fire-bellied toad *Bombina orientalis* under climate change in north-eastern Germany. *Regional Environmental Change*, *14*, 1063–1072.
- DUAN, R. Y., KONG, X. Q., HUANG, M.Y., VARELA, S., & JI, X. (2016) The potential effects of climate change on amphibian distribution, range fragmentation and turnover in China. *PeerJ*, *4*, e2185.
- DUARTE, H., TEJEDO, M., KATZENBERGER, M., MARANGONI, F., BALDO, D., BELTRÁN, J.F., et al. (2012) Can amphibians take the heat? Vulnerability to climate warming in subtropical and temperate larval amphibian communities. *Global Change Biology*, *18*, 412–421.
- DUBOS, N., MOREL, L., CROTTINI, A., FREEMAN, K., HONORÉ, J., LAVA, H., et al. (2020) High interannual variability of a climate-driven amphibian community in a seasonal rainforest. *Biodiversity and Conservation*, *29*, 893–912.
- EADS, A.R., MITCHELL, N.J. & EVANS, J.P. (2012) Patterns of genetic variation in desiccation tolerance in embryos of the terrestrial-breeding frog, *Pseudophryne guentheri*. *Evolution: International Journal of Organic Evolution*, *66*, 2865–2877.
- ECK, B., BYRNE, A., POPESCU, V.D., HARPER, E.B., & PATRICK, D.A. (2014) Effects of water temperature on larval amphibian predator-prey dynamics. *Herpetological Conservation and Biology*, *9*, 302–308.
- EDWARDS, W.M., BUNGARD, M.J., RAKOTONDRAISOA, E.F., RAZAFINDRAIBE, P., ANDRIANTSIMANARILAFY, R.R., RAZAFIMANAHAKA, J.H., et al. (2022) Predicted impact of climate change on the distribution of the Critically Endangered golden mantella (*Mantella aurantiaca*) in Madagascar. *The Herpetological Journal*, *32*, 5–13.
- ENRIQUEZ-URZELAI, U., BERNARDO, N., MORENO-RUEDA, G., MONTORI, A., & LLORENTE, G. (2019) Are amphibians tracking their climatic niches in response to climate warming? A test with Iberian amphibians. *Climatic Change*, *154*, 289–301.
- ENRIQUEZ-URZELAI, U., TINGLEY, R., KEARNEY, M.R., SACCO, M., PALACIO, A.S., TEJEDO, M. et al. (2020) The roles of acclimation and behaviour in buffering climate change impacts along elevational gradients. *Journal of Animal Ecology*, *89*, 1722–1734.
- EVANS, M.J., SCHEELE, B.C., WESTGATE, M.J., YEBRA, M., NEWPORT, J.S., & MANNING, A.D. (2020) Beyond the pond: Terrestrial habitat use by frogs in a changing climate. *Biological Conservation*, *249*, 108712.
- FISHER, M.C. (2007) Potential interactions between amphibian immunity, infectious disease and climate change. *Animal Conservation*, *10*, 420–421.

- FITZPATRICK, M.J., PORTER, W.P., PAULI, J.N., KEARNEY, M.R., NOTARO, M., & ZUCKERBERG, B. (2020) Future winters present a complex energetic landscape of decreased costs and reduced risk for a freeze-tolerant amphibian, the Wood Frog (*Lithobates sylvaticus*). *Global Change Biology*, 26, 6350–6362.
- FORDHAM, D.A., BROOK, B.W., HOSKIN, C.J., PRESSEY, R.L., VANDERWAL, J., & WILLIAMS, S.E. (2016) Extinction debt from climate change for frogs in the wet tropics. *Biology Letters*, 12, 20160236.
- FREITAS, M.B., BROWN, C.T. & KARASOV, W.H. (2017) Warmer temperature modifies effects of polybrominated diphenyl ethers on hormone profiles in leopard frog tadpoles (*Lithobates pipiens*). *Environmental Toxicology and Chemistry*, 36, 120–127.
- FRIELE, P.A., PAIGE, K. & MOORE, R.D. (2016) Stream temperature regimes and the distribution of the Rocky Mountain tailed frog at its northern range limit, southeastern British Columbia. *Northwest Science*, 90, 159–175.
- FRISHKOFF, L.O., HADLY, E.A., & DAILY, G.C. (2015) Thermal niche predicts tolerance to habitat conversion in tropical amphibians and reptiles. *Global Change Biology*, 21, 3901–3916.
- GAO, X., JIN, C., LLUSIA, D., & LI, Y. (2015) Temperature-induced shifts in hibernation behaviour in experimental amphibian populations. *Scientific Reports*, 5, 1–11.
- GAO, X., JIN, C., CAMARGO, A., & LI, Y. (2015). Allocation trade-off under climate warming in experimental amphibian populations. *PeerJ*, 3, e1326.
- GARCIA, A., ORTEGA-HUERTA, M.A., & MARTINEZ-MEYER, E. (2014) Potential distributional changes and conservation priorities of endemic amphibians in western Mexico as a result of climate change. *Environmental Conservation*, 41, 1–12.
- GARCIA, R.A., ARAÚJO, M.B., BURGESS, N.D., FODEN B., GUTSCHE, A., RAHBEK, C. et al. (2014). Matching species traits to projected threats and opportunities from climate change. *Journal of Biogeography*, 41, 724–735.
- GARNER, T.W., ROWCLIFFE, J.M., & FISHER, M.C. (2011) Climate change, chytridiomycosis or condition: an experimental test of amphibian survival. *Global Change Biology*, 17, 667–675.
- GERICK, A.A., MUNSHAW, R.G., PALEN, W.J., COMBES, S.A., & O'REGAN, S.M. (2014) Thermal physiology and species distribution models reveal climate vulnerability of temperate amphibians. *Journal of Biogeography*, 41, 713–723.
- GIBBS, J.P., & BREISCH, A.R. (2001). Climate warming and calling phenology of frogs near Ithaca, New York, 1900–1999. *Conservation Biology*, 15, 1175–1178.
- GIRARDELLO, M., GRIGGIO, M., WHITTINGHAM, M.J., & RUSHTON, S.P. (2010) Models of climate associations and distributions of amphibians in Italy. *Ecological Research*, 25, 103–111.

- GONÇALVES, J., HONRADO, J.P., VICENTE, J.R. & CIVANTOS, E. (2016) A model-based framework for assessing the vulnerability of low dispersal vertebrates to landscape fragmentation under environmental change. *Ecological Complexity*, 28, 174–186.
- GONZÁLEZ-DEL-PLIEGO, P., SCHEFFERS, B.R., FRECKLETON, R.P., BASHAM, E.W., ARAÚJO, M.B., ACOSTA-GALVIS, A.R., et al. (2020) Thermal tolerance and the importance of microhabitats for Andean frogs in the context of land use and climate change. *Journal of Animal Ecology*, 89, 2451–2460.
- GONZÁLEZ, K., WARKENTIN, K.M. & GÜELL, B.A. (2021) Dehydration-Induced Mortality and Premature Hatching in Gliding Treefrogs with Even Small Reductions in Humidity. *Ichthyology & Herpetology*, 109, 21–30.
- GOODWIN, K.J., KISSEL, A., & PALEN, W.J. (2019) Individual variation in thermal performance of a temperate, montane amphibian (*Rana cascadae*). *Herpetological Conservation and Biology*, 14, 420–428.
- GORDON, A.M., YOUNGQUIST, M.B., & BOONE, M.D. (2016) The effects of pond drying and predation on Blanchard's cricket frogs (*Acris blanchardi*). *Copeia*, 104, 482–486.
- GOULD, J., CLULOW, J. & CLULOW, S. (2022) High clutch failure rate due to unpredictable rainfall for an ephemeral pool-breeding frog. *Oecologia*, 198, 699–710.
- GREEN, D.M. (2017) Amphibian breeding phenology trends under climate change: predicting the past to forecast the future. *Global Change Biology*, 23, 646–656.
- GREEN, D.M., & MIDDLETON, J. (2013) Body size varies with abundance, not climate, in an amphibian population. *Ecography*, 36, 947–955.
- Green, T., Das, E., & Green, D.M. (2016) Springtime emergence of overwintering toads, *Anaxyrus fowleri*, in relation to environmental factors. *Copeia*, 104, 393–401.
- GREEN, F.B., EAST, A.G. & SALICE, C.J. (2019) Will temperature increases associated with climate change potentiate toxicity of environmentally relevant concentrations of chloride on larval green frogs (*Lithobates clamitans*)? *Science of the Total Environment*, 682, 282–290.
- GREEN, F.B. & SALICE, C.J. (2020) Increased temperature and lower resource quality exacerbate chloride toxicity to larval *Lithobates sylvaticus* (wood frog). *Environmental Pollution*, 266, 115188.
- GREENBERG, D.A., & PALEN, W.J. (2021) Hydrothermal physiology and climate vulnerability in amphibians. *Proceedings of the Royal Society B*, 288, 20202273.
- GREENBERG, C.H., GOODRICK, S., AUSTIN, J.D., & PARRESOL, B.R. (2015) Hydroregime prediction models for ephemeral groundwater-driven sinkhole wetlands: a planning tool for climate change and amphibian conservation. *Wetlands*, 35, 899–911.

- GREENBERG, C.H., ZARNOCH, S.J., & AUSTIN, J.D. (2017) Weather, hydroregime, and breeding effort influence juvenile recruitment of anurans: implications for climate change. *Ecosphere*, 8, e01789.
- GRIFFIS-KYLE, K.L., MOUGEY, K., VANLANDEGHEM, M., SWAIN, S., & DRAKE, J.C. (2018) Comparison of climate vulnerability among desert herpetofauna. *Biological Conservation*, 225, 164–175.
- HAGGER, V., FISHER, D., SCHMIDT, S. & BLOMBERG, S. (2013) Assessing the vulnerability of an assemblage of subtropical rainforest vertebrate species to climate change in south-east Queensland. *Austral Ecology*, 38, 465–475.
- HÄKKINEN, J., PASANEN, S., & KUKKONEN, J.V. (2001) The effects of solar UV-B radiation on embryonic mortality and development in three boreal anurans (*Rana temporaria*, *Rana arvalis* and *Bufo bufo*). *Chemosphere*, 44, 441–446.
- HARTEL, T. (2008) Weather conditions, breeding date and population fluctuation in *Rana dalmatina* from central Romania. *The Herpetological Journal*, 18, 40–44.
- HASTINGS, T.P., HOSSACK, B.R., FISHBACK, L. & DAVENPORT, J.M. (2022) Using physiological conditions to assess current and future habitat use of a Subarctic frog. *Integrative Zoology*, 0, 1–13.
- HATCH, A.C., & BLAUSTEIN, A.R. (2003) Combined effects of UV-B radiation and nitrate fertilizer on larval amphibians. *Ecological Applications*, 13, 1083–1093.
- HE, J., YAN, C., HOLYOAK, M., WAN, X., REN, G., HOU, Y. et al. (2018) Quantifying the effects of climate and anthropogenic change on regional species loss in China. *PloS One*, 13, e0199735.
- HERREL, A., & BONNEAUD, C. (2012) Temperature dependence of locomotor performance in the tropical clawed frog, *Xenopus tropicalis*. *Journal of Experimental Biology*, 215, 2465–2470.
- HITCHCOCK, C.J., GALLEGOS, E.A., BACKLIN, A.R., BARABE, R., BLOOM, P.H., BOSS, K., et al. (2022) Range-wide persistence of the endangered arroyo toad (*Anaxyrus californicus*) for 20+ years following a prolonged drought. *Ecology and Evolution*, 12, e8796.
- HOFFMANN, E.P., & MITCHELL, N.J. (2022) Breeding phenology of a terrestrial-breeding frog is associated with soil water potential: Implications for conservation in a changing climate. *Austral Ecology*, 47, 353–364.
- HOFFMANN, E.P., CAVANOUGH, K.L., & MITCHELL, N.J. (2021) Low desiccation and thermal tolerance constrains a terrestrial amphibian to a rare and disappearing microclimate niche. *Conservation Physiology*, 9, coab027.
- HOPKINS, G.R., MAFTEI-MUIRSON, J., DOHERTY, S., MINCHAM, G., & WILLIAMS, C.R. (2020) Salinity tolerance and brackish habitat utilization in the common Australian frog *Crinia signifera*. *Journal of Herpetology*, 54, 161–167.

- HOSSACK, B.R., ADAMS, M.J., PEARL, C.A., WILSON, K.W., BULL, E.L., LOHR, K. et al. (2013) Roles of patch characteristics, drought frequency, and restoration in long-term trends of a widespread amphibian. *Conservation Biology*, 27, 1410–1420.
- HU, J., HUANG, Y., JIANG, J., & GUIBAN, A. (2019) Genetic diversity in frogs linked to past and future climate changes on the roof of the world. *Journal of Animal Ecology*, 88, 953–963.
- HUA, J., & PIERCE, B.A. (2013) Lethal and sublethal effects of salinity on three common Texas amphibians. *Copeia*, 2013, 562–566.
- HUMFELD, S.C., & GRUNERT, B. (2015) Effects of temperature on spectral preferences of female gray treefrogs (*Hyla versicolor*). *Herpetological Conservation and Biology*, 10, 1013–1020.
- IHLOW, F., COURANT, J., SECONDI, J., HERREL, A., REBELO, R., MEASEY, G.J. et al. (2016) Impacts of climate change on the global invasion potential of the African clawed frog *Xenopus laevis*. *PloS One*, 11, e0154869.
- IOSIF, R., PAPEȘ, M., SAMOILĂ, C. & COGĂLNICEANU, D. (2014) Climate-induced shifts in the niche similarity of two related spadefoot toads (genus *Pelobates*). *Organisms Diversity & Evolution*, 14, 397–408.
- JARA, F.G., THURMAN, L.L., MONTIGLIO, P.O., SIH, A., & GARCIA, T.S. (2019). Warming-induced shifts in amphibian phenology and behaviour lead to altered predator–prey dynamics. *Oecologia*, 189, 803–813.
- KAFASH, A., ASHRAFI, S., OHLER, A., YOUSEFI, M., MALAKOUTIKHAH, S., KOEHLER, G. et al. (2018) Climate change produces winners and losers: Differential responses of amphibians in mountain forests of the Near East. *Global Ecology and Conservation*, 16, e00471.
- KAKY, E. (2020) Potential habitat suitability of Iraqi amphibians under climate change. *Biodiversitas Journal of Biological Diversity*, 21, 731–742.
- KATZENBERGER, M., HAMMOND, J., TEJEDO, M. & RELYEA, R. (2018) Source of environmental data and warming tolerance estimation in six species of North American larval anurans. *Journal of Thermal Biology*, 76, 171–178.
- KEARNEY, M., PHILLIPS, B.L., TRACY, C.R., CHRISTIAN, K.A., BETTS, G., & PORTER, W.P. (2008) Modelling species distributions without using species distributions: the cane toad in Australia under current and future climates. *Ecography*, 31, 423–434.
- KERN, P., CRAMP, R.L. & FRANKLIN, C.E. (2014) Temperature and UV-B-insensitive performance in tadpoles of the ornate burrowing frog: an ephemeral pond specialist. *Journal of Experimental Biology*, 217, 1246–1252.
- KHATIWADA, J. R., ZHAO, T., & JIANG, J. (2020) Variation of body temperature of active amphibians along elevation gradients in Eastern Nepal Himalaya. *Journal of Thermal Biology*, 92, 102653.

- KIM, H.W., ADHIKARI, P., CHANG, M.H., & SEO, C. (2021) Potential distribution of amphibians with different habitat characteristics in response to climate change in South Korea. *Animals*, 11, 2185.
- KIRAÇ, A., GIDIŞ, M., MERT, A. & BAŞKALE, E. (2022) Climate change and the fate of endemic Beyşehir Frog, *Pelophylax caralitanus*. *Amphibian & Reptile Conservation*, 16, 76–85.
- KISSEL, A.M., PALEN, W.J., RYAN, M.E., & ADAMS, M.J. (2019) Compounding effects of climate change reduce population viability of a montane amphibian. *Ecological Applications*, 29, e01832.
- KLAUS, S.P., & LOUGHEED, S.C. (2013) Changes in breeding phenology of eastern Ontario frogs over four decades. *Ecology and Evolution*, 3, 835–845.
- KOO, K.S., & CHOE, M. (2021) Distribution Change of Invasive American Bullfrogs (*Lithobates catesbeianus*) by Future Climate Threaten Endangered Suweon Treefrog (*Hyla suweonensis*) in South Korea. *Animals*, 11, 2865.
- KOPRIVNIKAR, J., PAULL, S.H., & JOHNSON, P.T. (2014) Combined influence of hydroperiod and parasitism on larval amphibian development. *Freshwater Science*, 33, 941–949.
- KOSMALA, G.K., BROWN, G.P., & SHINE, R. (2020) Laid-back invaders: Cane toads (*Rhinella marina*) down-regulate their stress responses as they colonize a harsh climate. *Global Ecology and Conservation*, 24, e01248.
- KUPFERBERG, S.J., CATENAZZI, A., LUNDE, K., LIND, A.J. & PALEN, W.J. (2009) Parasitic copepod (*Lernaea cyprinacea*) outbreaks in foothill yellow-legged frogs (*Rana boylei*) linked to unusually warm summers and amphibian malformations in Northern California. *Copeia*, 2009, 529–537.
- KUPFERBERG, S.J., MOIDU, H., ADAMS, A.J., CATENAZZI, A., GREFSRUD, M., BOBZIEN, S. et al. (2022). Seasonal drought and its effects on frog population dynamics and amphibian disease in intermittent streams. *Ecohydrology*, 15, e2395.
- KUSRINI, M.D., LUBIS, M.I., ENDARWIN, W., YAZID, M., DARMAWAN, B., UL-HASANAH, A.U. et al. (2017). Elevation range shift after 40 years: The amphibians of Mount Gede Pangrango National Park revisited. *Biological Conservation*, 206, 75–84.
- LABISKO, J., BUNBURY, N., GRIFFITHS, R.A., GROOMBRIDGE, J.J., CHONG-SENG, L., BRADFIELD, K. S. et al. (2022) Survival of climate warming through niche shifts: Evidence from frogs on tropical islands. *Global Change Biology*, 28, 1268–1286.
- LACAN, I., MATTHEWS, K.R. & FELDMAN, K.V. (2008) Interaction of an introduced predator with future effects of climate change in the recruitment dynamics of the imperilled Sierra Nevada yellow-legged frog (*Rana sierrae*). *Herpetological Conservation and Biology* 3, 211–223.
- LANNOO, M.J., & STILES, R.M. (2020) Uncovering shifting amphibian ecological relationships in a world of environmental change. *Herpetologica*, 76, 144–152.

- LAWLER, J.J., SHAFER, S.L., BANCROFT, B.A., & BLAUSTEIN, A.R. (2010) Projected climate impacts for the amphibians of the Western Hemisphere. *Conservation Biology*, 24, 38–50.
- LAU, E.T.C., LEUNG, K.M.Y. & KARRAKER, N.E. (2019) Native amphibian larvae exhibit higher upper thermal limits but lower performance than their introduced predator *Gambusia affinis*. *Journal of Thermal Biology*, 81, 154–161.
- LAURANCE, W.F. (2008) Global warming and amphibian extinctions in eastern Australia. *Austral Ecology*, 33, 1–9.
- LEE, J.R., MAGGINI, R., TAYLOR, M.F., & FULLER, R.A. (2015) Mapping the drivers of climate change vulnerability for Australia’s threatened species. *PLoS One*, 10, e0124766.
- LERTZMAN-LEPOFSKY, G.F., KISSEL, A.M., SINERVO, B., & PALEN, W.J. (2020) Water loss and temperature interact to compound amphibian vulnerability to climate change. *Global Change Biology*, 26, 4868–4879.
- LIMA, A.S., FERREIRA, L.D.F., SILVA, D.P., GOMES, F.R. & TITON, S.C. (2020) Thermal sensitivity of Bullfrog's immune response kept at different temperatures. *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, 333, 767–778.
- LLUSIA, D., MÁRQUEZ, R., BELTRÁN, J.F., BENÍTEZ, M. & DO AMARAL, J.P. (2013) Calling behaviour under climate change: geographical and seasonal variation of calling temperatures in ectotherms. *Global Change Biology*, 19, 2655–2674.
- LONGHINI, L.S., ZENA, L.A., POLYMEROPOULOS, E.T., ROCHA, A.C., DA SILVA LEANDRO, G., PRADO, C. et al. (2021) Thermal acclimation to the highest natural ambient temperature compromises physiological performance in tadpoles of a stream-breeding savanna tree frog. *Frontiers in Physiology*, 12, 1742.
- LOURENÇO-DE-MORAES, R., CAMPOS, F.S., FERREIRA, R.B., SOLÉ, M., BEARD, K.H., & BASTOS, R.P. (2019) Back to the future: conserving functional and phylogenetic diversity in amphibian-climate refuges. *Biodiversity and Conservation*, 28, 1049–1073.
- LOVETT, G.M. (2013) When do peepers peep? Climate and the date of first calling in the Spring Peeper (*Pseudacris crucifer*) in Southeastern New York State. *Northeastern Naturalist*, 20, 333–340.
- LOWE, K., CASTLEY, J.G., & HERO, J.M. (2015) Resilience to climate change: complex relationships among wetland hydroperiod, larval amphibians and aquatic predators in temporary wetlands. *Marine and Freshwater Research*, 66, 886–899.
- LOWE, K., CASTLEY, J.G., & HERO, J.M. (2016) Calling phenology and detectability of a threatened amphibian (*Litoria olongburensis*) in ephemeral wetlands varies along a latitudinal cline: Implications for management. *Austral Ecology*, 41, 938–951.
- LOYOLA, R.D., NABOUT, J.C., TRINDADE FILHO, J., LEMES, P., CARDONA, J.N.U., DOBROVOLSKI, R. et al. (2012) Climate change might drive species into reserves: a case

- study of the American bullfrog in the Atlantic Forest Biodiversity Hotspot. *Alytes*, 29, 61–74.
- LOYOLA, R.D., LEMES, P., BRUM, F.T., PROVETE, D.B., & DUARTE, L.D. (2014) Clade-specific consequences of climate change to amphibians in Atlantic Forest protected areas. *Ecography*, 37, 65–72.
- LUO, Z., WANG, X., YANG, S., CHENG, X., LIU, Y., & HU, J. (2021) Combining the responses of habitat suitability and connectivity to climate change for an East Asian endemic frog. *Frontiers in Zoology*, 18, 1–14.
- LUDOVISI, A., ROSSI, R., PARACUCCHI, R., SELVAGGI, R., FAGOTTI, A., SIMONCELLI, F. et al. (2014) The delayed effects of meteorological changes on the water frogs in Central Italy. *Hydrobiologia*, 730, 139–152.
- LUKENS, E. & WILCOXEN, T.E. (2020) Effects of elevated salinity on Cuban treefrog *Osteopilus septentrionalis* aldosterone levels, growth, and development. *Marine and Freshwater Behaviour and Physiology*, 53, 99–111.
- MAC NALLY, R., HORROCKS, G.F., LADA, H., LAKE, P.S., THOMSON, J.R., & TAYLOR, A.C. (2009) Distribution of anuran amphibians in massively altered landscapes in south-eastern Australia: effects of climate change in an aridifying region. *Global Ecology and Biogeography*, 18, 575–585.
- MAC NALLY, R., HORROCKS, G.F., & LADA, H. (2017) Anuran responses to pressures from high-amplitude drought–flood–drought sequences under climate change. *Climatic Change*, 141, 243–257.
- MANSEE, W.A., WEERATHUNGA, W.A., & RAJAPAKSA, G. (2020) The impact of elevated temperature and CO<sub>2</sub> on growth, physiological and immune responses of *Polypedates cruciger* (common hourglass tree frog). *Frontiers in Zoology*, 17, 1–25.
- MATAVELLI, R., OLIVEIRA, J.M., SOININEN, J., RIBEIRO, M.C. & BERTOLUCI, J. (2022) Altitude and temperature drive anuran community assembly in a Neotropical mountain region. *Biotropica*, 2022, 1–12.
- MATLAGA, T.H., BURROWES, P.A., HERNÁNDEZ-PACHECO, R., PENA, J., SUTHERLAND, C., & WOOD, T. E. (2021) Warming increases activity in the common tropical frog *Eleutherodactylus coqui*. *Climate Change Ecology*, 2, 100041.
- MCCAFFERY, R. M., & MAXELL, B.A. (2010) Decreased winter severity increases viability of a montane frog population. *Proceedings of the National Academy of Sciences*, 107, 8644–8649.
- MCCALLUM, M.L. (2010) Future Climate Change Spells Catastrophe for Blanchard's Cricket Frog: *Acris blanchardi* (Amphibia: Anura: Hylidae). *Acta Herpetologica*, 5, 119–130.
- MCCANN, S.M., KOSMALA, G.K., GREENLEES, M.J., & SHINE, R. (2018) Physiological plasticity in a successful invader: rapid acclimation to cold occurs only in cool-climate populations of cane toads (*Rhinella marina*). *Conservation Physiology*, 6, cox072.



- MCGRATH, A.L., & LORENZEN, K. (2010) Management history and climate as key factors driving natterjack toad population trends in Britain. *Animal Conservation*, 13, 483–494.
- MCMENAMIN, S.K., HADLY, E.A., & WRIGHT, C.K. (2008) Climatic change and wetland desiccation cause amphibian decline in Yellowstone National Park. *Proceedings of the National Academy of Sciences*, 105, 16988–16993.
- MCWHINNIE, R.B., SCKRABULIS, J.P., & RAFFEL, T.R. (2021) Temperature and mass scaling affect cutaneous and pulmonary respiratory performance in a diving frog. *Integrative Zoology*, 16, 712–728.
- MEDINA, R.G., LIRA-NORIEGA, A., ARÁOZ, E., & PONSSA, M.L. (2020) Potential effects of climate change on a Neotropical frog genus: changes in the spatial diversity patterns of *Leptodactylus* (Anura, Leptodactylidae) and implications for their conservation. *Climatic Change*, 161, 535–553.
- MENÉNDEZ-GUERRERO, P.A., & GRAHAM, C.H. (2013) Evaluating multiple causes of amphibian declines of Ecuador using geographical quantitative analyses. *Ecography*, 36, 756–769.
- MI, C., HUETTMANN, F., LI, X., JIANG, Z., DU, W., & SUN, B. (2022) Effects of climate and human activity on the current distribution of amphibians in China. *Conservation Biology*, 36, e13964.
- MIKÓ, Z., NEMESHÁZI, E., UJHEGYI, N., VEREBÉLYI, V., UJSZEGI, J., KÁSLER, A. et al. (2021) Sex reversal and ontogeny under climate change and chemical pollution: are there interactions between the effects of elevated temperature and a xenoestrogen on early development in agile frogs? *Environmental Pollution*, 285, 117464.
- MILLER, D.A., GRANT, E.H.C., MUTHS, E., AMBURGEY, S.M., ADAMS, M.J., JOSEPH, M.B. et al. (2018) Quantifying climate sensitivity and climate-driven change in North American amphibian communities. *Nature Communications*, 9, 1–15.
- MITCHELL, A., & BERGMANN, P.J. (2016) Thermal and moisture habitat preferences do not maximise jumping performance in frogs. *Functional Ecology*, 30, 733–742.
- MOKHATLA, M.M., RÖDDER, D., & MEASEY, G.J. (2015) Assessing the effects of climate change on distributions of Cape Floristic Region amphibians. *South African Journal of Science*, 111, 1–7.
- MOSAVI, J., VAISSI, S., DASTANSARA, N. & SHARIFI, M. (2017) Effects of temperature on growth, development and survival in larvae of *Pelophylax ridibundus* (Pallas, 1771) (Amphibia: Anura): Linking global warming to amphibian development. *Acta Zoologica Bulgarica*, 69, 541–546.
- MURRAY, K.A., SKERRATT, L.F., GARLAND, S., KRITICOS, D., & MCCALLUM, H. (2013) Whether the weather drives patterns of endemic amphibian chytridiomycosis: a pathogen proliferation approach. *PLoS One*, 8, e61061.

- MU, C., GUO, X. & CHEN, Y. (2022) Impact of Global Climate Change on the Distribution Range and Niche Dynamics of *Eleutherodactylus planirostris* in China. *Biology*, *11*, 588.
- MUELLER, C.A., BUCKSKY, J., KORITO, L. & MANZANARES, S. (2019). Immediate and persistent effects of temperature on oxygen consumption and thermal tolerance in embryos and larvae of the Baja California chorus frog, *Pseudacris hypochondriaca*. *Frontiers in Physiology*, *10*, 754.
- MUIR, A.P., THOMAS, R., BIEK, R. & MABLE, B.K. (2013) Using genetic variation to infer associations with climate in the common frog, *Rana temporaria*. *Molecular Ecology*, *22*, 3737–3751.
- MUTHS, E., CHAMBERT, T., SCHMIDT, B.R., MILLER, D.A.W., HOSSACK, B.R., JOLY, P. et al. (2017) Heterogeneous responses of temperate-zone amphibian populations to climate change complicates conservation planning. *Scientific Reports*, *7*, 1–10.
- MUTHS, E., HOSSACK, B.R., CAMPBELL GRANT, E.H., PILLIOD, D.S. & MOSHER, B.A. (2020) Effects of snowpack, temperature, and disease on demography in a wild population of amphibians. *Herpetologica*, *76*, 132–143.
- NAGEL, L.D., MCNULTY, S.A., SCHLESINGER, M.D., & GIBBS, J.P. (2021) Breeding effort and hydroperiod indicate habitat quality of small, isolated wetlands for amphibians under climate extremes. *Wetlands*, *41*, 1–11.
- NAJAFI, M., ESMAEILI-RINEH, S. & VAISSI, S. (2021) Interactions Between Ecological Factors in the Development and Survival of *Bufo variabilis*: Resilience to Change. *Iranian Journal of Science and Technology, Transactions A: Science*, *45*, 1941–1949.
- NARINS, P.M., & MEENDERINK, S.W. (2014) Climate change and frog calls: long-term correlations along a tropical altitudinal gradient. *Proceedings of the Royal Society B: Biological Sciences*, *281*, 20140401.
- NAVAS, C.A., CARVAJALINO-FERNÁNDEZ, J.M., SABOYÁ-ACOSTA, L.P., RUEDA-SOLANO, L.A., & CARVAJALINO-FERNÁNDEZ, M.A. (2013) The body temperature of active amphibians along a tropical elevation gradient: patterns of mean and variance and inference from environmental data. *Functional Ecology*, *27*, 1145–1154.
- NEELY, W.J., GREENSPAN, S.E., RIBEIRO, L.P., CARVALHO, T., MARTINS, R.A., RODRIGUEZ, D. et al. (2020) Synergistic effects of warming and disease linked to high mortality in cool-adapted terrestrial frogs. *Biological Conservation*, *245*, 108521.
- NIEHAUS, A.C., ANGILLETTA JR, M.J., SEARS, M.W., FRANKLIN, C.E. & WILSON, R.S. (2012) Predicting the physiological performance of ectotherms in fluctuating thermal environments. *Journal of Experimental Biology*, *215*, 694–701.
- NEJEI, L.M., SALAKO, G., OLADIPO, S.O., AYOOLA, A.O., ONADEKO, A.B., ADEDEJI, B.E. et al. (2020) Species Distribution Modelling predicts habitat suitability and reduction of suitable habitat under future climatic scenario for *Sclerophrys perreti*: A critically endangered Nigerian endemic toad. *African Journal of Ecology*, *58*, 481–491.

- NOWAKOWSKI, A.J., WATLING, J.I., WHITFIELD, S.M., TODD, B.D., KURZ, D.J., & DONNELLY, M.A. (2017) Tropical amphibians in shifting thermal landscapes under land-use and climate change. *Conservation Biology*, 31, 96–105.
- O'REGAN, S.M., PALEN, W.J., & ANDERSON, S.C. (2014) Climate warming mediates negative impacts of rapid pond drying for three amphibian species. *Ecology*, 95, 845–855.
- OCHOA-OCHOA, L.M., RODRÍGUEZ, P., MORA, F., FLORES-VILLELA, O., & WHITTAKER, R.J. (2012) Climate change and amphibian diversity patterns in Mexico. *Biological Conservation*, 150, 94–102.
- OLIVEIRA, H.R., & CASSEMIRO, F.A. (2013). Potential effects of climate change on the distribution of a Caatinga's frog *Rhinella granulosa* (Anura, Bufonidae). *Iheringia. Série Zoologia*, 103, 272–279.
- ORILLE, A.C., MCWHINNIE, R.B., BRADY, S.P. & RAFFEL, T.R. (2020) Positive Effects of Acclimation Temperature on the Critical Thermal Maxima of *Ambystoma mexicanum* and *Xenopus laevis*. *Journal of Herpetology*, 54, 289–292.
- ORIZAOLA, G., & LAURILA, A. (2016) Developmental plasticity increases at the northern range margin in a warm-dependent amphibian. *Evolutionary applications*, 9, 471–478.
- OSPINA, O.E., VILLANUEVA-RIVERA, L.J., CORRADA-BRAVO, C.J., & AIDE, T.M. (2013) Variable response of anuran calling activity to daily precipitation and temperature: implications for climate change. *Ecosphere*, 4, 1–12.
- OVERGAARD, J., ANDERSEN, J.L., FINDSEN, A., PEDERSEN, P.B., HANSEN, K., OZOLINA, K. et al. (2012) Aerobic scope and cardiovascular oxygen transport is not compromised at high temperatures in the toad *Rhinella marina*. *Journal of Experimental Biology*, 215, 3519–3526.
- OYAMAGUCHI, H.M., VO, P., GREWAL, K., DO, R., ERWIN, E., JEONG, N. et al. (2018) Thermal sensitivity of a Neotropical amphibian (*Engystomops pustulosus*) and its vulnerability to climate change. *Biotropica*, 50, 326–337.
- PADILLA, P., DUCRET, V., BONNEAUD, C., COURANT, J., & HERREL, A. (2019) Acclimation temperature effects on locomotor traits in adult aquatic anurans (*X. tropicalis* and *X. laevis*) from different latitudes: possible implications for climate change. *Conservation Physiology*, 7, coz019.
- PALEN, W.J., SCHINDLER, D.E., ADAMS, M.J., PEARL, C.A., BURY, R.B., & DIAMOND, S.A. (2002) Optical characteristics of natural waters protect amphibians from UV-B in the US Pacific Northwest. *Ecology*, 83, 2951–2957.
- PAN, T., ZHANG, Y., WANG, H., WU, J., KANG, X., QIAN, L. et al. (2017) The reanalysis of biogeography of the Asian tree frog, *Rhacophorus* (Anura: Rhacophoridae): geographic shifts and climatic change influenced the dispersal process and diversification. *PeerJ*, 5, e3995.

- PATLA, D.A., & PETERSON, C.R. (2022) The slow decline of a Columbia Spotted Frog population in Yellowstone National Park: A cautionary tale from a developed zone within a large protected area. *Ecological Indicators*, 136, 108606.
- PAZ, A., GONZÁLEZ, A., & CRAWFORD, A.J. (2019) Testing effects of Pleistocene climate change on the altitudinal and horizontal distributions of frogs from the Colombian Andes: A species distribution modeling approach. *Frontiers of Biogeography*, 11, e37055.
- PENMAN, T.D., KEITH, D.A., ELITH, J., MAHONY, M.J., TINGLEY, R., BAUMGARTNER, J.B. et al. (2015) Interactive effects of climate change and fire on metapopulation viability of a forest-dependent frog in south-eastern Australia. *Biological Conservation*, 190, 142–153.
- PERCINO-DANIEL, R., CONTRERAS LÓPEZ, J.M., TÉLLEZ-VALDÉS, O., MÉNDEZ DE LA CRUZ, F.R., GONZALEZ-VOYER, A., & PIÑERO, D. (2021) Environmental heterogeneity shapes physiological traits in tropical direct-developing frogs. *Ecology and Evolution*, 11, 6688–6702.
- PEROTTI, M.G., BONINO, M.F., FERRARO, D., & CRUZ, F.B. (2018) How sensitive are temperate tadpoles to climate change? The use of thermal physiology and niche model tools to assess vulnerability. *Zoology*, 127, 95–105.
- PILLIOD, D.S., MCCAFFERY, R.M., ARKLE, R.S., SCHERER, R.D., CUPPLES, J.B., EBY, L.A. et al. (2022). Importance of local weather and environmental gradients on demography of a broadly distributed temperate frog. *Ecological Indicators*, 136, 108648.
- POPESCU, V.D., ROZYLOWICZ, L., COGĂLNICEANU, D., NICULAE, I.M., & CUCU, A.L. (2013) Moving into protected areas? Setting conservation priorities for Romanian reptiles and amphibians at risk from climate change. *PloS One*, 8, e79330.
- PRÉAU, C., ISSELIN-NONDEDEU, F., SELIER, Y., BERTRAND, R., & GRANDJEAN, F. (2019) Predicting suitable habitats of four range margin amphibians under climate and land-use changes in southwestern France. *Regional Environmental Change*, 19, 27–38.
- PUPINA, A., PUPINS, M., NEKRASOVA, O., TYTAR, V., KOZYNENKO, I., & MARUSHCHAK, O. (2018) Species Distribution Modelling: *Bombina bombina* (Linnaeus, 1761) and its Important Invasive Threat *Perccottus glenii* (Dybowski, 1877) in Latvia under Global Climate Change. *Environmental Research, Engineering & Management*, 74, 79–86.
- PYKE, G.H., & WHITE, A.W. (2022). Frog Reproduction and Community Structure in relation to Water Attributes: Setting the stage to understand effects of Climatic Variables and Climate Change. *Australian Zoologist*, 42, 667–689.
- RAFFEL, T.R., ROMANSIC, J.M., HALSTEAD, N.T., MCMAHON, T.A., VENESKY, M.D., & ROHR, J.R. (2013) Disease and thermal acclimation in a more variable and unpredictable climate. *Nature Climate Change*, 3, 146–151.
- RAMALHO, Q., TOURINHO, L., ALMEIDA-GOMES, M., VALE, M.M., & PREVEDELLO, J.A. (2021) Reforestation can compensate negative effects of climate change on amphibians. *Biological Conservation*, 260, 109187.

- READING, C.J. (2007) Linking global warming to amphibian declines through its effects on female body condition and survivorship. *Oecologia*, *151*, 125–131.
- READING, C.J., & CLARKE, R.T. (1999) Impacts of climate and density on the duration of the tadpole stage of the common toad *Bufo bufo*. *Oecologia*, *121*, 310–315.
- READING, C.J. AND JOFRÉ, G.M. (2021) Declining common toad body size correlated with climate warming. *Biological Journal of the Linnean Society*, *134*, 577–586.
- REBOUCAS, R., DOS SANTOS, M.M., DA SILVA MARTINS, A.G., DOMINGOS, A.H.R., SANTOS, I., & TOLEDO, L.F. (2021) Warming drives cryptic declines of amphibians in eastern Brazil. *Biological Conservation*, *256*, 109035.
- REYNE, M., MCGOWAN, N.E., FLANAGAN, J., NOLAN, P., AUBRY, A., EMMERSON, M. et al. (2021). Will predicted positive effects of climate change be enough to reverse declines of the regionally Endangered Natterjack toad in Ireland? *Ecology and Evolution*, *11*, 5049–5064.
- RICHARDS-ZAWACKI, C.L. (2010) Thermoregulatory behaviour affects prevalence of chytrid fungal infection in a wild population of Panamanian golden frogs. *Proceedings of the Royal Society B: Biological Sciences*, *277*, 519–528.
- RIOS-LÓPEZ, N. (2008) Effects of increased salinity on tadpoles of two anurans from a Caribbean coastal wetland in relation to their natural abundance. *Amphibia-Reptilia*, *29*, 7–18.
- RIQUELME, N.A., DÍAZ-PÁEZ, H. & ORTIZ, J.C. (2016) Thermal tolerance in the Andean toad *Rhinella spinulosa* (Anura: Bufonidae) at three sites located along a latitudinal gradient in Chile. *Journal of Thermal Biology*, *60*, 237–245.
- RIVERA-BURGOS, A.C., COLLAZO, J.A., TERANDO, A.J., & PACIFICI, K. (2021) Linking demographic rates to local environmental conditions: Empirical data to support climate adaptation strategies for *Eleutherodactylus* frogs. *Global Ecology and Conservation*, *28*, e01624.
- RIVERS-MOORE, N.A. & KARSSING, R.J. (2014) Water temperature affects life-cycle duration of tadpoles of Natal cascade frog. *African Journal of Aquatic Science*, *39*, 223–227.
- RÖDDER, D. (2009) 'Sleepless in Hawaii'-does anthropogenic climate change enhance ecological and socioeconomic impacts of the alien invasive *Eleutherodactylus coqui* Thomas 1966 (Anura: Eleutherodactylidae)? *North-Western Journal of Zoology*, *5*, 16–25.
- RÖDDER, D., & WEINSHEIMER, F. (2009) Will future anthropogenic climate change increase the potential distribution of the alien invasive Cuban treefrog (Anura: Hylidae)? *Journal of Natural History*, *43*, 1207–1217.
- RODRÍGUEZ-RODRÍGUEZ, E.J., BELTRÁN, J.F., EL MOUDEN, E.H., SLIMANI, T., MÁRQUEZ, R., & DONAIRE-BARROSO, D. (2020) Climate change challenges IUCN conservation priorities: A test with western Mediterranean amphibians. *SN Applied Sciences*, *2*, 1–11.

- ROHR, J.R., & RAFFEL, T.R. (2010) Linking global climate and temperature variability to widespread amphibian declines putatively caused by disease. *Proceedings of the National Academy of Sciences*, *107*, 8269–8274.
- ROLLINS, H.B. & BENARD, M.F. (2020) Challenges in predicting the outcome of competition based on climate change-induced phenological and body size shifts. *Oecologia*, *193*, 749–759.
- ROUSSEL, D., & VOITURON, Y. (2020) Mitochondrial costs of being hot: Effects of acute thermal change on liver bioenergetics in toads (*Bufo bufo*). *Frontiers in Physiology*, *11*, 153.
- ROWE, C.L. & CRANDALL, E.A. (2018). The acute thermal respiratory response is unique among species in a guild of larval anuran amphibians—implications for energy economy in a warmer future. *Science of the Total Environment*, *618*, 229–235.
- RUDIN-BITTERLI, T.S., EVANS, J.P., & MITCHELL, N.J. (2020) Geographic variation in adult and embryonic desiccation tolerance in a terrestrial-breeding frog. *Evolution*, *74*, 1186–1199.
- RUGGERI, J., LONGO, A.V., GAIARSA, M.P., ALENCAR, L.R., LAMBERTINI, C., LEITE, D.S. et al. (2015) Seasonal variation in population abundance and chytrid infection in stream-dwelling frogs of the Brazilian Atlantic forest. *PloS One*, *10*, e0130554.
- RUIZ-ARAVENA, M., GONZALEZ-MENDEZ, A., ESTAY, S. A., GAITÁN-ESPITIA, J. D., BARRIA-OYARZO, I., BARTHELD, J. L. et al. (2014) Impact of global warming at the range margins: phenotypic plasticity and behavioural thermoregulation will buffer an endemic amphibian. *Ecology and Evolution*, *4*, 4467–4475.
- RUTHSATZ, K., DAUSMANN, K.H., PECK, M.A., DREES, C., SABATINO, N.M., BECKER, L.I. et al. (2018) Thyroid hormone levels and temperature during development alter thermal tolerance and energetics of *Xenopus laevis* larvae. *Conservation Physiology*, *6*, coy059.
- RUTHSATZ, K., DAUSMANN, K.H., REINHARDT, S., ROBINSON, T., SABATINO, N.M., PECK, M.A. et al. (2020) Post-metamorphic carry-over effects of altered thyroid hormone level and developmental temperature: physiological plasticity and body condition at two life stages in *Rana temporaria*. *Journal of Comparative Physiology B*, *190*, 297–315.
- RUTHSATZ, K., DAUSMANN, K. H., PECK, M. A., & GLOS, J. (2022) Thermal tolerance and acclimation capacity in the European common frog (*Rana temporaria*) change throughout ontogeny. *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, *337*, 477–490.
- RYAN, M.J., FULLER, M.M., SCOTT, N.J., COOK, J.A., POE, S., WILLINK, B. et al. (2014) Individualistic population responses of five frog species in two changing tropical environments over time. *PloS One*, *9*, e98351.
- SAEED, M., RAIS, M., GRAY, R.J., AHMED, W., AKRAM, A., GILL, S., & FAREED, G. (2021) Rise in temperature causes decreased fitness and higher extinction risks in endemic frogs

- at high altitude forested wetlands in northern Pakistan. *Journal of Thermal Biology*, 95, 102809.
- SAENZ, D., FUCIK, E.M., & KWIATKOWSKI, M.A. (2013) Synergistic effects of the invasive Chinese tallow (*Triadica sebifera*) and climate change on aquatic amphibian survival. *Ecology and Evolution*, 3, 4828–4840.
- SALAS, E.A.L., SEAMSTER, V.A., HARINGS, N.M., BOYKIN, K.G., ALVAREZ, G. & DIXON, K.W. (2017) Projected future bioclimate-envelope suitability for reptile and amphibian species of concern in South Central USA. *Herpetological Conservation and Biology*, 12, 522–547.
- SALICA, M.J., VONESH, J.R. & WARKENTIN, K.M. (2017) Egg clutch dehydration induces early hatching in red-eyed treefrogs, *Agalychnis callidryas*. *PeerJ*, 5, e3549.
- SALICE, C.J. (2012) Multiple stressors and amphibians: contributions of adverse health effects and altered hydroperiod to population decline and extinction. *Journal of Herpetology*, 46, 675–681.
- SAUER, E.L., FULLER, R.C., RICHARDS-ZAWACKI, C.L., SONN, J., SPERRY, J.H. & ROHR, J.R. (2018) Variation in individual temperature preferences, not behavioural fever, affects susceptibility to chytridiomycosis in amphibians. *Proceedings of the Royal Society B*, 285, 20181111.
- SCHEFFERS, B.R., BRUNNER, R.M., RAMIREZ, S.D., SHOO, L.P., DIESMOS, A., & WILLIAMS, S.E. (2013) Thermal buffering of microhabitats is a critical factor mediating warming vulnerability of frogs in the Philippine biodiversity hotspot. *Biotropica*, 45, 628–635.
- SCHERER, R.D., MUTHS, E., & LAMBERT, B.A. (2008) Effects of weather on survival in populations of boreal toads in Colorado. *Journal of Herpetology*, 42, 508–517.
- SCHIVO, F., BAUNI, V., KRUG, P., & QUINTANA, R.D. (2019) Distribution and richness of amphibians under different climate change scenarios in a subtropical region of South America. *Applied Geography*, 103, 70–89.
- SCOTT, W.A., PITHART, D. & ADAMSON, J.K. (2008) Long-term United Kingdom trends in the breeding phenology of the common frog, *Rana temporaria*. *Journal of Herpetology*, 42, 89–96.
- SEABORN, T., GOLDBERG, C.S., & CRESPI, E.J. (2021) Drivers of distributions and niches of North American cold-adapted amphibians: evaluating both climate and land use. *Ecological Applications*, 31, e2236.
- SEEBACHER, F. & FRANKLIN, C.E. (2011) Physiology of invasion: cane toads are constrained by thermal effects on physiological mechanisms that support locomotor performance. *Journal of Experimental Biology*, 214, 1437–1444.
- SHERIDAN, J.A., CARUSO, N.M., APODACA, J.J., & RISSLER, L.J. (2018) Shifts in frog size and phenology: testing predictions of climate change on a widespread anuran using data from prior to rapid climate warming. *Ecology and Evolution*, 8, 1316–1327.

- SHIN, Y., MIN, M. S., & BORZÉE, A. (2021) Driven to the edge: Species distribution modeling of a Clawed Salamander (Hynobiidae: *Onychodactylus koreanus*) predicts range shifts and drastic decrease of suitable habitats in response to climate change. *Ecology and Evolution*, *11*, 14669–14688.
- SIMON, M.N., RIBEIRO, P.L., & NAVAS, C.A. (2015) Upper thermal tolerance plasticity in tropical amphibian species from contrasting habitats: implications for warming impact prediction. *Journal of Thermal Biology*, *48*, 36–44.
- SMITH, M.M., & GOLDBERG, C.S. (2022) Facilitative interaction promotes occupancy of a desert amphibian across a climate gradient. *Oecologia*, *198*, 815–823.
- SOPNIEWSKI, J., SCHEELE, B.C., & CARDILLO, M. (2022). Predicting the distribution of Australian frogs and their overlap with *Batrachochytrium dendrobatidis* under climate change. *Diversity and Distributions*, *28*, 1255–1268
- STĂNESCU, F., SZÉKELY, D., SZÉKELY, P., TOPLICEANU, S., & COGĂLNICEANU, D. (2017) The impact of salinity on early developmental stages in two sympatric spadefoot toads and implications for amphibian conservation in coastal areas. *Hydrobiologia*, *792*, 357–366.
- STRUECKER, B. P., & MILANOVICH, J. (2017) Predicted suitable habitat declines for midwestern United States amphibians under future climate change and land-use change scenarios. *Herpetological Conservation and Biology*, *12*, 635–654.
- SUBBA, B., SEN, S., RAVIKANTH, G., & NOBIS, M.P. (2018) Direct modelling of limited migration improves projected distributions of Himalayan amphibians under climate change. *Biological Conservation*, *227*, 352–360.
- SZTATECSNY, M. & HÖDL, W. (2009) Can protected mountain areas serve as refuges for declining amphibians? Potential threats of climate change and amphibian chytridiomycosis in an alpine amphibian population. *Journal on Protected Mountain Areas Research and Management*, *1*, 19–24.
- THOMPSON, C.M., & POPESCU, V.D. (2021) Complex hydroperiod induced carryover responses for survival, growth, and endurance of a pond-breeding amphibian. *Oecologia*, *195*, 1071–1081.
- THURMAN, L.L., & GARCIA, T.S. (2017) Differential plasticity in response to simulated climate warming in a high-elevation amphibian assemblage. *Journal of Herpetology*, *51*, 232–239.
- TIBERTI, R., MANGIACOTTI, M., & BENNATI, R. (2021) The upward elevational shifts of pond breeding amphibians following climate warming. *Biological Conservation*, *253*, 108911.
- TOUCHON, J.C., & WARKENTIN, K.M. (2010) Short-and long-term effects of the abiotic egg environment on viability, development and vulnerability to predators of a Neotropical anuran. *Functional Ecology*, *24*, 566–575.



- TORANZA, C., & MANEYRO, R. (2013) Potential effects of climate change on the distribution of an endangered species: *Melanophryniscus montevidensis* (Anura: Bufonidae). *Phyllomedusa*, 12, 97–106.
- TOUCHON, J.C., & WARKENTIN, K.M. (2010). Short-and long-term effects of the abiotic egg environment on viability, development and vulnerability to predators of a Neotropical anuran. *Functional Ecology*, 24, 566–575.
- TRYJANOWSKI, P., RYBACKI, M., & SPARKS, T. (2003) Changes in the first spawning dates of common frogs and common toads in western Poland in 1978—2002. *Annales Zoologici Fennici*, 40, 459–464.
- TRYJANOWSKI, P., SPARKS, T., RYBACKI, M., & BERGER, L. (2006) Is body size of the water frog *Rana esculenta* complex responding to climate change? *Naturwissenschaften*, 93, 110–113.
- TURRIAGO, J.L., PARRA, C.A., & BERNAL, M.H. (2015) Upper thermal tolerance in anuran embryos and tadpoles at constant and variable peak temperatures. *Canadian Journal of Zoology*, 93, 267–272.
- TURRIAGO, J.L., TEJEDO, M., HOYOS, J.M., & BERNAL, M.H. (2022) The effect of thermal microenvironment in upper thermal tolerance plasticity in tropical tadpoles. Implications for vulnerability to climate warming. *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, 337, 746–759.
- TYTAR, V., NEKRASOVA, O., PUPINA, A., PUPINS, M., & OSKYRKO, O. (2018) Long-term bioclimatic modelling the distribution of the fire-bellied toad, *Bombina bombina* (Anura, Bombinatoridae), under the influence of global climate change. *Vestnik Zoologii*, 52, 341–348.
- ULLOA, J.S., AUBIN, T., LLUSIA, D., COURTOIS, É.A., FOUQUET, A., GAUCHER, P. et al. (2019) Explosive breeding in tropical anurans: environmental triggers, community composition and acoustic structure. *BMC Ecology*, 19, 1–17.
- URETA, C., CUERVO-ROBAYO, A. P., CALIXTO-PÉREZ, E., GONZÁLEZ-SALAZAR, C., & FUENTES-CONDE, E. (2018) A first approach to evaluate the vulnerability of islands' vertebrates to climate change in Mexico. *Atmósfera*, 31, 221–254.
- ÜVEGES, B., MAHR, K., SZEDERKÉNYI, M., BÓKONY, V., HOI, H., & HETTYEY, A. (2016) Experimental evidence for beneficial effects of projected climate change on hibernating amphibians. *Scientific Reports*, 6, 1–7.
- VAIRA, M. (2005) Annual variation of breeding patterns of the toad, *Melanophryniscus rubriventris* (Vellard, 1947). *Amphibia-Reptilia*, 26, 193–199.
- VAN UITREGT, V.O., ALTON, L.A., HEINIGER, J. & WILSON, R.S. (2016) Warmer temperatures reduce the costs of inducible defences in the marine toad, *Rhinella marinus*. *Journal of Comparative Physiology B*, 186, 123–130.

- VASCONCELOS, T.S., & DO NASCIMENTO, B.T. (2016) Potential climate-driven impacts on the distribution of generalist treefrogs in South America. *Herpetologica*, 72, 23–31.
- VASCONCELOS, T.S., & PRADO, V.H. (2019) Climate change and opposing spatial conservation priorities for anuran protection in the Brazilian hotspots. *Journal for Nature Conservation*, 49, 118–124.
- VASCONCELOS, T.S., ANTONELLI, C.P., & NAPOLI, M.F. (2017) Mutualism influences species distribution predictions for a bromeliad-breeding anuran under climate change. *Austral Ecology*, 42, 869–877.
- VASCONCELOS, T.S., DO NASCIMENTO, B.T., & PRADO, V.H. (2018) Expected impacts of climate change threaten the anuran diversity in the Brazilian hotspots. *Ecology and evolution*, 8, 7894–7906.
- VIDAL, M.A., NOVOA-MUÑOZ, F., WERNER, E., TORRES, C. & NOVA, R. (2017) Modeling warming predicts a physiological threshold for the extinction of the living fossil frog *Calyptocephalella gayi*. *Journal of Thermal Biology*, 69, 110–117.
- VIEIRA, K.S., MONTENEGRO, P.F.G., SANTANA, G.G., & VIEIRA, W.L.D.S. (2018) Effect of climate change on distribution of species of common horned frogs in South America. *PLoS One*, 13, e0202813.
- VON MAY, R., CATENAZZI, A., SANTA-CRUZ, R., GUTIERREZ, A. S., MORITZ, C., & RABOSKY, D. L. (2019) Thermal physiological traits in tropical lowland amphibians: Vulnerability to climate warming and cooling. *PLoS One*, 14, e0219759.
- VOYLES, J., JOHNSON, L.R., BRIGGS, C.J., CASHINS, S.D., ALFORD, R.A., BERGER, L. et al. (2012) Temperature alters reproductive life history patterns in *Batrachochytrium dendrobatidis*, a lethal pathogen associated with the global loss of amphibians. *Ecology and Evolution*, 2, 2241–2249.
- WALPOLE, A.A., BOWMAN, J., TOZER, D.C., & BADZINSKI, D.S. (2012). Community-level response to climate change: shifts in anuran calling phenology. *Herpetological Conservation and Biology*, 7, 249–257.
- WASSENS, S., WALCOTT, A., WILSON, A., & FREIRE, R. (2013). Frog breeding in rain-fed wetlands after a period of severe drought: implications for predicting the impacts of climate change. *Hydrobiologia*, 708, 69–80.
- WATLING, J.I., & BRAGA, L. (2015). Desiccation resistance explains amphibian distributions in a fragmented tropical forest landscape. *Landscape Ecology*, 30, 1449–1459.
- WEERATHUNGA, W.A. AND RAJAPAKSA, G. (2020). The impact of elevated temperature and CO<sub>2</sub> on growth, physiological and immune responses of *Polypedates cruciger* (common hourglass tree frog). *Frontiers in Zoology*, 17, 1–25.
- WEIR, S.M., SCOTT, D.E., SALICE, C.J., & LANCE, S.L. (2016). Integrating copper toxicity and climate change to understand extinction risk to two species of pond-breeding anurans. *Ecological Applications*, 26, 1721–1732.

- WILSON, J.N., BEKESSY, S., PARRIS, K.M., GORDON, A., HEARD, G.W., & WINTLE, B.A. (2013). Impacts of climate change and urban development on the spotted marsh frog (*Limnodynastes tasmaniensis*). *Austral Ecology*, 38, 11–22.
- WINTEROVÁ, B., & GVOŽDÍK, L. (2021) Individual variation in seasonal acclimation by sympatric amphibians: a climate change perspective. *Functional Ecology*, 35, 117–126.
- WRIGHT, A.N., SCHWARTZ, M.W., HIJMANS, R.J., & BRADLEY SHAFFER, H. (2016) Advances in climate models from CMIP3 to CMIP5 do not change predictions of future habitat suitability for California reptiles and amphibians. *Climatic Change*, 134, 579–591.
- XIA, X., LI, Y., YANG, D.D., & PI, Y.Y. (2021) Potential geographical distribution of *Rana hanluica* in China under climate change. *Ying Yong Sheng Tai Xue Bao*, 32, 4307–4314.
- YANG, S., WANG, X., & HU, J. (2022) Mountain frog species losing out to climate change around the Sichuan Basin. *Science of the Total Environment*, 806, 150605.
- ZANK, C., BECKER, F. G., ABADIE, M., BALDO, D., MANEYRO, R., & BORGES-MARTINS, M. (2014) Climate change and the distribution of neotropical red-bellied toads (*Melanophryniscus*, Anura, Amphibia): how to prioritise species and populations? *PLoS One*, 9, e94625.
- ZHAO, C., JIANG, J., XIE, F., LI, C., & ZHAO, T. (2022) Assessment of Amphibians Vulnerability to Climate Change in China. *Frontiers in Ecology and Evolution*, 10, 826910.
- ZYLSTRA, E.R., STEIDL, R.J., SWANN, D.E., & RATZLAFF, K. (2015). Hydrologic variability governs population dynamics of a vulnerable amphibian in an arid environment. *Plos One*, 10, e0125670.

SUPPLEMENTARY MATERIAL 2 Land use change literature located using specific search terms, as described in the methods section of the main article.

ADEBA, P.J., KOUASSI, P., & RÖDEL, M.O. (2010) Anuran amphibians in a rapidly changing environment-revisiting Lamto, Côte d'Ivoire, 40 years after the first herpetofaunal investigations. *African Journal of Herpetology*, *59*, 1–16.

ADUM, G.B., EICHHORN, M.P., ODURO, W., OFORI-BOATENG, C., & RÖDEL, M.O. (2013) Two-stage recovery of amphibian assemblages following selective logging of tropical forests. *Conservation Biology*, *27*, 354–363.

AGOSTINI, M.G., & BURROWES, P.A. (2015) Infection patterns of the chytrid fungus, *Batrachochytrium dendrobatidis*, on anuran assemblages in agro-ecosystems from Buenos Aires Province, Argentina. *Phyllomedusa: Journal of Herpetology*, *14*, 113–126.

AGOSTINI, G., DEUTSCH, C., & BILENCA, D.N. (2021) Differential responses of anuran assemblages to land use in agroecosystems of central Argentina. *Agriculture, Ecosystems & Environment*, *311*, 107323.

AGUDELO-HZ, W.J., URBINA-CARDONA, N., & ARMENTERAS-PASCUAL, D. (2019) Critical shifts on spatial traits and the risk of extinction of Andean anurans: an assessment of the combined effects of climate and land-use change in Colombia. *Perspectives in Ecology and Conservation*, *17*, 206–219.

AISIEN, M.S.O., SAMPSON, S.A., & AMUZIE, C.C. (2017) Parasitic infections of anurans from an urbanized rainforest biotope in Diobu, Port Harcourt, Nigeria. *Nigerian Journal of Parasitology*, *38*, 292–297.

ALBECKER, M.A., PAHL, M., SMITH, M., WILSON, J.G., & MCCOY, M.W. (2020) Influence of density and salinity on larval development of salt-adapted and salt-naïve frog populations. *Ecology and Evolution*, *10*, 2436–2445.

ALBERT, C.H., RAYFIELD, B., DUMITRU, M., & GONZALEZ, A. (2017) Applying network theory to prioritize multispecies habitat networks that are robust to climate and land-use change. *Conservation Biology*, *31*, 1383–1396.

ALIX, D.M., ANDERSON, C.J., GRAND, J.B., & GUYER, C. (2014) Evaluating the effects of land use on headwater wetland amphibian assemblages in coastal Alabama. *Wetlands*, *34*, 917–926.

ALLENTOFT, M.E., SIEGISMUND, H.R., BRIGGS, L., & ANDERSEN, L.W. (2009) Microsatellite analysis of the natterjack toad (*Bufo calamita*) in Denmark: populations are islands in a fragmented landscape. *Conservation Genetics*, *10*, 15–28.

- ALLINGHAM, S.M. (2020) The effects of habitat alteration on anuran diversity and assemblages on Mount Mulanje, Malawi. *African Journal of Wildlife Research*, 50, 20–35.
- ALMEIDA-GOMES, M., & ROCHA, C.F.D. (2014) Landscape connectivity may explain anuran species distribution in an Atlantic forest fragmented area. *Landscape Ecology*, 29, 29–40.
- ALMEIDA-GOMES, M., & ROCHA, C.F. (2015). Habitat loss reduces the diversity of frog reproductive modes in an Atlantic forest fragmented landscape. *Biotropica*, 47, 113–118.
- ALVAREZ-BERRÍOS, N., CAMPOS-CERQUEIRA, M., HERNÁNDEZ-SERNA, A., AMANDA DELGADO, C.J., ROMÁN-DAÑOBEYTIA, F., & AIDE, T.M. (2016) Impacts of small-scale gold mining on birds and anurans near the Tambopata Natural Reserve, Peru, assessed using passive acoustic monitoring. *Tropical Conservation Science*, 9, 832–851.
- ANDERSEN, L.W., FOG, K., & DAMGAARD, C. (2004) Habitat fragmentation causes bottlenecks and inbreeding in the European tree frog (*Hyla arborea*). *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271, 1293–1302.
- ANDERSON, L.R., & ARRUDA, J.A. (2006) Land use and anuran biodiversity in southeast Kansas, USA. *Amphibian and Reptile Conservation*, 4, 46–59.
- ANGARITA-M, O., MONTES-CORREA, A.C., & RENJIFO, J.M. (2015) Amphibians and reptiles of an agroforestry system in the Colombian Caribbean. *Amphibian & Reptile Conservation*, 8, 33–52.
- ARKLE, R.S., & PILLIOD, D.S. (2015) Persistence at distributional edges: Columbia spotted frog habitat in the arid Great Basin, USA. *Ecology and Evolution*, 5, 3704–3724.
- ARNTZEN, J.W., ABRAHAMS, C., MEILINK, W.R., IOSIF, R., & ZUIDERWIJK, A. (2017) Amphibian decline, pond loss and reduced population connectivity under agricultural intensification over a 38 year period. *Biodiversity and Conservation*, 26, 1411–1430.
- ATTADEMO, A.M., LORENZÓN, R.E., PELTZER, P., & LAJMANOVICH, R.C. (2018). Diversity of anurans in rice fields under organic and conventional management in Santa Fe province, Argentina. *Herpetological Review*, 49, 632–636.
- ATOBE, T., OSADA, Y., TAKEDA, H., KUROE, M., & MIYASHITA, T. (2014) Habitat connectivity and resident shared predators determine the impact of invasive bullfrogs on native frogs in farm ponds. *Proceedings of the Royal Society B: Biological Sciences*, 281, 20132621.
- BABBITT, K.J., & TANNER, G.W. (2000) Use of temporary wetlands by anurans in a hydrologically modified landscape. *Wetlands*, 20, 313–322.

- BABBITT, K.J., BABER, M.J., & BRANDT, L.A. (2006) The effect of woodland proximity and wetland characteristics on larval anuran assemblages in an agricultural landscape. *Canadian Journal of Zoology*, 84, 510–519.
- BABBITT, K.J., BABER, M.J., CHILDERS, D.L., & HOCKING, D. (2009) Influence of agricultural upland habitat type on larval anuran assemblages in seasonally inundated wetlands. *Wetlands*, 29, 294–301.
- BABINI, M.S., DE LOURDES BIONDA, C., SALAS, N.E., & MARTINO, A.L. (2015) Health status of tadpoles and metamorphs of *Rhinella arenarum* (Anura, Bufonidae) that inhabit agroecosystems and its implications for land use. *Ecotoxicology and Environmental Safety*, 118, 118–125.
- BADILLO-SALDAÑA, L.M., RAMÍREZ-BAUTISTA, A., & WILSON, L.D. (2016) Effects of establishment of grazing areas on diversity of amphibian communities in tropical evergreen forests and mountain cloud forests of the Sierra Madre Oriental. *Revista Mexicana de Biodiversidad*, 87, 133–139.
- BAECHER, J.A., VOGRINC, P.N., GUZY, J.C., KROSS, C.S., & WILLSON, J.D. (2018) Herpetofaunal communities in restored and unrestored remnant tallgrass prairie and associated wetlands in northwest Arkansas, USA. *Wetlands*, 38, 157–168.
- BAKER, S., & LAUCK, B. (2006) Association of common brown froglets, *Crinia signifera*, with clearcut forest edges in Tasmania, Australia. *Wildlife Research*, 33, 29–34.
- BALDI, L.C., DOS SANTOS, F.B., ESTEVES, K.E., FERREIRA, F.C., ROCHA, M.T., SANTANA, J.M. et al. (2015) Anuran communities in different riparian habitats: native forest, secondary forest, and sugarcane. *South American Journal of Herpetology*, 10, 195–204.
- BALDWIN, R.F., CALHOUN, A.J., & DEMAYNADIER, P.G. (2006) The significance of hydroperiod and stand maturity for pool-breeding amphibians in forested landscapes. *Canadian Journal of Zoology*, 84, 1604–1615.
- BALDWIN, R.F., & DEMAYNADIER, P.G. (2009) Assessing threats to pool-breeding amphibian habitat in an urbanizing landscape. *Biological Conservation*, 142, 1628–1638.
- BARNETT, J.B., BENBOW, R.L., ISMAIL, A., & FELLOWES, M.D. (2013) Abundance and diversity of anurans in a regenerating former oil palm plantation in Selangor, Peninsular Malaysia. *Herpetological Bulletin*, 125, 1–9.
- BARRETT, K., & GUYER, C. (2008) Differential responses of amphibians and reptiles in riparian and stream habitats to land use disturbances in western Georgia, USA. *Biological Conservation*, 141, 2290–2300.

- BASHAM, E.W., GONZÁLEZ DEL PLIEGO, P., ACOSTA-GALVIS, A.R., WOODCOCK, P., MEDINA URIBE, C. A., HAUGAASEN, T. et al. (2016) Quantifying carbon and amphibian co-benefits from secondary forest regeneration in the Tropical Andes. *Animal Conservation*, *19*, 548–560.
- BATTAGLIN, W.A., SMALLING, K.L., ANDERSON, C., CALHOUN, D., CHESTNUT, T., & MUTHS, E. (2016) Potential interactions among disease, pesticides, water quality and adjacent land cover in amphibian habitats in the United States. *Science of the Total Environment*, *566*, 320–332.
- BECKER, C.G., FONSECA, C.R., HADDAD, C.F., & PRADO, P.I. (2010) Habitat split as a cause of local population declines of amphibians with aquatic larvae. *Conservation Biology*, *24*, 287–294.
- BECKER, C.G., LOYOLA, R.D., HADDAD, C.F.B., & ZAMUDIO, K.R. (2010) Integrating species life-history traits and patterns of deforestation in amphibian conservation planning. *Diversity and Distributions*, *16*, 10–19.
- BECKER, C.G., & ZAMUDIO, K.R. (2011) Tropical amphibian populations experience higher disease risk in natural habitats. *Proceedings of the National Academy of Sciences*, *108*, 9893–9898.
- BECKER, C.G., RODRIGUEZ, D., LONGO, A.V., TALABA, A.L., & ZAMUDIO, K.R. (2012) Disease risk in temperate amphibian populations is higher at closed-canopy sites. *PloS One*, *7*, e48205.
- BEHM, J.E., YANG, X., & CHEN, J. (2013) Slipping through the cracks: rubber plantation is unsuitable breeding habitat for frogs in Xishuangbanna, China. *PloS One*, *8*, e73688.
- BEIRNE, C., BURDEKIN, O., & WHITWORTH, A. (2013) Herpetofaunal responses to anthropogenic habitat change within a small forest reserve in Eastern Ecuador. *The Herpetological Journal*, *23*, 209–209.
- BEJA, P., & ALCAZAR, R. (2003) Conservation of Mediterranean temporary ponds under agricultural intensification: an evaluation using amphibians. *Biological Conservation*, *114*, 317–326.
- BELASEN, A.M., BLETZ, M.C., LEITE, D.D.S., TOLEDO, L.F., & JAMES, T.Y. (2019) Long-term habitat fragmentation is associated with reduced MHC IIB diversity and increased infections in amphibian hosts. *Frontiers in Ecology and Evolution*, *6*, 236.
- BELL, K.E., & DONNELLY, M.A. (2006) Influence of forest fragmentation on community structure of frogs and lizards in northeastern Costa Rica. *Conservation Biology*, *20*, 1750–1760.

- BELL, R.C., & IRIAN, C.G. (2019) Phenotypic and genetic divergence in reed frogs across a mosaic hybrid zone on São Tomé Island. *Biological Journal of the Linnean Society*, *128*, 672–680.
- BICKFORD, D., NG, T.H., QIE, L., KUDAVIDANAGE, E.P., & BRADSHAW, C.J. (2010) Forest fragment and breeding habitat characteristics explain frog diversity and abundance in Singapore. *Biotropica*, *42*, 119–125.
- BIRX-RAYBUCK, D.A., PRICE, S.J., & DORCAS, M.E. (2010) Pond age and riparian zone proximity influence anuran occupancy of urban retention ponds. *Urban Ecosystems*, *13*, 181–190.
- BITTENCOURT-SILVA, G.B., & SILVA, H.R. (2014) Effects of fragmentation and sea-level changes upon frog communities of land-bridge islands off the southeastern coast of Brazil. *PLoS One*, *9*, e103522.
- BLANCO-TORRES, A., BONILLA, M.A., & CAGNOLO, L. (2020) Habitat modification effects on anuran food webs in the Colombian tropical dry forest. *Food Webs*, *22*, e00133.
- BLUMGART, D., DOLHEM, J., & RAXWORTHY, C.J. (2017) Herpetological diversity across intact and modified habitats of Nosy Komba Island, Madagascar. *Journal of Natural History*, *51*, 625–642.
- BOUCHARD, J., FORD, A.T., EIGENBROD, F.E., & FAHRIG, L. (2009) Behavioral responses of northern leopard frogs (*Rana pipiens*) to roads and traffic: implications for population persistence. *Ecology and Society*, *14*, 23.
- BOISSINOT, A., BESNARD, A., & LOURDAIS, O. (2019) Amphibian diversity in farmlands: combined influences of breeding-site and landscape attributes in western France. *Agriculture, Ecosystems & Environment*, *269*, 51–61.
- BRADFORD, D.F., NEALE, A.C., NASH, M.S., SADA, D.W., & JAEGER, J.R. (2003) Habitat patch occupancy by toads (*Bufo punctatus*) in a naturally fragmented desert landscape. *Ecology*, *84*, 1012–1023.
- BRADY, S.P., ZAMORA-CAMACHO, F.J., ERIKSSON, F.A., GOEDERT, D., COMAS, M., & CALSBEEK, R. (2019) Fitter frogs from polluted ponds: The complex impacts of human-altered environments. *Evolutionary Applications*, *12*, 1360–1370.
- BRANDÃO, R.A., & ARAÚJO, A.F. (2008) Changes in anuran species richness and abundance resulting from hydroelectric dam flooding in Central Brazil. *Biotropica*, *40*, 263–266.



- BRODEUR, J.C., CANDIOTI, J.V., SOLONESKI, S., LARRAMENDY, M.L., & RONCO, A.E. (2012) Evidence of reduced feeding and oxidative stress in common tree frogs (*Hypsiboas pulchellus*) from an agroecosystem experiencing severe drought. *Journal of Herpetology*, *46*, 72–78.
- BRODEUR, J.C., SUAREZ, R.P., NATALE, G.S., RONCO, A.E., & ZACCAGNINI, M.E. (2011) Reduced body condition and enzymatic alterations in frogs inhabiting intensive crop production areas. *Ecotoxicology and Environmental Safety*, *74*, 1370–1380.
- BROWN, G.P., PHILLIPS, B.L., WEBB, J.K., & SHINE, R. (2006) Toad on the road: use of roads as dispersal corridors by cane toads (*Bufo marinus*) at an invasion front in tropical Australia. *Biological Conservation*, *133*, 88–94.
- BRÜNING, L.Z., KRIEGER, M., MENESES-PELAYO, E., EISENHAUER, N., PINILLA, M.P.R., REU, B. et al. (2018) Land-use heterogeneity by small-scale agriculture promotes amphibian diversity in montane agroforestry systems of northeast Colombia. *Agriculture, Ecosystems & Environment*, *264*, 15–23.
- BRUSCAGIN, R.T., CONDEZ, T.H., DIXO, M., & BERTOLUCI, J. (2014) Diversity of leaf-litter anurans in a fragmented landscape of the Atlantic Plateau of São Paulo State, southeastern Brazil. *Journal of Natural History*, *48*, 2219–2234.
- BURGHELEA, C., ZAHARESCU, D., & PALANCA, A. (2013) Phenotypic indicators of developmental instability in an endemic amphibian from an altered landscape (Monegros, NE Spain). *Amphibia-Reptilia*, *34*, 505–516.
- BURNE, M.R., & GRIFFIN, C.R. (2005) Habitat associations of pool-breeding amphibians in eastern Massachusetts, USA. *Wetlands Ecology and Management*, *13*, 247–259.
- BURTON, E.C., GRAY, M.J., SCHMUTZER, A.C., & MILLER, D.L. (2009) Differential responses of postmetamorphic amphibians to cattle grazing in wetlands. *The Journal of Wildlife Management*, *73*, 269–277.
- CABALLERO-GINI, A., VERA-JIMÉNEZ, M., & SILLA, F. (2019) Composition of terrestrial anurans in areas with different degrees of alteration in San Rafael National Park (Paraguay). *South American Journal of Herpetology*, *14*, 48–57.
- CABRERA-GUZMÁN, E., & REYNOSO, V.H. (2012) Amphibian and reptile communities of rainforest fragments: minimum patch size to support high richness and abundance. *Biodiversity and Conservation*, *21*, 3243–3265.
- CACERES-ANDRADE, S.P., & URBINA-CARDONA, J.N. (2009) Anuran ensembles inhabiting productive systems and forests at the Piedemonte Llanero, Meta department, Colombia. *Caldasia*, *31*, 175–194.

- CALDERON, M.R., ALMEIDA, C.A., GONZÁLEZ, P., & JOFRÉ, M.B. (2019) Influence of water quality and habitat conditions on amphibian community metrics in rivers affected by urban activity. *Urban Ecosystems*, 22, 743–755.
- CAMACHO-ROZO, C.P., & URBINA-CARDONA, N. (2021) Tadpoles Inhabiting Natural and Anthropogenic Temporary Water Bodies: Which Are the Environmental Factors that Affect the Diversity of the Assemblages? *Frontiers in Environmental Science*, 9, 667448.
- CAMPIÃO, K.M., RIBAS, A.C.A., SILVA, I.C.O., DALAZEN, G.T., & TAVARES, L.E.R. (2017) Anuran helminth communities from contrasting nature reserve and pasture sites in the Pantanal wetland, Brazil. *Journal of Helminthology*, 91, 91–96.
- CANESSA, S., ONETO, F., OTTONELLO, D., ARILLO, ATTILIO, & SALVIDIO, S. (2013) Land abandonment may reduce disturbance and affect the breeding sites of an endangered amphibian in northern Italy. *Oryx*, 47, 280–287.
- CANO, P.D., & LEYNAUD, G.C. (2010) Effects of fire and cattle grazing on amphibians and lizards in northeastern Argentina (Humid Chaco). *European Journal of Wildlife Research*, 56, 411–420.
- CARR, L. W., & FAHRIG, L. (2001) Effect of road traffic on two amphibian species of differing vagility. *Conservation Biology*, 15, 1071–1078.
- CARRIER, J.A., & BEEBEE, T.J. (2003) Recent, substantial, and unexplained declines of the common toad *Bufo bufo* in lowland England. *Biological Conservation*, 111, 395–399.
- CARVALHO-ROCHA, V., PERES, C.A., & NECKEL-OLIVEIRA, S. (2021) Habitat amount and ambient temperature dictate patterns of anuran diversity along a subtropical elevational gradient. *Diversity and Distributions*, 27, 344–359.
- CAYUELA, H., LAMBREY, J., VACHER, J. P., & MIAUD, C. (2015) Highlighting the effects of land-use change on a threatened amphibian in a human-dominated landscape. *Population Ecology*, 57, 433–443.
- CHANG, C.W., HUANG, B.H., LIN, S.M., HUANG, C.L., & LIAO, P.C. (2016) Changes of diet and dominant intestinal microbes in farmland frogs. *BMC Microbiology*, 16, 1–13.
- CHEN, S., CHUANG, M.H., SHIU, H.J., & LIU, J.N. (2021) Quantifying the Effect of Land-cover Change on the Endangered Farmland Green Treefrog (*Zhangixalus arvalis*) in an Agricultural Landscape: Implications for Conservation. *Zoological Studies*, 60, e71.

- CISNEROS-HEREDIA, D.F., DELIA, J., YÁNEZ-MUÑOZ, M.H., & ORTEGA-ANDRADE, H.M. (2010) Endemic Ecuadorian glassfrog *Cochranella mache* is Critically Endangered because of habitat loss. *Oryx*, 44, 114–117.
- CLAUZEL, C., GIRARDET, X., & FOLTÊTE, J.C. (2013) Impact assessment of a high-speed railway line on species distribution: Application to the European tree frog (*Hyla arborea*) in Franche-Comté. *Journal of Environmental Management*, 127, 125–134.
- CLINE, B.B., & HUNTER JR, M.L. (2016) Movement in the matrix: substrates and distance-to-forest edge affect postmetamorphic movements of a forest amphibian. *Ecosphere*, 7, e01202.
- COBOS, M.E., & BOSCH, R.A. (2018) Recent and future threats to the Endangered Cuban toad *Peltophryne longinasus*: potential additive impacts of climate change and habitat loss. *Oryx*, 52, 116–125.
- COGĂLNICEANU, D., STĂNESCU, F., SZÉKELY, D., TOPLICEANU, T.S., IOSIF, R., & SZÉKELY, P. (2021) Age, size and body condition do not equally reflect population response to habitat change in the common spadefoot toad *Pelobates fuscus*. *PeerJ*, 9, e11678.
- COLE, E.M., BUSTAMANTE, M.R., ALMEIDA-REINOSO, D., & FUNK, W.C. (2014) Spatial and temporal variation in population dynamics of Andean frogs: Effects of forest disturbance and evidence for declines. *Global Ecology and Conservation*, 1, 60–70.
- CONSTIBLE, J.M., GREGORY, P.T., & ANHOLT, B.R. (2001) Patterns of distribution, relative abundance, and microhabitat use of anurans in a boreal landscape influenced by fire and timber harvest. *Ecoscience*, 8, 462–470.
- CORREA, F.S., JUEN, L., RODRIGUES, L.C., SILVA-FILHO, H.F., & SANTOS-COSTA, M.C. (2015) Effects of oil palm plantations on anuran diversity in the eastern Amazon. *Animal Biology*, 65, 321–335.
- COSTA, R.N., SOLÉ, M., & NOMURA, F. (2017) Agropastoral activities increase fluctuating asymmetry in tadpoles of two neotropical anuran species. *Austral Ecology*, 42, 801–809.
- COSENTINO, B.J., MARSH, D.M., JONES, K.S., APODACA, J.J., BATES, C., BEACH, J. et al. (2014) Citizen science reveals widespread negative effects of roads on amphibian distributions. *Biological Conservation*, 180, 31–38.
- COTHRAN, R.D., BROWN, J.M., & RELYEA, R.A. (2013) Proximity to agriculture is correlated with pesticide tolerance: evidence for the evolution of amphibian resistance to modern pesticides. *Evolutionary Applications*, 6, 832–841.

- COVARRUBIAS, S., GUTIÉRREZ-RODRÍGUEZ, C., ROJAS-SOTO, O., HERNÁNDEZ-GUZMÁN, R., & GONZÁLEZ, C. (2022) Functional connectivity of an endemic tree frog in a highly threatened tropical dry forest in Mexico. *Ecoscience*, 29, 69–85.
- CROSBY, M.K.A., LICHT, L.E., & FU, J. (2009) The effect of habitat fragmentation on finescale population structure of wood frogs (*Rana sylvatica*). *Conservation Genetics*, 10, 1707–1718.
- CRUZ-ELIZALDE, R., BERRIOZABAL-ISLAS, C., HERNANDEZ-SALINAS, U., MARTÍNEZ-MORALES, M.A., & RAMIREZ-BAUTISTA, A. (2016) Amphibian species richness and diversity in a modified tropical environment of central Mexico. *Tropical Ecology*, 57, 407–417.
- CUBIDES, P.I., & CARDONA, J.U. (2011) Anthropogenic disturbance and edge effects on anuran assemblages inhabiting cloud forest fragments in Colombia. *Natureza & Conservacao*, 9, 39–46.
- CUELLO, M.E., ÚBEDA, C.A., & BELLO, M.T. (2017) Habitat associations for the endangered frog *Atelognathus patagonicus* within the aquatic environment: key microhabitats for conservation. *Herpetological Conservation and Biology*, 12, 410–421.
- CUNHA, G.G., DALZUCHIO, M.S., & TOZETTI, A.M. (2021) Anuran diversity in ponds associated with soybean plantations. *Anais da Academia Brasileira de Ciências*, 93, e20201926.
- CURADO, N., HARTEL, T., & ARNTZEN, J.W. (2011) Amphibian pond loss as a function of landscape change—a case study over three decades in an agricultural area of northern France. *Biological Conservation*, 144, 1610–1618.
- D'AMEN, M., & BOMBI, P. (2009) Global warming and biodiversity: Evidence of climate-linked amphibian declines in Italy. *Biological Conservation*, 142, 3060–3067.
- D'AMORE, A., HEMINGWAY, V., & WASSON, K. (2010) Do a threatened native amphibian and its invasive congener differ in response to human alteration of the landscape?. *Biological Invasions*, 12, 145–154.
- DA SILVA, F.R., GIBBS, J.P., & ROSSA-FERES, D.D.C. (2011) Breeding habitat and landscape correlates of frog diversity and abundance in a tropical agricultural landscape. *Wetlands*, 31, 1079–1087.
- DA SILVA, F.R., CANDEIRA, C.P., & DE CERQUEIRA ROSSA-FERES, D. (2012) Dependence of anuran diversity on environmental descriptors in farmland ponds. *Biodiversity and Conservation*, 21, 1411–1424.

- DALMOLIN, D.A., TOZETTI, A.M., & PEREIRA, M.J.R. (2020) Living in a changing world: effects of roads and Pinus monocultures on an anuran metacommunity in southern Brazil. *bioRxiv*, 2020, DOI: 10.1101/2020.07.31.231647.
- DA SILVA E SILVA, Y.B., RIBEIRO, B.R., THIESEN BRUM, F., SOARES-FILHO, B., LOYOLA, R., & MICHALSKI, F. (2018) Combined exposure to hydroelectric expansion, climate change and forest loss jeopardies amphibians in the Brazilian Amazon. *Diversity and Distributions*, 24, 1072–1082.
- DAVIDSON, C. (2004) Declining downwind: amphibian population declines in California and historical pesticide use. *Ecological Applications*, 14, 1892–1902.
- DAVIDSON, C., BRADLEY SHAFFER, H., & JENNINGS, M. R. (2001) Declines of the California red-legged frog: Climate, UV-B, habitat, and pesticides hypotheses. *Ecological Applications*, 11, 464–479.
- DAVIDSON, C., SHAFFER, H.B., & JENNINGS, M.R. (2002) Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate-change hypotheses for California amphibian declines. *Conservation Biology*, 16, 1588–1601.
- DAVIS, R.A., LOHR, C.A., & DALE ROBERTS, J. (2019) Frog survival and population viability in an agricultural landscape with a drying climate. *Population Ecology*, 61, 102–112.
- DAYRELL, J.S., MAGNUSSON, W.E., BOBROWIEC, P.E.D., & LIMA, A.P. (2021) Impacts of an Amazonian hydroelectric dam on frog assemblages. *Plos One*, 16, e0244580.
- DE CAMPOS TELLES, M.P., DINIZ-FILHO, J.A.F., BASTOS, R.P., SOARES, T.N., GUIMARÃES, L.D.A., & LIMA, L.P. (2007) Landscape genetics of *Physalaemus cuvieri* in Brazilian Cerrado: correspondence between population structure and patterns of human occupation and habitat loss. *Biological Conservation*, 139, 37–46.
- DECENA, S.C.P., AVORQUE, C.A., DECENA, I.C.P., ASIS, P.D., & PACLE, B. (2020) Impact of habitat alteration on amphibian diversity and species composition in a lowland tropical rainforest in Northeastern Leyte, Philippines. *Scientific Reports*, 10, 1–15.
- DEGUISE, I., & RICHARDSON, J.S. (2009) Movement behaviour of adult western toads in a fragmented, forest landscape. *Canadian Journal of Zoology*, 87, 1184–1194.
- DELGADO-ACEVEDO, J., & RESTREPO, C. (2008) The contribution of habitat loss to changes in body size, allometry, and bilateral asymmetry in two *Eleutherodactylus* frogs from Puerto Rico. *Conservation Biology*, 22, 773–782.
- DEMAYNADIER, P.G., & HUNTER JR, M.L. (2000) Road effects on amphibian movements in a forested landscape. *Natural Areas Journal*, 20, 56–65.

- DEMAYNADIER, P.G., & HUNTER JR, M.L. (1999) Forest canopy closure and juvenile emigration by pool-breeding amphibians in Maine. *The Journal of Wildlife Management*, 1999, 441–450.
- DIAZ-RICAURTE, J.C., ARRIAGA VILLEGAS, N.C., LOPEZ CORONADO, J.D., MACIAS GARZON, G.X., & F. FIORILLO, B. (2022) Effects of agricultural systems on the anuran diversity in the Colombian Amazon. *Studies on Neotropical Fauna and Environment*, 57, 18–28.
- DIXO, M., & MARTINS, M. (2008) Are leaf-litter frogs and lizards affected by edge effects due to forest fragmentation in Brazilian Atlantic forest? *Journal of Tropical Ecology*, 24, 551–554.
- DIXO, M., METZGER, J.P., MORGANTE, J.S., & ZAMUDIO, K.R. (2009) Habitat fragmentation reduces genetic diversity and connectivity among toad populations in the Brazilian Atlantic Coastal Forest. *Biological Conservation*, 142, 1560–1569.
- DO, M.S., SON, S.J., CHOI, G., YOO, N., KOO, K.S., & NAM, H.K. (2021) Anuran community patterns in the rice fields of the mid-western region of the Republic of Korea. *Global Ecology and Conservation*, 26, e01448.
- DORADO-RODRIGUES, T.F., LAYME, V.M.G., SILVA, F.H.B., NUNES DA CUNHA, C., & STRÜSSMANN, C. (2015) Effects of shrub encroachment on the anuran community in periodically flooded grasslands of the largest Neotropical wetland. *Austral Ecology*, 40, 547–557.
- DOS SANTOS, R.C., DALMOLIN, D.A., BRUM, D., VERONEZ, M.R., LUCAS, E.M., & TOZETTI, A.M. (2021) Association between land use and composition of amphibian species in temperate Brazilian forest remnants. *bioRxiv*, 2021. DOI: 10.1101/2021.02.17.431642.
- EAKIN, C., CALHOUN, A.J., & HUNTER JR, M.L. (2019) Indicators of wood frog (*Lithobates sylvaticus*) condition in a suburbanizing landscape. *Ecosphere*, 10, e02789.
- EDO-TAIWO, O., OMINUN, O.P., JIBUNOR, R.O., EHIAGWINA, J.C., & AISIEN, M.S.O. (2020) Endoparasites in six anuran species from a changing rainforest biotope in Edo State, Southern Nigeria. *Nigerian Journal of Parasitology*, 41, 251–259.
- EDWARDS, S., TOLLEY, K.A., & MEASEY, G.J. (2017) Habitat characteristics influence the breeding of Rose’s dwarf mountain toadlet *Capensibufo rosei* (Anura: Bufonidae). *Herpetological Journal* 27, 287–298.
- EIGENBROD, F., HEENAR, S.J., & FAHRIG, L. (2008) The relative effects of road traffic and forest cover on anuran populations. *Biological Conservation*, 141, 35–46.

- EIGENBROD, F., HECNAR, S.J., & FAHRIG, L. (2009) Quantifying the road-effect zone: threshold effects of a motorway on anuran populations in Ontario, Canada. *Ecology and Society*, 14, 24.
- EISEMBERG, C.C., & BERTOLUCI, J. (2016) Fluctuating asymmetry in populations of the South American frog *Physalaemus cuvieri* (Leptodactylidae) in areas with different degrees of disturbance. *Journal of Natural History*, 50, 1503–1511.
- ERŐS, N., MALOŞ, C.V., HORVÁTH, C., & HARTEL, T. (2020) Temporary pond loss as a result of pasture abandonment: exploring the social-ecological drivers and consequences for amphibians. *Journal for Nature Conservation*, 55, 125836.
- ETEROVICK, P.C., SLOSS, B.L., SCALZO, J.A., & ALFORD, R.A. (2016) Isolated frogs in a crowded world: Effects of human-caused habitat loss on frog heterozygosity and fluctuating asymmetry. *Biological Conservation*, 195, 52–59.
- FARDELL, L., VALDEZ, J., KLOP-TOKER, K., STOCKWELL, M., CLULOW, S., CLULOW, J. et al. (2018). Effects of vegetation density on habitat suitability for the endangered green and golden bell frog, *Litoria aurea*. *Herpetological Conservation and Biology*, 13, 47–57.
- FARIA, D., PACIENCIA, M.L.B., DIXO, M., LAPS, R.R., & BAUMGARTEN, J. (2007) Ferns, frogs, lizards, birds and bats in forest fragments and shade cacao plantations in two contrasting landscapes in the Atlantic forest, Brazil. *Biodiversity and Conservation*, 16, 2335–2357.
- FARUK, A., BELABUT, D., AHMAD, N., KNELL, R.J., & GARNER, T.W. (2013) Effects of oil-palm plantations on diversity of tropical anurans. *Conservation Biology*, 27, 615–624.
- FERRANTE, L., BACCARO, F.B., FERREIRA, E.B., SAMPAIO, M.F.D.O., SANTOS, T., JUSTINO, R.C. et al. (2017) The matrix effect: how agricultural matrices shape forest fragment structure and amphibian composition. *Journal of Biogeography*, 44, 1911–1922.
- FERREIRA, R.B., BEARD, K.H., & CRUMP, M.L. (2016) Breeding guild determines frog distributions in response to edge effects and habitat conversion in the Brazil's Atlantic Forest. *PLoS One*, 11, e0156781.
- FICETOLA, G.F., & DE BERNARDI, F. (2004) Amphibians in a human-dominated landscape: the community structure is related to habitat features and isolation. *Biological Conservation*, 119, 219–230.
- FICETOLA, G. F., MAIORANO, L., FALCUCCI, A., DENDONCKER, N., BOITANI, L., PADOA-SCHIOPPA, E. et al. (2010). Knowing the past to predict the future: land-use change and the distribution of invasive bullfrogs. *Global Change Biology*, 16, 528–537.

- FINDLAY, C.S., LENTON, J., & ZHENG, L. (2001) Land-use correlates of anuran community richness and composition in southeastern Ontario wetlands. *Ecoscience*, 8, 336–343.
- FISCHER, K., BECKER, M., BECKER, B.A., BENSCH, J., BÖCKERS, A., BURMEISTER, M. et al. (2015) Determinants of tree frog calling ponds in a human-transformed landscape. *Ecological Research*, 30, 439–450.
- FOLT, B., & REIDER, K.E. (2013) Leaf-litter herpetofaunal richness, abundance, and community assembly in mono-dominant plantations and primary forest of northeastern Costa Rica. *Biodiversity and Conservation*, 22, 2057–2070.
- FORTI, L.R., PONTES, M.R., ALCANTARA, E.P., MORAIS, D.H., DA SILVA, R. J., DODONOV, P. et al. (2020). Torrent frogs have fewer macroparasites but higher rates of chytrid infection in landscapes with smaller forest cover. *Ecosphere*, 11, e03169.
- FOUQUET, A., FICETOLA, G.F., HAIGH, A., & GEMMELL, N. (2010) Using ecological niche modelling to infer past, present and future environmental suitability for *Leiopelma hochstetteri*, an endangered New Zealand native frog. *Biological Conservation*, 143, 1375–1384.
- FRANCO-BELUSSI, L., PROVETE, D.B., BORGES, R.E., DE OLIVEIRA, C., & SANTOS, L.R.S. (2020) Idiosyncratic liver pigment alterations of five frog species in response to contrasting land use patterns in the Brazilian Cerrado. *PeerJ*, 8, e9751.
- FRISHKOFF, L.O., HADLY, E.A., & DAILY, G.C. (2015) Thermal niche predicts tolerance to habitat conversion in tropical amphibians and reptiles. *Global Change Biology*, 21, 3901–3916.
- FULGENCE, T.R., MARTIN, D.A., RANDRIAMANANTENA, R., BOTRA, R., BEFIDIMANANA, E., OSEN, K. et al. (2022) Differential responses of amphibians and reptiles to land-use change in the biodiversity hotspot of north-eastern Madagascar. *Animal Conservation*, 25, 492–507.
- FUNK, W.C., & MILLS, L.S. (2003) Potential causes of population declines in forest fragments in an Amazonian frog. *Biological Conservation*, 111, 205–214.
- FUNK, W.C., GREENE, A.E., CORN, P.S., & ALLENDORF, F.W. (2005) High dispersal in a frog species suggests that it is vulnerable to habitat fragmentation. *Biology Letters*, 1, 13–16.
- FURLANI, D., FICETOLA, G.F., COLOMBO, G., UGURLUCAN, M., & DE BERNARDI, F. (2009) Deforestation and the structure of frog communities in the Humedale Terraba-Sierpe, Costa Rica. *Zoological Science*, 26, 197–202.



- FURMAN, B.L., SCHEFFERS, B.R., TAYLOR, M., DAVIS, C., & PASZKOWSKI, C.A. (2016) Limited genetic structure in a wood frog (*Lithobates sylvaticus*) population in an urban landscape inhabiting natural and constructed wetlands. *Conservation Genetics*, 17, 19–30.
- GABRIELSEN, C.G., KOVACH, A.I., BABBITT, K.J., & MCDOWELL, W.H. (2013) Limited effects of suburbanization on the genetic structure of an abundant vernal pool-breeding amphibian. *Conservation Genetics*, 14, 1083–1097.
- GAGNÉ, S.A., & FAHRIG, L. (2007) Effect of landscape context on anuran communities in breeding ponds in the National Capital Region, Canada. *Landscape Ecology*, 22, 205–215.
- GAGNÉ, S.A., & FAHRIG, L. (2010) Effects of time since urbanization on anuran community composition in remnant urban ponds. *Environmental Conservation*, 37, 128–135.
- GALINDO-URIBE, D.M., HOYOS-HOYOS, J.M., ISAACS-CUBIDES, P., CORRAL-GÓMEZ, N., & URBINA-CARDONA, N. (20) Classification and sensitivity of taxonomic and functional diversity indices of anurans in the Andean coffee cultural landscape. *Ecological Indicators*, 136, 108650.
- GALLMETZER, N., & SCHULZE, C.H. (2015) Impact of oil palm agriculture on understory amphibians and reptiles: A Mesoamerican perspective. *Global Ecology and Conservation*, 4, 95–109.
- GANCI, C.C., PROVETE, D.B., PÜTTKER, T., LINDENMAYER, D., & ALMEIDA-GOMES, M. (2022) High species turnover shapes anuran community composition in ponds along an urban-rural gradient. *Urban Ecosystems*, 25, 633–642.
- GANGENOVA, E., ZURITA, G.A., & MARANGONI, F. (2018) Changes to anuran diversity following forest replacement by tree plantations in the southern Atlantic forest of Argentina. *Forest Ecology and Management*, 424, 529–535.
- GANGENOVA, E., GIOMBINI, M.I., ZURITA, G.A., & MARANGONI, F. (2020) Morphological responses of three persistent native anuran species after forest conversion into monoculture pine plantations: tolerance or prosperity? *Integrative Zoology*, 15, 428–440.
- GARCIA-GONZALEZ, C., CAMPO, D., POLA, I.G., & GARCIA-VAZQUEZ, E. (2012) Rural road networks as barriers to gene flow for amphibians: Species-dependent mitigation by traffic calming. *Landscape and Urban Planning*, 104, 171–180.
- GARCIA NETO, P.G., NOWAKOWSKI, A.J., DA SILVA, A.F.C., OLIVEIRA, O.C.C., GUERRA, R.N.M., & DE ANDRADE, G. V. (2020) Leukocyte profiles of two Neotropical anuran species affected by anthropogenic habitat alteration. *Animal Conservation*, 23, 524–532.

- GARDNER, T.A., RIBEIRO-JUNIOR, M.A., BARLOW, J.O.S., ÁVILA-PIRES, T.C.S., HOOGMOED, M.S., & PERES, C.A. (2007) The value of primary, secondary, and plantation forests for a neotropical herpetofauna. *Conservation Biology*, *21*, 775–787.
- GAREY, M.V., & DA SILVA, V.X. (2010) Spatial and temporal distribution of anurans in an agricultural landscape in the Atlantic semi-deciduous forest of southeastern Brazil. *South American Journal of Herpetology*, *5*, 64–72.
- GARNER, T.W., NISHIMURA, D., ANTWI, J., & OLIVER, N. (2008) Human disturbance influences behaviour and local density of juvenile frogs. *Ethology*, *114*, 1006–1013.
- GETELINA, M.A., SCHWANTES, J.B., GRAICHEN, D.A.S., & SCHUCH, A.P. (2022) Influence of anthropogenic pressure on the genetic diversity and chromosomal instability of an endangered forest-specialist anuran. *Hydrobiologia*, *2022*, 1–13.
- GHOSE, A., DEB, J.C., DAKWA, K.B., RAY, J.P., & REZA, A.H.M. (2017) Amphibian species assemblages in a tropical forest of Bangladesh. *Herpetological Journal*, *27*, 318–325.
- GIBBS, J.P. (1998) Distribution of woodland amphibians along a forest fragmentation gradient. *Landscape Ecology*, *13*, 263–268.
- GIBBS, J.P., WHITELEATHER, K.K., & SCHUELER, F.W. (2005) Changes in frog and toad populations over 30 years in New York State. *Ecological Applications*, *15*, 1148–1157.
- GILLESPIE, G.R., AHMAD, E., ELAHAN, B., EVANS, A., ANCRENAZ, M., GOOSSENS, B. et al. (2012) Conservation of amphibians in Borneo: Relative value of secondary tropical forest and non-forest habitats. *Biological Conservation*, *152*, 136–144.
- GOLDBERG, C.S., & WAITS, L.P. (2009) Using habitat models to determine conservation priorities for pond-breeding amphibians in a privately-owned landscape of northern Idaho, USA. *Biological Conservation*, *142*, 1096–1104.
- GOLDBERG, C.S., & WAITS, L.P. (2010) Comparative landscape genetics of two pond-breeding amphibian species in a highly modified agricultural landscape. *Molecular ecology*, *19*, 3650–3663.
- GONÇALVES, J., HONRADO, J.P., VICENTE, J.R., & CIVANTOS, E. (2016) A model-based framework for assessing the vulnerability of low dispersal vertebrates to landscape fragmentation under environmental change. *Ecological Complexity*, *28*, 174–186.
- GONZÁLEZ, M.P., BONACCORSO, E., & PAPEŞ, M. (2015) Applications of geographic information systems and remote sensing techniques to conservation of amphibians in northwestern Ecuador. *Global Ecology and Conservation*, *3*, 562–574.

- GONZALEZ BAFFA-TRASCI, N.V., PEREYRA, L.C., AKMENTINS, M.S., & VAIRA, M. (2020) Responses of anuran diversity to wetland characteristics and surrounding landscape in the Southern Andean Yungas, Argentina. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 30, 1437–1450.
- GONZÁLEZ-BERNAL, E., GREENLEES, M., BROWN, G.P., & SHINE, R. (2012) Cane toads on cowpats: commercial livestock production facilitates toad invasion in tropical Australia. *PloS One*, 7, e49351.
- GONZÁLEZ-DEL-PLIEGO, P., SCHEFFERS, B.R., FRECKLETON, R.P., BASHAM, E.W., ARAÚJO, M.B., ACOSTA-GALVIS, A.R. et al. (2020) Thermal tolerance and the importance of microhabitats for Andean frogs in the context of land use and climate change. *Journal of Animal Ecology*, 89, 2451–2460.
- GRAETER, G.J., ROTHERMEL, B.B., & GIBBONS, J.W. (2008) Habitat selection and movement of pond-breeding amphibians in experimentally fragmented pine forests. *The Journal of Wildlife Management*, 72, 473–482.
- GRAND, L.A., HAYES, M.P., VOGT, K.A., VOGT, D.J., YARNOLD, P.R., RICHTER, K.O. et al. (2017) Identification of habitat controls on northern red-legged frog populations: implications for habitat conservation on an urbanizing landscape in the Pacific Northwest. *Ecological Processes*, 6, 1–13.
- GRAY, M.J., & SMITH, L.M. (2005) Influence of land use on postmetamorphic body size of playa lake amphibians. *The Journal of Wildlife Management*, 69, 515–524.
- GRAY, M.J., SMITH, L.M., & LEYVA, R.I. (2004) Influence of agricultural landscape structure on a Southern High Plains, USA, amphibian assemblage. *Landscape Ecology*, 19, 719–729.
- GRAY, M.J., MILLER, D.L., SCHMUTZER, A.C., & BALDWIN, C.A. (2007) Frog virus 3 prevalence in tadpole populations inhabiting cattle-access and non-access wetlands in Tennessee, USA. *Diseases of Aquatic Organisms*, 77, 97–103.
- GREEN, J., GOVINDARAJULU, P., & HIGGS, E. (2021) Multiscale determinants of Pacific chorus frog occurrence in a developed landscape. *Urban Ecosystems*, 24, 587–600.
- GRIFFIN, P.C., & CASE, T.J. (2001) Terrestrial habitat preferences of adult arroyo southwestern toads. *The Journal of Wildlife Management*, 65, 633–644.
- GUERRA, C., & ARÁOZ, E. (2015) Amphibian diversity increases in an heterogeneous agricultural landscape. *Acta Oecologica*, 69, 78–86.

- GUERRY, A.D., & HUNTER JR, M.L. (2002) Amphibian distributions in a landscape of forests and agriculture: an examination of landscape composition and configuration. *Conservation Biology*, 16, 745–754.
- GUILLOT, H., BOISSINOT, A., ANGELIER, F., LOURDAIS, O., BONNET, X., & BRISCHOUX, F. (2016) Landscape influences the morphology of male common toads (*Bufo bufo*). *Agriculture, Ecosystems & Environment*, 233, 106–110.
- GUSTAFSON, K.D., & NEWMAN, R.A. (2016) Multiscale occupancy patterns of anurans in prairie wetlands. *Herpetologica*, 72, 293–302.
- GUZY, J.C., ESKEW, E.A., HALSTEAD, B.J., & PRICE, S.J. (2018) Influence of damming on anuran species richness in riparian areas: A test of the serial discontinuity concept. *Ecology and Evolution*, 8, 2268–2279.
- HAGGERTY, C.J., CRISMAN, T.L., & ROHR, J.R. (2019) Effects of forestry-driven changes to groundcover and soil moisture on amphibian desiccation, dispersal, and survival. *Ecological Applications*, 29, e01870.
- HAMER, A.J. (2016) Accessible habitat delineated by a highway predicts landscape-scale effects of habitat loss in an amphibian community. *Landscape Ecology*, 31, 2259–2274.
- HAMER, A.J., BARTA, B., BOHUS, A., GÁL, B., & SCHMERA, D. (2021) Roads reduce amphibian abundance in ponds across a fragmented landscape. *Global Ecology and Conservation*, 28, e01663.
- HARPER, E.B., RITTENHOUSE, T.A., & SEMLITSCH, R.D. (2008) Demographic consequences of terrestrial habitat loss for pool-breeding amphibians: predicting extinction risks associated with inadequate size of buffer zones. *Conservation Biology*, 22, 1205–1215.
- HARTEL, T., NEMES, S., DEMETER, L., & OLLERER, K. (2008) Pond and landscape characteristics-which is more important for common toads (*Bufo bufo*)? A case study from central Romania. *Applied Herpetology*, 5, 1–12.
- HARTEL, T., SCHWEIGER, O., ÖLLERER, K., COGÁLNICÉANU, D., & ARNTZEN, J.W. (2010) Amphibian distribution in a traditionally managed rural landscape of Eastern Europe: probing the effect of landscape composition. *Biological Conservation*, 143, 1118–1124.
- HARTSON, R.B., ORLOFSKE, S.A., MELIN, V.E., DILLON, R.T., & JOHNSON, P.T. (2011) Land use and wetland spatial position jointly determine amphibian parasite communities. *EcoHealth*, 8, 485–500.
- HASE, K., NIKOH, N., & SHIMADA, M. (2013) Population admixture and high larval viability among urban toads. *Ecology and Evolution*, 3, 1677–1691.

- HAZELL, D., CUNNINGHAM, R., LINDENMAYER, D., MACKEY, B., & OSBORNE, W. (2001) Use of farm dams as frog habitat in an Australian agricultural landscape: factors affecting species richness and distribution. *Biological Conservation*, *102*, 155–169.
- HAZELL, D., OSBORNE, W., & LINDENMAYER, D. (2003) Impact of post-European stream change on frog habitat: southeastern Australia. *Biodiversity & Conservation*, *12*, 301–320.
- HAZELL, D., HERO, J.M., LINDENMAYER, D., & CUNNINGHAM, R. (2004) A comparison of constructed and natural habitat for frog conservation in an Australian agricultural landscape. *Biological Conservation*, *119*, 61–71.
- HELMS, T., & NACHMAN, G. (2002) Simulating viability of a spadefoot toad *Pelobates fuscus* metapopulation in a landscape fragmented by a road. *Ecography*, *25*, 730–744.
- HERRMANN, H.L., BABBITT, K.J., BABER, M.J., & CONGALTON, R.G. (2005) Effects of landscape characteristics on amphibian distribution in a forest-dominated landscape. *Biological Conservation*, *123*, 139–149.
- HILLERS, A., VEITH, M., & RÖDEL, M.O. (2008) Effects of forest fragmentation and habitat degradation on West African leaf-litter frogs. *Conservation Biology*, *22*, 762–772.
- HINDERER, R.K., LITT, A.R., & MCCAFFERY, M. (2021) Habitat selection by a threatened desert amphibian. *Ecology and Evolution*, *11*, 536–546.
- HIRSCHFELD, M., BLACKBURN, D.C., DOHERTY-BONE, T.M., GONWOUO, L.N., GHOSE, S., & RÖDEL, M.O. (2016) Dramatic declines of montane frogs in a Central African biodiversity hotspot. *PLoS One*, *11*, e0155129.
- HOLZER, K.A., BAYERS, R.P., NGUYEN, T.T., & LAWLER, S.P. (2017) Habitat value of cities and rice paddies for amphibians in rapidly urbanizing Vietnam. *Journal of Urban Ecology*, *3*, juw007.
- HOMAN, R.N., WINDMILLER, B.S., & REED, J.M. (2004) Critical thresholds associated with habitat loss for two vernal pool-breeding amphibians. *Ecological Applications*, *14*, 1547–1553.
- HOMOLA, J.J., LOFTIN, C.S., & KINNISON, M.T. (2019) Landscape genetics reveals unique and shared effects of urbanization for two sympatric pool-breeding amphibians. *Ecology and Evolution*, *9*, 11799–11823.
- HOMYACK, J.A., O'BRYAN, C.J., THORNTON, J.E., & BALDWIN, R.F. (2016) Community occupancy of herpetofauna in roadside ditches in a managed pine landscape. *Forest Ecology and Management*, *361*, 346–357.

- HOULAHAN, J.E., & FINDLAY, C.S. (2003) The effects of adjacent land use on wetland amphibian species richness and community composition. *Canadian Journal of Fisheries and Aquatic Sciences*, *60*, 1078–1094.
- HROMADA, S.J., IACCHETTA, M.G., BEAS, B.J., FLAHERTY, J., FULBRIGHT, M.C., WILD, K.H. et al. (2021) Low-Intensity Agriculture Shapes Amphibian and Reptile Communities: Insights from a 10-Year Monitoring Study. *Herpetologica*, *77*, 294–306.
- HUGHEY, M.C., PENA, J.A., REYES, R., MEDINA, D., BELDEN, L.K., & BURROWES, P.A. (2017). Skin bacterial microbiome of a generalist Puerto Rican frog varies along elevation and land use gradients. *PeerJ*, *5*, e3688.
- HUSTÉ, A., CLOBERT, J., & MIAUD, C. (2006) The movements and breeding site fidelity of the natterjack toad (*Bufo calamita*) in an urban park near Paris (France) with management recommendations. *Amphibia-Reptilia*, *27*, 561–568.
- HUTCHENS, S., & DEPERNO, C. (2009) Measuring species diversity to determine land-use effects on reptile and amphibian assemblages. *Amphibia-Reptilia*, *30*, 81–88.
- HUTTO JR, D., & BARRETT, K. (2021) Do urban open spaces provide refugia for frogs in urban environments? *PloS One*, *16*, e0244932.
- IGLESIAS-CARRASCO, M., MARTÍN, J., & CABIDO, C. (2017) Urban habitats can affect body size and body condition but not immune response in amphibians. *Urban Ecosystems*, *20*, 1331–1338.
- IOP, S., GOMES DOS SANTOS, T., ZANINI CECHIN, S., VÉLEZ-MARTIN, E., D. PILLAR, V., & INÁCIO PRADO, P. (2020) The interplay between local and landscape scales on the density of pond-dwelling anurans in subtropical grasslands. *Biotropica*, *52*, 913–926.
- IWAI, N. (2021) Effects of topography and anthropogenic alterations in forest environments on the breeding use by two endangered frog species in Amami-Oshima Island. *Journal of Forest Research*, *26*, 208–214.
- JACKSON, K., & BLACKBURN, D.C. (2010) A survey of amphibians and reptiles at degraded sites near Pointe-Noire, Kouilou Province, Republic of Congo. *Herpetological Conservation and Biology*, *5*, 414–429.
- JACOBS, L., & HOULAHAN, J.E. (2011) Adjacent land-use affects amphibian community composition and species richness in managed forests in New Brunswick, Canada. *Canadian Journal of Forest Research*, *41*, 1687–1697.

- JANIN, A., LÉNA, J.P., & JOLY, P. (2011) Beyond occurrence: body condition and stress hormone as integrative indicators of habitat availability and fragmentation in the common toad. *Biological Conservation*, *144*, 1008–1016.
- JANIN, A., LÉNA, J.P., & JOLY, P. (2012) Habitat fragmentation affects movement behavior of migrating juvenile common toads. *Behavioral Ecology and Sociobiology*, *66*, 1351–1356.
- JANIN, A., LÉNA, J.P., DEBLOIS, S., & JOLY, P. (2012) Use of stress-hormone levels and habitat selection to assess functional connectivity of a landscape for an Amphibian. *Conservation Biology*, *26*, 923–931.
- JANSEN, A., & HEALEY, M. (2003) Frog communities and wetland condition: relationships with grazing by domestic livestock along an Australian floodplain river. *Biological Conservation*, *109*, 207–219.
- JELIAZKOV, A., CHIRON, F., GARNIER, J., BESNARD, A., SILVESTRE, M., & JIGUET, F. (2014) Level-dependence of the relationships between amphibian biodiversity and environment in pond systems within an intensive agricultural landscape. *Hydrobiologia*, *723*, 7–23.
- JENNETTE, M.A., SNODGRASS, J.W., & FORESTER, D.C. (2019) Variation in age, body size, and reproductive traits among urban and rural amphibian populations. *Urban Ecosystems*, *22*, 137–147.
- JIMÉNEZ, R.R., ALVARADO, G., SANDOVAL, J., & SOMMER, S. (2020) Habitat disturbance influences the skin microbiome of a rediscovered neotropical-montane frog. *BMC Microbiology*, *20*, 1–14.
- JOHANSSON, M., PRIMMER, C.R., SAHLSTEN, J., & MERILÄ, J. (2005) The influence of landscape structure on occurrence, abundance and genetic diversity of the common frog, *Rana temporaria*. *Global Change Biology*, *11*, 1664–1679.
- JOHANSSON, M., PRIMMER, C.R., & MERILÄ, J. (2007) Does habitat fragmentation reduce fitness and adaptability? A case study of the common frog (*Rana temporaria*). *Molecular Ecology*, *16*(16), 2693–2700.
- JOHNSON, P.T., MCKENZIE, V.J., PETERSON, A.C., KERBY, J.L., BROWN, J., BLAUSTEIN, A.R. et al. (2011) Regional decline of an iconic amphibian associated with elevation, land-use change, and invasive species. *Conservation Biology*, *25*, 556–566.
- JONGSMA, G.F., HEDLEY, R.W., DURÃES, R., & KARUBIAN, J. (2014) Amphibian diversity and species composition in relation to habitat type and alteration in the Mache–Chindul Reserve, Northwest Ecuador. *Herpetologica*, *70*, 34–46.

- JUNG, C.R., & WU, S.H. (2020) The relationships between land use and amphibian assemblages in a traditional agricultural area, the Sun Moon Lake, of Taiwan. *Wildlife Research*, 48, 181–192.
- KAISER, K., DEVITO, J., JONES, C.G., MARENTES, A., PEREZ, R., UMEH, L. et al. (2015) Effects of anthropogenic noise on endocrine and reproductive function in White's treefrog, *Litoria caerulea*. *Conservation Physiology*, 3, cou061.
- KÄRVEMO, S., LAURILA, A., & HÖGLUND, J. (2019) Urban environment and reservoir host species are associated with Batrachochytrium dendrobatidis infection prevalence in the common toad. *Diseases of Aquatic Organisms*, 134, 33–42.
- KATO, N., YOSHIO, M., KOBAYASHI, R., & MIYASHITA, T. (2010) Differential responses of two anuran species breeding in rice fields to landscape composition and spatial scale. *Wetlands*, 30, 1171–1179.
- KEELY, C.C., HALE, J.M., HEARD, G.W., PARRIS, K.M., SUMNER, J., HAMER, A.J. et al. (2015) Genetic structure and diversity of the endangered growling grass frog in a rapidly urbanizing region. *Royal Society Open Science*, 2, 140255.
- KIDERA, N., KADOYA, T., YAMANO, H., TAKAMURA, N., OGANNO, D., WAKABAYASHI, T. et al. (2018) Hydrological effects of paddy improvement and abandonment on amphibian populations; long-term trends of the Japanese brown frog, *Rana japonica*. *Biological Conservation*, 219, 96–104.
- KNUTSON, M.G., SAUER, J.R., OLSEN, D.A., MOSSMAN, M.J., HEMESATH, L.M., & LANNON, M.J. (1999) Effects of landscape composition and wetland fragmentation on frog and toad abundance and species richness in Iowa and Wisconsin, USA. *Conservation Biology*, 13, 1437–1446.
- KNUTSON, M.G., HERNER-THOGMARTIN, J.H., THOGMARTIN, W.E., KAPFER, J.M., & NELSON, J.C. (2018) Habitat selection, movement patterns, and hazards encountered by northern leopard frogs (*Lithobates pipiens*) in an agricultural landscape. *Herpetological Conservation and Biology*, 13(1), 113–130.
- KOBAYASHI, S., ABE, S., & MATSUKI, R. (2013) Genetic structure of a Japanese brown frog (*Rana japonica*) population implies severe restriction of gene flow caused by recent urbanization in a satoyama landscape. *Mitochondrial DNA*, 24, 697–704.
- KOLOZSVARY, M.B., & SWIHART, R.K. (1999) Habitat fragmentation and the distribution of amphibians: patch and landscape correlates in farmland. *Canadian Journal of Zoology*, 77, 1288–1299.



- KONOWALIK, A., NAJBAR, A., KONOWALIK, K., DYLEWSKI, Ł., FRYDLEWICZ, M., KISIEL, P. et al. (2020). Amphibians in an urban environment: a case study from a central European city (Wrocław, Poland). *Urban Ecosystems*, 23, 235–243.
- KOPRIVNIKAR, J., & REDFERN, J.C. (2012) Agricultural effects on amphibian parasitism: Importance of general habitat perturbations and parasite life cycles. *Journal of Wildlife Diseases*, 48, 925–936.
- KOUAMÉ, N.G., OFORI-BOATENG, C., ADUM, G.B., GOURÈNE, G., & RÖDEL, M.O. (2015) The anuran fauna of a West African urban area. *Amphibian & Reptile Conservation*, 9, 1–14.
- KRISHNA, S.N., KRISHNA, S.B., & VIJAYALAXMI, K.K. (2005) Variation in anuran abundance along the streams of the Western Ghats, India. *The Herpetological Journal*, 15, 167–172.
- KRISHNAMURTHY, S.V. (2003) Amphibian assemblages in undisturbed and disturbed areas of Kudremukh National Park, central Western Ghats, India. *Environmental Conservation*, 30, 274–282.
- KRUG, A., & PRÖHL, H. (2013) Population genetics in a fragmented population of the European tree frog (*Hyla arborea*). *Amphibia-Reptilia*, 34, 95–107.
- KRUGER, D.J., HAMER, A.J., & DU PREEZ, L.H. (2015) Urbanization affects frog communities at multiple scales in a rapidly developing African city. *Urban Ecosystems*, 18, 1333–1352.
- KUDAVIDANAGE, E.P., WANGER, T.C., DE ALWIS, C., SANJEEWA, S., & KOTAGAMA, S.W. (2012) Amphibian and butterfly diversity across a tropical land-use gradient in Sri Lanka; implications for conservation decision making. *Animal Conservation*, 15, 253–265.
- KURZ, D.J., NOWAKOWSKI, A.J., TINGLEY, M.W., DONNELLY, M.A., & WILCOVE, D.S. (2014) Forest-land use complementarity modifies community structure of a tropical herpetofauna. *Biological Conservation*, 170, 246–255.
- LAMBERT, M.R., STOLER, B., SMYLIE, M.S., RELYEA, R.A., & SKELLY, D.K. (2017) Interactive effects of road salt and leaf litter on wood frog sex ratios and sexual size dimorphism. *Canadian Journal of Fisheries and Aquatic Sciences*, 74, 141–146.
- LAMBERT, M., DRAYER, A.N., LEUENBERGER, W., PRICE, S.J., & BARTON, C. (2021) Evaluation of created wetlands as amphibian habitat on a reforested surface mine. *Ecological Engineering*, 171, 106386.
- LARA-TUFIÑO, J.D., BADILLO-SALDAÑA, L.M., HERNÁNDEZ-AUSTRIA, R., & RAMÍREZ-BAUTISTA, A. (2019) Effects of traditional agroecosystems and grazing areas on amphibian diversity in a region of central Mexico. *PeerJ*, 7, e6390.

- LAUFER, G., & GOBEL, N. (2017) Habitat degradation and biological invasions as a cause of amphibian richness loss: a case report in Aceguá, Cerro Largo, Uruguay. *Phyllomedusa: Journal of Herpetology*, 16, 289–293.
- LOMAN, J., & LARDNER, B. (2009) Does landscape and habitat limit the frogs *Rana arvalis* and *Rana temporaria* in agricultural landscapes? A field experiment. *Applied Herpetology*, 6, 227.
- LAWRENCE, J.P. (2018) Differential responses to forest edges among populations of *Oophaga pumilio* (Anura: Dendrobatidae) from Panama. *Phyllomedusa: Journal of Herpetology*, 17, 247–253.
- LE, D.T.T., ROWLEY, J.J., TRAN, D.T.A., & HOANG, H.D. (2020) The diet of a forest-dependent frog species, *Odorrana morafkai* (Anura: Ranidae), in relation to habitat disturbance. *Amphibia-Reptilia*, 41, 29–41.
- LEA, J.M., LUISELLI, L., & POLITANO, E. (2005) Are there shifts in amphibian faunal composition in Nigerian landscapes undergoing long-term degradation? A case study from a montane environment. *Revue d'Ecologie, Terre et Vie*, 60, 65–76.
- LEHTINEN, R.M., GALATOWITSCH, S.M., & TESTER, J.R. (1999) Consequences of habitat loss and fragmentation for wetland amphibian assemblages. *Wetlands*, 19, 1–12.
- LEHTINEN, R.M., RAMANAMANJATO, J.B., & RAVELOARISON, J.G. (2003) Edge effects and extinction proneness in a herpetofauna from Madagascar. *Biodiversity & Conservation*, 12, 1357–1370.
- LENHARDT, P.P., BRÜHL, C.A., LEEB, C., & THEISSINGER, K. (2017) Amphibian population genetics in agricultural landscapes: does viticulture drive the population structuring of the European common frog (*Rana temporaria*)? *PeerJ*, 5, e3520.
- LESBARRÈRES, D., PRIMMER, C.R., LODÉ, T., & MERILÄ, J. (2006) The effects of 20 years of highway presence on the genetic structure of *Rana dalmatina* populations. *Ecoscience*, 13, 531–538.
- LESCANO, J.N., BELLIS, L.M., HOYOS, L.E., & LEYNAUD, G.C. (2015) Amphibian assemblages in dry forests: Multi-scale variables explain variations in species richness. *Acta Oecologica*, 65, 41–50.
- LI, B., ZHANG, W., SHU, X., PEI, E., YUAN, X., WANG, T. et al (2018) Influence of breeding habitat characteristics and landscape heterogeneity on anuran species richness and abundance in urban parks of Shanghai, China. *Urban Forestry & Urban Greening*, 32, 56–63.

- LION, M.B., GARDA, A.A., & FONSECA, C.R. (2014) Split distance: a key landscape metric shaping amphibian populations and communities in forest fragments. *Diversity and Distributions*, 20, 1245–1257.
- LONG, Z.L., & PREPAS, E.E. (2012). Scale and landscape perception: the case of refuge use by Boreal Toads (*Anaxyrus boreas boreas*). *Canadian Journal of Zoology*, 90, 1015–1022.
- LOPEZ, J.A., SCARABOTTI, P.A., & GHIRARDI, R. (2015) Amphibian trophic ecology in increasingly human-altered wetlands. *Herpetological Conservation and Biology*, 10, 819–832.
- LOUZADA, J., GARDNER, T., PERES, C., & BARLOW, J. (2010) A multi-taxa assessment of nestedness patterns across a multiple-use Amazonian forest landscape. *Biological Conservation*, 143, 1102–1109.
- LUKWAGO, W., BEHANGANA, M., MWAVU, E.N., & HUGHES, D.F. (2020) Effects of selective timber harvest on amphibian species diversity in Budongo forest Reserve, Uganda. *Forest Ecology and Management*, 458, 117809.
- LUO, Z., WANG, X., YANG, S., CHENG, X., LIU, Y., & HU, J. (2021) Combining the responses of habitat suitability and connectivity to climate change for an East Asian endemic frog. *Frontiers in Zoology*, 18, 1–14.
- MACGREGOR-FORS, I., HERNÁNDEZ ORDOÑEZ, O., & ORTEGA-ÁLVAREZ, R. (2013) Urban croaking: diversity and distribution of anurans in a neotropical city. *Urban Ecosystems*, 16, 389–396.
- MACHADO, I.F., MOREIRA, L.F., & MALTCHIK, L. (2012) Effects of pine invasion on anurans assemblage in southern Brazil coastal ponds. *Amphibia-Reptilia*, 33, 227–237.
- MAC NALLY, R., HORROCKS, G., LADA, H., LAKE, P.S., THOMSON, J.R., & TAYLOR, A.C. (2009) Distribution of anuran amphibians in massively altered landscapes in south-eastern Australia: effects of climate change in an aridifying region. *Global Ecology and Biogeography*, 18, 575–585.
- MAERZ, J.C., BLOSSEY, B., & NUZZO, V. (2005) Green frogs show reduced foraging success in habitats invaded by Japanese knotweed. *Biodiversity & Conservation*, 14, 2901–2911.
- MAES, J., MUSTERS, C.J.M., & DE SNOO, G.R. (2008) The effect of agri-environment schemes on amphibian diversity and abundance. *Biological Conservation*, 141, 635–645.
- MAGESKI, M.M., VARELA, S., & ROPER, J.J. (2018) Consequences of dispersal limitation and habitat fragmentation for the Brazilian heart-tongued frogs (*Phyllodytes* spp.). *Austral ecology*, 43, 547–557.

- MARSH, D.M., COSENTINO, B.J., JONES, K.S., APODACA, J., BEARD, K.H., BELL, J.M. et al. (2017) Effects of roads and land use on frog distributions across spatial scales and regions in the Eastern and Central United States. *Diversity and Distributions*, 23, 158–170.
- MATÍAS-FERRER, N., & ESCALANTE, P. (2015) Size, body condition, and limb asymmetry in two hylid frogs at different habitat disturbance levels in Veracruz, Mexico. *The Herpetological Journal*, 25, 169–176.
- MATICH, P., & SCHALK, C.M. (2019) Move it or lose it: interspecific variation in risk response of pond-breeding anurans. *PeerJ*, 7, e6956.
- MATSUSHIMA, N., IHARA, S., INABA, O., & HORIGUCHI, T. (2021) Assessing the impact of large-scale farmland abandonment on the habitat distributions of frog species after the Fukushima nuclear accident. *Oecologia*, 196, 1219–1232.
- MAYANI-PARÁS, F., BOTELLO, F., CASTAÑEDA, S., & SÁNCHEZ-CORDERO, V. (2019) Impact of habitat loss and mining on the distribution of endemic species of amphibians and reptiles in Mexico. *Diversity*, 11, 210.
- MAYNARD, R.J., AALL, N.C., SAENZ, D., HAMILTON, P.S., & KWIATKOWSKI, M.A. (2016) Road-edge effects on herpetofauna in a lowland Amazonian rainforest. *Tropical Conservation Science*, 9, 264–290.
- MAZEROLLE, M.J., & CORMIER, M. (2003) Effects of peat mining intensity on green frog (*Rana clamitans*) occurrence in bog ponds. *Wetlands*, 23, 709–716.
- MAZEROLLE, M.J. (2003) Detrimental effects of peat mining on amphibian abundance and species richness in bogs. *Biological Conservation*, 113, 215–223.
- MAZEROLLE, M.J. (2005) Drainage ditches facilitate frog movements in a hostile landscape. *Landscape Ecology*, 20, 579–590.
- MAZEROLLE, M.J., & DESROCHERS, A. (2005) Landscape resistance to frog movements. *Canadian Journal of Zoology*, 83, 455–464.
- MCCOY, K.A., BORTNICK, L.J., CAMPBELL, C.M., HAMLIN, H.J., GUILLETTE JR, L.J., & ST. MARY, C. M. (2008) Agriculture alters gonadal form and function in the toad *Bufo marinus*. *Environmental Health Perspectives*, 116, 1526–1532.
- MCCRACKEN, S.F., & FORSTNER, M.R. (2014) Oil road effects on the anuran community of a high canopy tank bromeliad (*Aechmea zebrina*) in the upper Amazon basin, Ecuador. *PLoS One*, 9, e85470.

- MCKENZIE, V.J. (2007) Human land use and patterns of parasitism in tropical amphibian hosts. *Biological Conservation*, 137, 102–116.
- MCMURRY, S.T., SMITH, L.M., DUPLER, K.D., & GUTIERREZ, M.B. (2009) Influence of land use on body size and splenic cellularity in wetland breeding *Spea* spp. *Journal of Herpetology*, 43, 421–430.
- MEDINA, R.G., PONSSA, M.L., & ARÁOZ, E. (2016) Environmental, land cover and land use constraints on the distributional patterns of anurans: *Leptodactylus* species (Anura, Leptodactylidae) from Dry Chaco. *PeerJ*, 4, e2605.
- MÉNDEZ-NARVÁEZ, J., & BOLÍVAR-G, W. (2016) Complementary ecological approaches to understand decreases in frog diversity in altered Andean ecosystems. *South American Journal of Herpetology*, 11, 1–11.
- MENIN, M., FERREIRA, R.F.B., MELO, I.B., GORDO, M., HATTORI, G.Y., & SANTANA, B.S. (2019) Anuran diversity in urban and rural zones of the Itacoatiara municipality, central Amazonia, Brazil. *Acta Amazonica*, 49, 122–130.
- MI, C., HUETTMANN, F., LI, X., JIANG, Z., DU, W., & SUN, B. (2022) Effects of climate and human activity on the current distribution of amphibians in China. *Conservation Biology*, 36, e13964.
- MIKOLÁŠ, P. (2016) Can change of landscape composition increase interspecies competition among amphibians and thus decrease the body condition of the endangered *Bombina variegata*? *Polish Journal of Environmental Studies*, 25, 2527–2532
- MILKO, L.V. (2012) Integrating museum and GIS data to identify changes in species distributions driven by a disturbance-induced invasion. *Copeia*, 2012, 307–320.
- MINDJE, M., TUMUSHIMIRE, L., & SINSCH, U. (2020) Diversity assessment of anurans in the Mugesera wetland (eastern Rwanda): impact of habitat disturbance and partial recovery. *Salamandra*, 56, 27–38.
- MITCHELL, J.C. (2016) Restored wetlands in mid-atlantic agricultural landscapes enhance species richness of amphibian assemblages. *Journal of Fish and Wildlife Management*, 7, 490–498.
- MOREIRA, L.F.B., & MALTCHIK, L. (2014) Does organic agriculture benefit anuran diversity in rice fields? *Wetlands*, 34, 725–733.
- MOREIRA, L.F., MOURA, R.G., & MALTCHIK, L. (2016) Stop and ask for directions: factors affecting anuran detection and occupancy in Pampa farmland ponds. *Ecological Research*, 31, 65–74.

- MOREIRA, L.F.B., DE CASTILHOS, H.Z., & CASTROVIEJO-FISHER, S. (2020) Something is not quite right: Effects of two land uses on anuran diversity in subtropical grasslands. *Biotropica*, 52, 1286–1297.
- MOREIRA, L.F., DA SILVA, J.B., KNAUTH, D.S., RIBEIRO, S., & MALTCHIK, L. (2020) Everyone has their limits: reproductive mode drives amphibian responses to land use in coastal areas. *Marine and Freshwater Research*, 72, 321–329.
- MONROE, K.D., COLLAZO, J.A., PACIFICI, K., REICH, B.J., PUENTE-ROLÓN, A.R., & TERANDO, A.J. (2017) Occupancy and abundance of *Eleutherodactylus* frogs in coffee plantations in Puerto Rico. *Herpetologica*, 73, 297–306.
- MURPHY, M.B., HECKER, M., COADY, K.K., TOMPSETT, A.R., HIGLEY, E.B., JONES, P.D. et al. (2006) Plasma steroid hormone concentrations, aromatase activities and GSI in ranid frogs collected from agricultural and non-agricultural sites in Michigan (USA). *Aquatic Toxicology*, 77(2), 153–166.
- MURPHY, M., & BOONE, M. (2022) Evaluating the role of body size and habitat type in movement behavior in human-dominated systems: A frog's eye view. *Ecology and Evolution*, 12, e9022.
- MURRIETA-GALINDO, R., GONZÁLEZ-ROMERO, A., LÓPEZ-BARRERA, F., & PARRA-OLEA, G. (2013) Coffee agrosystems: an important refuge for amphibians in central Veracruz, Mexico. *Agroforestry Systems*, 87, 767–779.
- MUSHET, D.M., EULISS JR, N.H., & STOCKWELL, C.A. (2012) Mapping anuran habitat suitability to estimate effects of grassland and wetland conservation programs. *Copeia*, 2012, 321–330.
- MUSHET, D.M., NEAU, J.L., & EULISS JR, N.H. (2014) Modeling effects of conservation grassland losses on amphibian habitat. *Biological Conservation*, 174, 93–100.
- NAITO, R., SAKAI, M., & MORIMOTO, Y. (2012) Negative effects of deep roadside ditches on *Pelophylax porosa brevipoda* dispersal and migration in comparison with *Hyla japonica* in a rice paddy area in Japan. *Zoological Science*, 29, 599–603.
- NAKANO, Y., SENZAKI, M., ISHIYAMA, N., YAMANAKA, S., MIURA, K., & NAKAMURA, F. (2018) Noise pollution alters matrix permeability for dispersing anurans: Differential effects among land covers. *Global Ecology and Conservation*, 16, e00484.
- NDRIANTSOA, S.H., RIEMANN, J.C., RAMINOSOA, N., RÖDEL, M.O., & GLOS, J.S. (2017) Amphibian diversity in the matrix of a fragmented landscape around Ranomafana in

- Madagascar depends on matrix quality. *Tropical Conservation Science*, *10*, 1940082916686065.
- NIEMEIER, S., MÜLLER, J., STRUCK, U., & RÖDEL, M.O. (2020) Superfrogs in the city: 150 year impact of urbanization and agriculture on the European Common Frog. *Global Change Biology*, *26*, 6729–6741.
- NORHAYATI, A., EHWAN, N., & OKUDA, T. (2014) Assessment of riparian ecosystem on amphibians along a green corridor in oil palm plantation, Pasoh, Negeri Sembilan, Peninsular Malaysia. *Sains Malaysiana*, *43*, 655–666.
- NOWAKOWSKI, A.J., OTERO JIMÉNEZ, B., ALLEN, M., DIAZ-ESCOBAR, M., & DONNELLY, M.A. (2013). Landscape resistance to movement of the poison frog, *Oophaga pumilio*, in the lowlands of northeastern Costa Rica. *Animal Conservation*, *16*, 188–197.
- NOWAKOWSKI, A.J., DEWOODY, J.A., FAGAN, M.E., WILLOUGHBY, J.R., & DONNELLY, M.A. (2015) Mechanistic insights into landscape genetic structure of two tropical amphibians using field-derived resistance surfaces. *Molecular Ecology*, *24*, 580–595.
- NOWAKOWSKI, A.J., VEIMAN-ECHVERRIA, M., KURZ, D.J., & DONNELLY, M.A. (2015). Evaluating connectivity for tropical amphibians using empirically derived resistance surfaces. *Ecological Applications*, *25*, 928–942.
- NOWAKOWSKI, A.J., WATLING, J.I., WHITFIELD, S.M., TODD, B.D., KURZ, D.J., & DONNELLY, M.A. (2017). Tropical amphibians in shifting thermal landscapes under land-use and climate change. *Conservation Biology*, *31*, 96–105.
- OCHOA-OCHOA, L.M., BEZAURY-CREEL, J.E., VÁZQUEZ, L.B., & FLORES-VILLELA, O. (2011) Choosing the survivors? A GIS-based triage support tool for micro-endemics: application to data for Mexican amphibians. *Biological Conservation*, *144*, 2710–2718.
- OFORI-BOATENG, C., ODURO, W., HILLERS, A., NORRIS, K., OPPONG, S. K., ADUM, G. B. et al. (2013). Differences in the effects of selective logging on amphibian assemblages in three West African forest types. *Biotropica*, *45*, 94–101.
- OKAMIYA, H., & KUSANO, T. (2019) Effects of landscape features on gene flow among urban frog populations. *Ecological Research*, *34*, 497–508.
- ORTON, F., MANGAN, S., NEWTON, L., & MARIANES, A. (2022) Non-destructive methods to assess health of wild tropical frogs (túngara frogs: *Engystomops pustulosus*) in Trinidad reveal negative impacts of agricultural land. *Environmental Science and Pollution Research*, *29*, 40262–40272.

- OSWALD, C.B., LEMES, P., THOMÉ, M.T.C., PEZZUTI, T L., SANTOS, F.R., GARCIA, P.C.D.A. et al. (2022) Colonization rather than fragmentation explains the geographical distribution and diversification of treefrogs endemic to Brazilian shield sky islands. *Journal of Biogeography*, 49, 682–698.
- OUSSOU, K.H., ASSEMIAN, N., EMMANUEL, G., KOUADIO, A.L., TIEDOUE, M.R., & RÖDEL, M.O. (2022) The anuran fauna in a protected West African rainforest and surrounding agricultural systems. *Amphibian & Reptile Conservation*, 16, 1–13.
- PADUA, G.C., PINTO, M.P., & DINIZ-FILHO, J.A. (2008) Reserve selection for anurans in the Cerrado using a central-periphery population model. *Iheringia. Série Zoologia*, 98, 200–204.
- PARRIS, K.M., & LINDENMAYER, D.B. (2004) Evidence that creation of a *Pinus radiata* plantation in south-eastern Australia has reduced habitat for frogs. *Acta Oecologica*, 25, 93–101.
- PAWAR, S.S., RAWAT, G.S., & CHOUDHURY, B.C. (2004) Recovery of frog and lizard communities following primary habitat alteration in Mizoram, Northeast India. *BMC Ecology*, 4, 1–18.
- PELINSON, R.M., GAREY, M.V., & ROSSA-FERES, D.C. (2016) Effects of grazing management and cattle on aquatic habitat use by the anuran *Pseudopaludicola mystacalis* in agro-savannah landscapes. *PloS one*, 11, e0163094.
- PELLET, J., GUISSAN, A., & PERRIN, N. (2004) A concentric analysis of the impact of urbanization on the threatened European tree frog in an agricultural landscape. *Conservation Biology*, 18, 1599–1606.
- PELTZER, P.M. (2003) The effects of habitat fragmentation on amphibian species richness in the floodplain of the middle Parana river, Argentina. *Herpetological Journal*, 13, 95–98.
- PEREYRA, L.C., AKMENTINS, M.S., VAIRA, M., & MORENO, C.E. (2018) Disentangling the multiple components of anuran diversity associated to different land-uses in Yungas forests, Argentina. *Animal Conservation*, 21, 396–404.
- PETERSON, A.C., RICHGELS, K.L., JOHNSON, P.T., & MCKENZIE, V.J. (2013) Investigating the dispersal routes used by an invasive amphibian, *Lithobates catesbeianus*, in human-dominated landscapes. *Biological Invasions*, 15, 2179–2191.
- PIATTI, L., & SOUZA, F.L. (2011) Diet and resource partitioning among anurans in irrigated rice fields in Pantanal, Brazil. *Brazilian Journal of Biology*, 71, 653–661.



- PIHA, H., LUOTO, M., PIHA, M., & MERILÄ, J. (2007) Anuran abundance and persistence in agricultural landscapes during a climatic extreme. *Global Change Biology*, *13*, 300–311.
- PILLSBURY, F.C., & MILLER, J.R. (2008) Habitat and landscape characteristics underlying anuran community structure along an urban–rural gradient. *Ecological Applications*, *18*, 1107–1118.
- PINEDA, E., & HALFFTER, G. (2004) Species diversity and habitat fragmentation: frogs in a tropical montane landscape in Mexico. *Biological Conservation*, *117*, 499–508.
- PINEDA, E., MORENO, C., ESCOBAR, F., & HALFFTER, G. (2005) Frog, bat, and dung beetle diversity in the cloud forest and coffee agroecosystems of Veracruz, Mexico. *Conservation Biology*, *19*, 400–410.
- POREJ, D., MICACCHION, M., & HETHERINGTON, T.E. (2004) Core terrestrial habitat for conservation of local populations of salamanders and wood frogs in agricultural landscapes. *Biological Conservation*, *120*, 399–409.
- PORTELA, A.A.B., DOS SANTOS, T.G., & DOS ANJOS, L.A. (2020) Changes in land use affect anuran helminths in the South Brazilian grasslands. *Journal of Helminthology*, *94*, e206.
- POTRICH, A.P., SANTOS-PEREIRA, M., TOFFOLO, C., ASCOLI-MORRETE, T., SOARES, J.P., & ZANELLA, N. (2020) Anurans of a remnant of Mixed Rainforest in southern Brazil. *Biota Neotropica*, *20*, 1–11.
- PRADO, V.H., & ROSSA-FERES, D.D.C. (2014) Multiple determinants of anuran richness and occurrence in an agricultural region in south-eastern Brazil. *Environmental Management*, *53*, 823–837.
- PRÉAU, C., ISSELIN-NONDEDEU, F., SELIER, Y., BERTRAND, R., & GRANDJEAN, F. (2019) Predicting suitable habitats of four range margin amphibians under climate and land-use changes in southwestern France. *Regional Environmental Change*, *19*, 27–38.
- PREUSS, J.F., GREENSPAN, S.E., ROSSI, E.M., LUCAS GONSALES, E.M., NEELY, W.J., VALIATI, V.H. et al. (2020) Widespread pig farming practice linked to shifts in skin microbiomes and disease in pond-breeding amphibians. *Environmental Science & Technology*, *54*, 11301–11312.
- PRICE, S.J., HOWE, R.W., HANOWSKI, J.M., REGAL, R.R., NIEMI, G.J., & SMITH, C.R. (2007) Are anurans of Great Lakes coastal wetlands reliable indicators of ecological condition? *Journal of Great Lakes Research*, *33*, 211–223.
- PRÖHL, H., AUFFARTH, J., BERGMANN, T., BUSCHMANN, H., & BALKENHOL, N. (2021) Conservation genetics of the yellow-bellied toad (*Bombina variegata*): population

- structure, genetic diversity and landscape effects in an endangered amphibian. *Conservation Genetics*, 22, 513–529.
- PULSFORD, S.A., LINDENMAYER, D.B., & DRISCOLL, D.A. (2017) Reptiles and frogs conform to multiple conceptual landscape models in an agricultural landscape. *Diversity and Distributions*, 23, 1408–1422.
- RAMALHO, Q., TOURINHO, L., ALMEIDA-GOMES, M., VALE, M.M., & PREVEDELLO, J.A. (2021) Reforestation can compensate negative effects of climate change on amphibians. *Biological Conservation*, 260, 109187.
- RAMALHO, W.P., PRADO, V H., & SIGNORELLI, L. (2021) Multiple environmental filters and competition affect the spatial co-occurrence of pond-breeding anurans at both local and landscape scales in the Brazilian Cerrado. *Landscape Ecology*, 36, 1663–1683.
- RAMAMONJISOA, N., SAKAI, M., NDRIANTSOA, S.H., KAKEHASHI, R., KURABAYASHI, A., TOMARU, N. et al. (2020) Hotspots of stream tadpole diversity in forest and agricultural landscapes in Ranomafana, Madagascar. *Landscape and Ecological Engineering*, 16, 207–221.
- RAMÍREZ-ARCE, D.G., OCHOA-OCHOA, L.M., & LIRA-NORIEGA, A. (2022) Effect of landscape composition and configuration on biodiversity at multiple scales: a case study with amphibians from Sierra Madre del Sur, Oaxaca, Mexico. *Landscape Ecology*, 37, 1973–1986.
- RAMIREZ, E.A., PUGLIS, H.J., RITZENTHALER, A., & BOONE, M. (2012) Terrestrial movements and habitat preferences of male cricket frogs on a golf course. *Copeia*, 2012, 191–196.
- RANNAP, R., LÖHMUS, A., & JAKOBSON, K. (2007) Consequences of coastal meadow degradation: the case of the natterjack toad (*Bufo calamita*) in Estonia. *Wetlands*, 27, 390–398.
- RANNAP, R., KAART, T., IVERSEN, L.L., DE VRIES, W., & BRIGGS, L. (2015) Geographically varying habitat characteristics of a wide-ranging amphibian, the common spadefoot toad (*Pelobates fuscus*), in northern Europe. *Herpetological Conservation and Biology*, 10, 904–916.
- RAY, N., LEHMANN, A., & JOLY, P. (2002) Modeling spatial distribution of amphibian populations: a GIS approach based on habitat matrix permeability. *Biodiversity & Conservation*, 11, 2143–2165.
- REEVES, R.A., PIERCE, C.L., SMALLING, K.L., KLAVER, R.W., VANDEVER, M.W., BATTAGLIN, W.A. et al. (2016). Restored agricultural wetlands in central Iowa: habitat quality and amphibian response. *Wetlands*, 36, 101–110.

- RIBEIRO, R., CARRETERO, M.A., SILLERO, N., ALARCOS, G., ORTIZ-SANTALIESTRA, M., LIZANA, M. et al. (2011) The pond network: can structural connectivity reflect on (amphibian) biodiversity patterns? *Landscape Ecology*, 26, 673–682.
- RIBEIRO, J., COLLI, G.R., CALDWELL, J.P., FERREIRA, E., BATISTA, R., & SOARES, A. (2017) Evidence of neotropical anuran community disruption on rice crops: a multidimensional evaluation. *Biodiversity and Conservation*, 26, 3363–3383.
- RIBEIRO, J., COLLI, G.R., BATISTA, R., & SOARES, A. (2017) Landscape and local correlates with anuran taxonomic, functional and phylogenetic diversity in rice crops. *Landscape Ecology*, 32, 1599–1612.
- RIEMANN, J.C., NDRIANTSOA, S.H., RAMINOSOA, N.R., RÖDEL, M.O., & GLOS, J. (2015) The value of forest fragments for maintaining amphibian diversity in Madagascar. *Biological Conservation*, 191, 707–715.
- RIEMANN, J.C., NDRIANTSOA, S.H., RÖDEL, M.O., & GLOS, J. (2017) Functional diversity in a fragmented landscape—Habitat alterations affect functional trait composition of frog assemblages in Madagascar. *Global Ecology and Conservation*, 10, 173–183.
- RILEY, S.P., BUSTEED, G.T., KATS, L.B., VANDERGON, T.L., LEE, L.F., DAGIT, R.G. et al. (2005) Effects of urbanization on the distribution and abundance of amphibians and invasive species in southern California streams. *Conservation Biology*, 19, 1894–1907.
- RITTENHOUSE, T.A., HARPER, E.B., REHARD, L.R., & SEMLITSCH, R.D. (2008) The role of microhabitats in the desiccation and survival of anurans in recently harvested oak–hickory forest. *Copeia*, 2008, 807–814.
- ROTH, S., & JEHL, R. (2016) High genetic diversity of common toad (*Bufo bufo*) populations under strong natural fragmentation on a Northern archipelago. *Ecology and Evolution*, 6, 1626–1636.
- ROTHERMEL, B.B., & SEMLITSCH, R.D. (2002) An experimental investigation of landscape resistance of forest versus old-field habitats to emigrating juvenile amphibians. *Conservation Biology*, 16, 1324–1332.
- ROTHERMEL, B.B. (2004) Migratory success of juveniles: A potential constraint on connectivity for pond-breeding amphibians. *Ecological Applications*, 14, 1535–1546.
- ROY, J.K., BEGUM, R.H., & AHMED, M.F. (2018) Anuran diversity pattern at different land use/land cover types in Lower Dibang Valley of Arunachal Pradesh, India. *Herpetology Notes*, 11, 781–789.

- RUBBO, M.J., & KIESECKER, J.M. (2005) Amphibian breeding distribution in an urbanized landscape. *Conservation Biology*, 19, 504–511.
- RUSSELL, C., & DOWNS, C.T. (2012) Effect of land use on anuran species composition in north-eastern KwaZulu-Natal, South Africa. *Applied Geography*, 35, 247–256.
- RUSSILDI, G., ARROYO-RODRÍGUEZ, V., HERNÁNDEZ-ORDÓÑEZ, O., PINEDA, E., & REYNOSO, V.H. (2016) Species-and community-level responses to habitat spatial changes in fragmented rainforests: assessing compensatory dynamics in amphibians and reptiles. *Biodiversity and Conservation*, 25, 375–392.
- RUSTIGIAN, H.L., SANTELMANN, M.V., & SCHUMAKER, N.H. (2003) Assessing the potential impacts of alternative landscape designs on amphibian population dynamics. *Landscape Ecology*, 18, 65–81.
- SAARIKIVI, J., KNOPP, T., GRANROTH, A., & MERILÄ, J. (2013) The role of golf courses in maintaining genetic connectivity between common frog (*Rana temporaria*) populations in an urban setting. *Conservation Genetics*, 14, 1057–1064.
- SAFNER, T., MIAUD, C., GAGGIOTTI, O., DECOUT, S., RIOUX, D., ZUNDEL, S. et al. (2011) Combining demography and genetic analysis to assess the population structure of an amphibian in a human-dominated landscape. *Conservation Genetics*, 12, 161–173.
- SALICE, C.J., ROWE, C.L., PECHMANN, J.H., & HOPKINS, W.A. (2011) Multiple stressors and complex life cycles: Insights from a population-level assessment of breeding site contamination and terrestrial habitat loss in an amphibian. *Environmental Toxicology and Chemistry*, 30, 2874–2882.
- SANCHEZ, L.C., PELTZER, P.M., LAJMANOVICH, R.C., MANZANO, A.S., JUNGES, C.M., & ATTADEMO, A.M. (2013) Reproductive activity of anurans in a dominant agricultural landscape from central-eastern Argentina. *Revista Mexicana de Biodiversidad*, 84, 912–926.
- SANTOS, X., LLORENTE, G.A., MONTORI, A., CARRETERO, M. A., FRANCH, M., GARRIGA, N. et al. (2007) Evaluating factors affecting amphibian mortality on roads: the case of the Common Toad *Bufo bufo*, near a breeding place. *Animal Biodiversity and Conservation*, 30, 97–104.
- SANTOS-BARRERA, G., & URBINA-CARDONA, J.N. (2011) The role of the matrix-edge dynamics of amphibian conservation in tropical montane fragmented landscapes. *Revista Mexicana de Biodiversidad*, 82, 679–687.

- SCHEELE, B.C., BOYD, C.E., FISCHER, J., FLETCHER, A.W., HANSPACH, J., & HARTEL, T. (2014) Identifying core habitat before it's too late: the case of *Bombina variegata*, an internationally endangered amphibian. *Biodiversity and Conservation*, 23, 775–780.
- SCHEFFERS, B.R., & PASZKOWSKI, C.A. (2013) Amphibian use of urban stormwater wetlands: The role of natural habitat features. *Landscape and Urban Planning*, 113, 139–149.
- SCHIVO, F., MATEO-SÁNCHEZ, M.C., BAUNI, V., & QUINTANA, R.D. (2020) Influence of land-use/land-cover change on landscape connectivity for an endemic threatened amphibian (*Argenteohyla siemersi pedersenii*, Anura: Hylidae). *Landscape Ecology*, 35, 1481–1494.
- SCHLAEFFER, M.A., & GAVIN, T.A. (2001) Edge effects on lizards and frogs in tropical forest fragments. *Conservation Biology*, 15, 1079–1090.
- SCHNEIDER-MAUNOURY, L., LEFEBVRE, V., EWERS, R. M., MEDINA-RANGEL, G.F., PERES, C.A., SOMARRIBA, E. et al. (2016) Abundance signals of amphibians and reptiles indicate strong edge effects in Neotropical fragmented forest landscapes. *Biological Conservation*, 200, 207–215.
- SCHOTTHOEFER, A.M., ROHR, J.R., COLE, R.A., KOEHLER, A.V., JOHNSON, C.M., JOHNSON, L.B. et al. (2011) Effects of wetland vs. landscape variables on parasite communities of *Rana pipiens*: links to anthropogenic factors. *Ecological Applications*, 21, 1257–1271.
- SCRIVEN, S.A., GILLESPIE, G.R., LAIMUN, S., & GOOSSENS, B. (2018) Edge effects of oil palm plantations on tropical anuran communities in Borneo. *Biological Conservation*, 220, 37–49.
- SEABORN, T., GOLDBERG, C.S., & CRESPI, E.J. (2021) Drivers of distributions and niches of North American cold-adapted amphibians: evaluating both climate and land use. *Ecological Applications*, 31, e2236.
- SEMLITSCH, R.D., TODD, B.D., BLOMQUIST, S.M., CALHOUN, A.J., GIBBONS, J.W., GIBBS, J.P. et al. (2009) Effects of timber harvest on amphibian populations: understanding mechanisms from forest experiments. *BioScience*, 59, 853–862.
- SESHADRI, K.S. (2014) Effects of historical selective logging on anuran communities in a wet evergreen forest, south India. *Biotropica*, 46, 615–623.
- SHERIDAN, J.A., RAKOTOPARE, N., & MEBBERSON, R. (2017) Preliminary estimation of home range size for *Meristogenys orphnocnemis*, a common Bornean Ranid, in an altered forest ecosystem using radiotelemetry. *Raffles Bulletin of Zoology*, 65, 539–544.
- SIEVERS, M., HALE, R., SWEARER, S.E., & PARRIS, K.M. (2019) Frog occupancy of polluted wetlands in urban landscapes. *Conservation Biology*, 33, 389–402.

- SIGNORELLI, L., BASTOS, R.P., & DE MARCO, P. (2016) Landscape context affects site occupancy of pond-breeding anurans across a disturbance gradient in the Brazilian Cerrado. *Landscape Ecology*, 31, 1997–2012.
- SILVA, M., HARTLING, L.A., FIELD, S.A., & TEATHER, K. (2003) The effects of habitat fragmentation on amphibian species richness of Prince Edward Island. *Canadian Journal of Zoology*, 81, 563–573.
- SILVA, A., GONÇALVES, E.C., MORIELLE-VERSUTE, E., ARRUDA, M.P., & SCHNEIDER, M.P.C. (2011) Contemporary gene flow and weak genetic structuring in Rococo toad (*Rhinella schneideri*) populations in habitats fragmented by agricultural activities. *Amphibia-Reptilia*, 32, 399–411.
- SILVA, F.R., OLIVEIRA, T.A., GIBBS, J.P., & ROSSA-FERES, D.C. (2012) An experimental assessment of landscape configuration effects on frog and toad abundance and diversity in tropical agro-savannah landscapes of southeastern Brazil. *Landscape Ecology*, 27, 87–96.
- SIMON, J.A., SNODGRASS, J.W., CASEY, R.E., & SPARLING, D.W. (2009) Spatial correlates of amphibian use of constructed wetlands in an urban landscape. *Landscape Ecology*, 24, 361–373.
- SKIDDS, D.E., GOLET, F.C., PATON, P.W., & MITCHELL, J.C. (2007) Habitat correlates of reproductive effort in wood frogs and spotted salamanders in an urbanizing watershed. *Journal of Herpetology*, 41, 439–450.
- SMALLBONE, L.T., LUCK, G.W., & WASSENS, S. (2011) Anuran species in urban landscapes: Relationships with biophysical, built environment and socio-economic factors. *Landscape and Urban Planning*, 101, 43–51.
- SMALLING, K.L., REEVES, R., MUTHS, E., VANDEVER, M., BATTAGLIN, W. A., HLADIK, M.L. et al. (2015) Pesticide concentrations in frog tissue and wetland habitats in a landscape dominated by agriculture. *Science of the Total Environment*, 502, 80–90.
- SOUZA, F.L., MARTINS, F.I., & RAIZER, J. (2014) Habitat heterogeneity and anuran community of an agroecosystem in the Pantanal of Brazil. *Phyllomedusa: Journal of Herpetology*, 13, 41–50.
- SPEAR, S.F., & STORFER, A. (2008) Landscape genetic structure of coastal tailed frogs (*Ascaphus truei*) in protected vs. managed forests. *Molecular Ecology*, 17, 4642–4656.
- SPEAR, S.F., & STORFER, A. (2010) Anthropogenic and natural disturbance lead to differing patterns of gene flow in the Rocky Mountain tailed frog, *Ascaphus montanus*. *Biological Conservation*, 143, 778–786.

- STEINICKE, H., GRUBER, B., GRIMM, A., GROSSE, W. R., & HENLE, K. (2015) Morphological shifts in populations of generalist and specialist amphibians in response to fragmentation of the Brazilian Atlantic forest. *Nature Conservation*, 13, 47–59.
- STEVENS, V.M., & BAGUETTE, M. (2008) Importance of habitat quality and landscape connectivity for the persistence of endangered natterjack toads. *Conservation Biology*, 22, 1194–1204.
- STRAUB, L., FAUSTINO DE LIMA, R., RIESBECK, F., & RÖDEL, M.O. (2018) São Tomé Island endemic treefrogs (*Hyperolius* spp.) and land-use intensification: a tale of hope and caution. *Tropical Conservation Science*, 11, 1940082918776434.
- STRONG, R., MARTIN, F.L., JONES, K.C., SHORE, R.F., & HALSALL, C.J. (2017) Subtle effects of environmental stress observed in the early life stages of the Common frog, *Rana temporaria*. *Scientific Reports*, 7, 1–13.
- STRUECKER, B.P., & MILANOVICH, J. (2017) Predicted suitable habitat declines for midwestern United States amphibians under future climate change and land-use change scenarios. *Herpetological Conservation and Biology*, 12, 635–654.
- SUÁREZ, R.P., ZACCAGNINI, M.E., BABBITT, K.J., CALAMARI, N.C., NATALE, G.S., CEREZO, A. et al. (2016) Anuran responses to spatial patterns of agricultural landscapes in Argentina. *Landscape Ecology*, 31, 2485–2505.
- SUAREZ, R.P., GOIJMAN, A.P., CAPPELLETTI, S., SOLARI, L.M., CRISTOS, D., ROJAS, D. et al. (2021) Combined effects of agrochemical contamination and forest loss on anuran diversity in agroecosystems of east-central Argentina. *Science of The Total Environment*, 759, 143435.
- SUAZO-ORTUNO, I, ALVARADO-DIAZ, J., & MARTINEZ-RAMOS, M. (2008) Effects of conversion of dry tropical forest to agricultural mosaic on herpetofaunal assemblages. *Conservation Biology*, 22, 362–374.
- SWANSON, J.E., PIERCE, C.L., DINSMORE, S.J., SMALLING, K.L., VANDEVER, M.W., STEWART, T.W. et al. (2019) Factors influencing anuran wetland occupancy in an agricultural landscape. *Herpetologica*, 75, 47–56.
- TAYLOR, B., SKELLY, D., DEMARCHIS, L.K., SLADE, M.D., GALUSHA, D., & RABINOWITZ, P.M. (2005) Proximity to pollution sources and risk of amphibian limb malformation. *Environmental Health Perspectives*, 113, 1497–1501.

- TAYLOR, M.E., & PASZKOWSKI, C.A. (2018) Postbreeding movement patterns and habitat use of adult Wood Frogs (*Lithobates sylvaticus*) at urban wetlands. *Canadian Journal of Zoology*, 96, 521–532.
- TCHASSEM F.A., DOHERTY-BONE, T., KAMENI N.M., TAPONDJOU N.W., TAMESSE, J., & GONWOU, L. (2021) What is driving declines of montane endemic amphibians? New insights from Mount Bamboutos, Cameroon. *Oryx*, 55, 23–33.
- TCHASSEM F., A.M., GONWOU, L.N., TAMESSE, J.L., & DOHERTY-BONE, T.M. (2019) Value of forest remnants for montane amphibians on the livestock grazed Mount Mbam, Cameroon. *Amphibian & Reptile Conservation*, 13, 68–81.
- TINGLEY, R., & HERMAN, T.B. (2009) Land-cover data improve bioclimatic models for anurans and turtles at a regional scale. *Journal of Biogeography*, 36, 1656–1672.
- TODD, B.D., & ROTHERMEL, B.B. (2006) Assessing quality of clearcut habitats for amphibians: effects on abundances versus vital rates in the southern toad (*Bufo terrestris*). *Biological Conservation*, 133, 178–185.
- TODD, B.D., LUHRING, T.M., ROTHERMEL, B.B., & GIBBONS, J.W. (2009) Effects of forest removal on amphibian migrations: implications for habitat and landscape connectivity. *Journal of Applied Ecology*, 554–561.
- TORAL, E., FEINSINGER, P., & CRUMP, M.L. (2002) Frogs and a cloud-forest edge in Ecuador. *Conservation Biology*, 16, 735–744.
- TORRALVO, K., DE FRAGA, R., LIMA, A. P., DAYRELL, J., & MAGNUSSON, W.E. (2022) Environmental filtering and deforestation shape frog assemblages in Amazonia: An empirical approach assessing species abundances and functional traits. *Biotropica*, 54, 226–238.
- TORRES, R., GASPARRI, N.I., BLENDINGER, P.G., & GRAU, H.R. (2014) Land-use and land-cover effects on regional biodiversity distribution in a subtropical dry forest: a hierarchical integrative multi-taxa study. *Regional Environmental Change*, 14, 1549–1561.
- TORRES, P.J., BOERIS, J.M., INSAURRALDE, J.A., BALDO, J.D., & BRUNETTI, A.E. (2021) Potential effects of dams in the geographic range expansion of hylid frogs associated with aquatic macrophytes. *Herpetological Conservation and Biology*, 16, 259–270.
- TORRES, I., MATOS, M., ALVES, M., FONSECA, C., & FERREIRA, E. (2016) Amphibians in a human-altered wetland landscape: water matters, even when there is plenty. *The Herpetological Journal*, 26, 277–286.



- TRIMBLE, M.J., & VAN AARDE, R.J. (2014) Amphibian and reptile communities and functional groups over a land-use gradient in a coastal tropical forest landscape of high richness and endemism. *Animal Conservation*, *17*, 441–453.
- TROCHET, A., DECHARTRE, J., CHEVALIER, H.L., BAILLAT, B., CALVEZ, O., BLANCHET, S. et al. (2016) Effects of habitat and fragmented-landscape parameters on amphibian distribution at a large spatial scale. *The Herpetological Journal*, *26*, 73–73.
- TSIANOU, M.A., LAZARINA, M., MICHAILIDOU, D.E., ANDRIKOU-CHARITIDOU, A., SGARDELIS, S. P., & KALLIMANIS, A.S. (2021) The effect of climate and human pressures on functional diversity and species richness patterns of amphibians, reptiles and mammals in Europe. *Diversity*, *13*, 275.
- TSUJI, M., USHIMARU, A., OSAWA, T., & MITSUHASHI, H. (2011) Paddy-associated frog declines via urbanization: a test of the dispersal-dependent-decline hypothesis. *Landscape and Urban Planning*, *103*, 318–325.
- TUMUSHIMIRE, L., MINDJE, M., SINSCH, U., & DEHLING, J.M. (2020) Anuran diversity of cultivated wetlands in Rwanda: Melting pot of generalists. *Salamandra*, *56*, 99–112.
- VALLAN, D. (2000) Influence of forest fragmentation on amphibian diversity in the nature reserve of Ambohitantely, highland Madagascar. *Biological Conservation*, *96*, 31–43.
- VALLAN, D. (2002) Effects of anthropogenic environmental changes on amphibian diversity in the rain forests of eastern Madagascar. *Journal of tropical ecology*, *18*, 725–742.
- VANACKER, M.C., LAMBERT, M.R., SCHMITZ, O.J., & SKELLY, D.K. (2019) Suburbanization increases Echinostome infection in green frogs and snails. *EcoHealth*, *16*, 235–247.
- VAN GRUNSVEN, R.H., CREEMERS, R., JOOSTEN, K., DONNERS, M., & VEENENDAAL, E.M. (2017) Behaviour of migrating toads under artificial lights differs from other phases of their life cycle. *Amphibia-Reptilia*, *38*, 49–55.
- VASCONCELOS, T.S., & DORO, J.L.P. (2016) Assessing how habitat loss restricts the geographic range of Neotropical anurans. *Ecological Research*, *31*, 913–921.
- VENÂNCIO, N.M., LIMA, A.P., DE SOUZA, M.B., & MAGNUSSON, W.E. (2014) Between-year consistency of anuran assemblages in temporary ponds in a deforested area in Western Amazonia. *The Herpetological Journal*, *24*, 155–160.
- VENNE, L.S., TSAI, J.S., COX, S.B., SMITH, L.M., & MCMURRY, S.T. (2012) Amphibian community richness in cropland and grassland playads in the Southern High Plains, USA. *Wetlands*, *32*, 619–629.

- VEYSEY, J.S., MATTFELDT, S.D., & BABBITT, K.J. (2011) Comparative influence of isolation, landscape, and wetland characteristics on egg-mass abundance of two pool-breeding amphibian species. *Landscape Ecology*, 26, 661–672.
- VILLASENOR, N.R., DRISCOLL, D.A., GIBBONS, P., CALHOUN, A.J., & LINDENMAYER, D.B. (2017) The relative importance of aquatic and terrestrial variables for frogs in an urbanizing landscape: Key insights for sustainable urban development. *Landscape and Urban Planning*, 157, 26–35.
- VOS, C.C., & CHARDON, J.P. (1998) Effects of habitat fragmentation and road density on the distribution pattern of the moor frog *Rana arvalis*. *Journal of Applied Ecology*, 35, 44–56.
- WAHBE, T.R., RITLAND, C., BUNNELL, F.L., & RITLAND, K. (2005) Population genetic structure of tailed frogs (*Ascaphus truei*) in clearcut and old-growth stream habitats in south coastal British Columbia. *Canadian Journal of Zoology*, 83, 1460–1468.
- WALLS, S.C., WADDLE, J.H., & FAULKNER, S.P. (2014) Wetland Reserve Program enhances site occupancy and species richness in assemblages of anuran amphibians in the Mississippi Alluvial Valley, USA. *Wetlands*, 34, 197–207.
- WANGER, T.C., SARO, A., ISKANDAR, D.T., BROOK, B.W., SODHI, N.S., CLOUGH, Y. et al. (2009) Conservation value of cacao agroforestry for amphibians and reptiles in South-East Asia: combining correlative models with follow-up field experiments. *Journal of Applied Ecology*, 46, 823–832.
- WANGER, T.C., ISKANDAR, D.T., MOTZKE, I., BROOK, B.W., SODHI, N.S., CLOUGH, Y. et al. (2010) Effects of land-use change on community composition of tropical amphibians and reptiles in Sulawesi, Indonesia. *Conservation Biology*, 24, 795–802.
- WEI, X., HUANG, M., YUE, Q., MA, S., LI, B., MU, Z. et al. (2021) Long-term urbanization impacts the eastern golden frog (*Pelophylax plancyi*) in Shanghai City: Demographic history, genetic structure, and implications for amphibian conservation in intensively urbanizing environments. *Evolutionary Applications*, 14, 117–135.
- WEN, A. (2015) Association between habitat characteristics, human activities, and anuran species in a wetland agricultural landscape. *Journal of Herpetology*, 49, 594–601.
- WESTGATE, M.J., SCHEELE, B.C., IKIN, K., HOEFER, A.M., BEATY, R.M., EVANS, M. et al. (2015) Citizen science program shows urban areas have lower occurrence of frog species, but not accelerated declines. *PloS One*, 10, e0140973.
- WEYRAUCH, S.L., & GRUBB JR, T.C. (2004) Patch and landscape characteristics associated with the distribution of woodland amphibians in an agricultural fragmented landscape: an information-theoretic approach. *Biological Conservation*, 115, 443–450.

- WILSON, J.N., BEKESSY, S., PARRIS, K.M., GORDON, A., HEARD, G.W., & WINTLE, B.A. (2013) Impacts of climate change and urban development on the spotted marsh frog (*Limnodynastes tasmaniensis*). *Austral Ecology*, 38, 11–22.
- WOINARSKI, J.C.Z., & ASH, A.J. (2002) Responses of vertebrates to pastoralism, military land use and landscape position in an Australian tropical savanna. *Austral Ecology*, 27, 311–323.
- WOODFORD, J.E., & MEYER, M.W. (2003) Impact of lakeshore development on green frog abundance. *Biological Conservation*, 110, 277–284.
- YANG, S., ZHANG, C., LIAO, W., LI, N., & HU, J. (2021) Trophic Niche Shifts in Mountain Feirana Frogs under Human-mediated Habitat Transformations. *Asian Herpetological Research*, 12, 234–241.
- YOO, N., DO, M.S., NAM, H.K., CHOI, G., SON, S.J., & YOO, J.C. (2019) Habitat characteristics of anuran species inhabiting rice fields of western mid-south Korea-in the case of Daeho reclamation agricultural land by farming practices. *Korean Journal of Ecology and Environment*, 52, 366–377.
- YOUNGQUIST, M.B., & BOONE, M.D. (2014) Movement of amphibians through agricultural landscapes: The role of habitat on edge permeability. *Biological Conservation*, 175, 148–155.
- YOUNGQUIST, M.B., INOUE, K., BERG, D.J., & BOONE, M.D. (2017) Effects of land use on population presence and genetic structure of an amphibian in an agricultural landscape. *Landscape Ecology*, 32, 147–162.
- YOUNGQUIST, M.B., & BOONE, M.D. (2021) Larval development and survival of pond-breeding anurans in an agricultural landscape impacted more by phytoplankton than surrounding habitat. *PloS One*, 16, e0255058.
- YU, S., BAE, Y., CHOI, Y., YU, D., JANG, Y., & BORZÉE, A. (2022) Amphibian-Friendly Water Drainages for Agricultural Landscapes, Based on Multiple Species Surveys and Behavioural Trials for *Pelophylax nigromaculatus*. *Diversity*, 14, 414.
- ZAMORA-CAMACHO, F.J., & COMAS, M. (2017) Greater reproductive investment, but shorter lifespan, in agrosystem than in natural-habitat toads. *PeerJ*, 5, e3791.
- ZANCOLLI, G., STEFFAN-DEWENTER, I., & RÖDEL, M.O. (2014) Amphibian diversity on the roof of Africa: unveiling the effects of habitat degradation, altitude and biogeography. *Diversity and Distributions*, 20, 297–308.

- ZANINI, F., KLINGEMANN, A., SCHLAEPFER, R., & SCHMIDT, B.R. (2008) Landscape effects on anuran pond occupancy in an agricultural countryside: barrier-based buffers predict distributions better than circular buffers. *Canadian Journal of Zoology*, 86, 692–699.
- ZHANG, W., LI, B., SHU, X., PEI, E., YUAN, X., SUN, Y. et al. (2016) Responses of anuran communities to rapid urban growth in Shanghai, China. *Urban Forestry & Urban Greening*, 20, 365–374.
- ZHENG, X., & NATUHARA, Y. (2020) Landscape and local correlates with two green tree-frogs, *Rhacophorus* (Amphibia: Rhacophoridae) in different habitats, central Japan. *Landscape and Ecological Engineering*, 16, 199–206.
- ZHENG, X., NATUHARA, Y., LI, J., LI, G., DU, Y., JIA, H. et al. (2021) Effects of multiple stressors on amphibian oviposition: Landscape and local determinants in central Japan. *Ecological Indicators*, 128, 107824.
- ZLOTNIK, S., GRIDI-PAPP, M., & BERNAL, X.E. (2019) Laryngeal demasculinization in wild cane toads varies with land use. *EcoHealth*, 16, 682–693.