

**Supplementary Table S1.**

*Review of Previous National Survey of Adolescents- Replication (NSA-R) Studies*

<b>Author (Year)</b>	<b>Time-point(s)</b>	<b>Primary Analysis Type</b>	<b>Outcome(s)</b>	<b>PTE Type(s)</b>	<b>PTE Measurement Approach</b>
Goodrum et al. (2020)	1,2,3	L-SEM	(a) PTSD diagnosis risk, (b) MDE diagnosis risk	<i>Violence exposure</i> (sexual abuse/assault, physical abuse, physical assault, witnessing community violence, witnessing domestic violence)	Polyvictimization sum score for all types (range: 1-5)
Andrews et al. (2019)	1,2,3	CLPM	(a) PTSS, (b) Delinquency	<i>Violence exposure</i> (physical assault, sexual assault, physical abuse, sexual abuse, and witnessed violence in the home/school/community)	Polyvictimization sum score for all types (range: 1-22)
Jobe-Shields et al. (2018)	1,2	Logistic regression (T1->T2)	(a) New WPV exposure, (b) New physical assault exposure	(a) WPV, (b) Physical abuse/assault	(a) Binary score for exposure to any type of exposure to WPV, (b) Binary score for exposure to any type of for physical abuse or physical assault
Moreland et al. (2018)	1,2	SEM	(a) Alcohol use, (b) New sexual abuse exposure, (c) Drug use, (d) Delinquency	Sexual abuse	Binary score for exposure to any type of CSA
López et al. (2017)	1	Logistic regression, Poisson regression	(a) Delinquency, (b) Substance use, (c) MDE diagnosis risk, (d) Depression symptoms, (e) PTSD diagnosis risk, (f) PTSD symptoms	<i>Polyvictimization</i> (sexual abuse, sexual assault, physical abuse, physical assault, witnessing community violence, witnessing domestic violence, non-assaultive traumas)	Polyvictimization sum score for all types (range: 1-13)
Walsh et al. (2017)	1,2,3	MLM	Binge drinking	<i>Relationship violence</i> (sexual and physical assault from partner)	Binary score for exposure to any type of relationship sexual or physical assault
Williams et al. (2015)	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk, (c) Drug use, (d) Alcohol use	(a) <i>MVC</i> (b) <i>Interpersonal violence</i> (physical assault, sexual assault, physical abuse)	(a) Binary score for ever experiencing MVC, (b) Ordinal sum score for exposure to the three types of interpersonal violence (range: 1-3)
Andrews et al. (2015)	1	SEM	Trauma mental health latent factor (comprised of depressive, arousal, avoidance, and re-experiencing symptoms)	<i>Polyvictimization</i> (physical assault, physical abuse, sexual abuse, witnessed violence in the home/school/community, and non-assaultive events)	Polyvictimization sum score for all types (range: 1-13)
Walsh et al. (2014)	1	Logistic regression	(a) Monthly binge drinking, (b) Marijuana use, (c) Other illicit drug use, (d) Prescription drug misuse	<i>Rape history</i> (sexual victimization)	Ordinal sum score (1 = 1 event, 2 = 2 events, 3 = 3+ events)
Adams et al. (2013)	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk, (c) Alcohol abuse, (d) Drug use	(a) <i>Violence exposure</i> (sexual abuse/assault, physical abuse, physical assault, witnessing community violence, witnessing domestic violence), (b) <i>Other traumatic event</i> (motor vehicle accidents, other accidents, fires, natural disasters)	(a) Binary score for exposure to any type of violence, (b) Binary score for exposure to any type of other traumatic event
Jackson et al. (2013)	1,2	Logistic regression (T1->T2)	Delinquency	(a) Peer violence victimization (assault from peer), (b) Physical abuse, (c) Witnessing community violence, (d) Adult physical assault (assault from adult)	(a) Binary score for exposure to any type of peer violence, (b) Binary score for exposure to any type of physical abuse, (c) Binary score for exposure to any type of community violence, (d) Binary score for exposure to any type of assault from an adult
Walsh et al. (2012a)	1	Logistic Regression	PTSD diagnosis risk	<i>Sexual Victimization History</i> (sexual abuse and sexual assault)	Ordinal (0 = no exposure, 1 = 1 exposure, 2 = 2+ exposures)
Walsh et al. (2012b)	1,2,3	MLM	(a) PTSD diagnosis risk, (b) Binge drinking	<i>Sexual Victimization History</i> (sexual abuse and sexual assault)	Binary score for exposure to any type of sexual victimization
McCart et al. (2012)	1,2,3	LGM	(a) PTSD symptoms, (b) Alcohol problems	<i>Interpersonal victimization</i> (Physical abuse, physical assault, sexual assault)	Polyvictimization sum score for all types (range: 1-22)
Barr et al. (2012)	1,2	Logistic regression (T1->T2)	Delinquency	(a) Witnessed shooting, (b) Witnessed stabbing, (c) Witnessed sexual assault, (d) Witnessed mugging, (e) Witnessed threatened with weapon, (f) Witnessed beating, (g) <i>Direct trauma history</i> (accident, physical assault, sexual assault, natural disaster)	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event, (d) Binary score for exposure to this event, (e) Binary score for exposure to this event, (f) Binary score for exposure to this event, (g) Binary score for exposure to any type of direct trauma history.
Cisler et al. (2012)	1,2,3	Multiple regression	(a) MDE symptoms, (b) Delinquency, (c) Binge drinking frequency, (d) PTSD symptoms.	(a) <i>Interpersonal violence exposure</i> (sexual assault, physical assault, abuse from caregiver, witnessed community violence, witnessed domestic violence), (b) <i>Non-interpersonal violence exposure</i> (motor vehicle accident, other accidents, fires, natural disaster)	(a) Polyvictimization sum score for all types (range not specified), (b) Polyvictimization sum score for all types (range not specified)

<b>Rheingold et al. (2012)</b>	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk, (c) Drug use, (d) Alcohol abuse	(a) Survivor of criminal homicide, (b) Survivor of vehicular homicide, (c) Survivor of both criminal and vehicular (d) <i>Interpersonal violence history</i> (physical assault, physical abuse, sexual assault)	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to both of these events, (d) Polyvictimization sum score for all types (range not specified)
<b>Begle et al. (2011)</b>	1,2	SEM	(a) <i>High Risk Behavior</i> (Alcohol use, drug use, delinquency), (b) <i>Victimization</i> (Physical abuse or assault, sexual assault, witnesses domestic violence, witnessed community violence)	<i>Victimization</i> (Physical abuse or assault, sexual assault, witnesses domestic violence, witnessed community violence)	Latent variable measurement model with the four primary types of victimization (indicator variables were binary)
<b>Amstadter et al. (2011)</b>	1,2	Logistic regression (T1->T2)	Physical assault	(a) Sexual assault, (b) physical assault/punishment, (c) witnessing violence	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event
<b>Cisler et al. (2011a)</b>	1,2,3	Logistic regression (T1->T2 and T1 -> T3)	(a) PTSD diagnosis risk, (b) Ever smoke, (c) Regular smoker	(a) <i>Assaultive PTE</i> (Sexual assault, physical abuse, physical assault, witnessing community violence, witnessing domestic violence), (b) <i>Non-assaultive PTE</i> (motor vehicle accidents, other accidents, fires, natural disasters)	(a) Ordinal score for exposure to any type of these events (0 = no exposure, 1 = 1 exposure, 2 = 2+ exposures), (b) Ordinal score for exposure to any type of these events (0 = no exposure, 1 = 1 exposure, 2 = 2+ exposures)
<b>Cisler et al. (2011b)</b>	1,2,3	SEM- Latent growth curve model	(a) PTSD symptoms, (b) Binge drinking frequency	(a) <i>Assaultive PTE</i> (Sexual assault, physical abuse, physical assault, witnessing community violence, witnessing domestic violence), (b) <i>Non-assaultive PTE</i> (motor vehicle accidents, other accidents, fires, natural disasters), (c) <i>Polyvictimization</i> (all assaultive and non-assaultive PTEs together)	(a) Polyvictimization sum score for all types (range not specified), (b) Polyvictimization sum score for all types (range not specified), (c) Polyvictimization sum score for all types (range not specified)
<b>McCart et al. (2011)</b>	1	Logistic regression	(a) Cigarette use- Experimental, (b) Cigarette use- non-experimental, (c) Alcohol use, (d) Marijuana use- experimental, (e) Marijuana use- experimental- Non-experimental, (f) Hard drug use- Experimental, (g) Hard drug use- Non-experimental	<i>Interpersonal victimization</i> (Physical assault, sexual assault)	Binary score for exposure to any type of sexual or physical victimization
<b>Zajac et al. (2011)</b>	1,2	Group comparisons	Participation distress	(a) Sexual abuse, (b) Physical abuse, (c) Physical assault, (d) Witnessed neighborhood violence, (e) witnessed parental violence, (f) <i>Stressful life events</i> (death of a loved one, serious illness, parental divorce), (g) <i>Other traumas</i> (motor vehicle accidents, other accidents, fires, natural disasters)	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event, (d) Binary score for exposure to this event, (e) Binary score for exposure to this event, (f) Binary score for exposure to this event, (g) Binary score for exposure to this event
<b>McCauley et al. (2010)</b>	1	Logistic regression	Non-medical use of prescription drugs	(a) Sexual assault, (b) Physical assault, (c) <i>Witnessed violence</i> (WCV, WDV)	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event
<b>Hawkins et al. (2010)</b>	1	Group comparisons	NA	(a) Injurious spanking, (b) Physical abuse	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event
<b>Danielson et al. (2010)</b>	1	Group comparisons	PTSD risk	(a) Sexual abuse, (b) Physical abuse, (c) Physical assault, (d) WCV, (e) WDV	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event, (d) Binary score for exposure to this event
<b>Wolitzky-Taylor et al. (2009)</b>	1	Logistic regression	Suicide ideation/attempt	(a) <i>Direct violence exposure</i> (sexual assault, physical assault), (b) <i>Indirect violence exposure</i> (WCV, WDV)	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event
<b>McCauley et al. (2009)</b>	1	Group comparisons	(a) PTSD diagnosis risk, (b) MDE diagnosis risk, (c) Alcohol abuse, (d) Drug use	Sexual assault	Nominal groups: 1=IS/DAFS, 2=SA w/o IS/DAFS, 3= none
<b>Zinzow et al. (2009a)</b>	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk	(a) WCV, (b) WDV	(a) Binary score for exposure to this event (with subtypes examined), (b) Binary score for exposure to this event (with subtypes examined)
<b>Zinzow et al. (2009b)</b>	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk, (c) Alcohol abuse/dependence, (d) Drug abuse/dependence	(a) <i>Violence exposure</i> (serious accident, physical assault, sexual assault, serious witnessed violence), (b) Criminal Homicide survivorship, (c) Vehicular homicide survivorship	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event
<b>Zinzow et al. (2009c)</b>	1	Logistic regression	(a) Delinquency, (b) Substance use	(a) <i>Trauma history</i> (serious accident, physical assault, sexual assault, natural disaster), (b) WDV, (c) WCV	(a) Binary score for exposure to this event, (b) Binary score for exposure to this event (with

<b>Wolitzky-Taylor et al. (2008)</b>	1	Logistic regression	(a) PTSD diagnosis risk, (b) MDE diagnosis risk	(a) <i>Serious dating violence</i> (physical assault, sexual assault, DAFR), (b) <i>Other PTE</i> (non-partner physical assault, sexual assault, serious accident [motor, fire], natural disaster, WCV, WDV, loss of close person due to homicide/drunken driving), (c) <i>Stressful life events</i> (loss of close person, serious illness to self or others, parental divorce/separation)	subtypes examined), (c) Binary score for exposure to this event (with subtypes examined) (a) Binary score for exposure to this event, (b) Binary score for exposure to this event, (c) Binary score for exposure to this event
--------------------------------------	---	---------------------	---	---	---

Studies ordered by year of publication. Studies not used included: Ayer et al., 2011a; Ayers et al., 2011b; Broman-Fulks et al., 2009; Felton et al., 2015; Kofler et al., 2011; Saunders & Adams, 2014; Walsh et al., 2016; Zinzow et al., 2011. When possible, original terms used in the papers were described above. IS/DAFS = incapacitated or drug/alcohol-facilitated sexual assault. DAFR = Drug/alcohol-facilitated rape. SEM = Structural equation modeling. L-SEM = Longitudinal structural equation modeling. MLM = Multilevel modeling. CLPM = Cross-lagged panel model. LGM = Latent growth model. PTSD = Posttraumatic stress disorder. PTSS = Posttraumatic stress symptoms. MDE = Major depressive episode. WPV = Witnessed parental violence. CSA = Childhood sexual abuse. MVC = Motor vehicle crash. PTE = Potentially traumatic event. WCV = Witnessing community violence. WDV = Witnessing domestic violence.

## References

- Adams, Z. W., McCart, M. R., Zajac, K., Danielson, C. K., Sawyer, G. K., Saunders, B. E., & Kilpatrick, D. G. (2013). Psychiatric problems and trauma exposure in nondetained delinquent and nondelinquent adolescents. *Journal of Clinical Child & Adolescent Psychology, 42*, 323-331. <https://doi.org/10.1080/15374416.2012.749786>
- Amstadter, A. B., Elwood, L. S., Begle, A. M., Gudmundsdottir, B., Smith, D. W., Resnick, H. S., Hanson, R., Saunders, B., & Kilpatrick, D. G. (2011). Predictors of physical assault victimization: Findings from the National Survey of Adolescents. *Addictive Behaviors, 36*, 814-820. <https://doi.org/10.1016/j.addbeh.2011.03.008>
- Andrews, A. R., Jobe-Shields, L., López, C. M., Metzger, I. W., De Arellano, M. A., Saunders, B., & G Kilpatrick, D. (2015). Polyvictimization, income, and ethnic differences in trauma-related mental health during adolescence. *Social Psychiatry and Psychiatric Epidemiology, 50*, 1223-1234. <https://doi.org/10.1007/s00127-015-1077-3>
- Andrews, A. R., López, C. M., Snyder, A., Saunders, B., & G Kilpatrick, D. (2019). Polyvictimization, related symptoms, and familial and neighborhood contexts as longitudinal mediators of racial/ethnic disparities in violence exposure across adolescence. *Journal of Immigrant and Minority Health, 21*, 679-692. <https://doi.org/10.1007/s10903-018-0842-2>
- Ayer, L. A., Cisler, J. M., Danielson, C. K., Amstadter, A. B., Saunders, B. E., & Kilpatrick, D. G. (2011a). Adolescent posttraumatic stress disorder: An examination of factor structure reliability in two national samples. *Journal of Anxiety Disorders, 25*, 411-421. <https://doi.org/10.1016/j.janxdis.2010.11.004>
- Ayer, L., Danielson, C. K., Amstadter, A. B., Ruggiero, K., Saunders, B., & Kilpatrick, D. (2011b). Latent classes of adolescent posttraumatic stress disorder predict functioning and disorder after 1 year. *Journal of the American Academy of Child & Adolescent Psychiatry, 50*, 364-375. <https://doi.org/10.1016/j.jaac.2011.01.004>

- Barr, S. C., Hanson, R., Begle, A. M., Kilpatrick, D. G., Saunders, B., Resnick, H., & Amstadter, A. (2012). Examining the moderating role of family cohesion on the relationship between witnessed community violence and delinquency in a national sample of adolescents. *Journal of Interpersonal Violence, 27*, 239-262.  
<https://doi.org/10.1177/0886260511416477>
- Begle, A. M., Hanson, R. F., Danielson, C. K., McCart, M. R., Ruggiero, K. J., Amstadter, A. B., Resnick, H., Saunders, B., & Kilpatrick, D. G. (2011). Longitudinal pathways of victimization, substance use, and delinquency: Findings from the National Survey of Adolescents. *Addictive Behaviors, 36*, 682-689.  
<https://doi.org/10.1016/j.addbeh.2010.12.026>
- Broman-Fulks, J. J., Ruggiero, K. J., Green, B. A., Smith, D. W., Hanson, R. F., Kilpatrick, D. G., & Saunders, B. E. (2009). The latent structure of posttraumatic stress disorder among adolescents. *Journal of Traumatic Stress, 22*, 146-152. <https://doi.org/10.1002/jts.20399>
- Cisler, J. M., Amstadter, A. B., Begle, A. M., Resnick, H. S., Danielson, C. K., Saunders, B. E., & Kilpatrick, D. G. (2011a). A prospective examination of the relationships between PTSD, exposure to assaultive violence, and cigarette smoking among a national sample of adolescents. *Addictive Behaviors, 36*, 994-1000.  
<https://doi.org/10.1016/j.addbeh.2011.05.014>
- Cisler, J. M., Amstadter, A. B., Begle, A. M., Resnick, H. S., Danielson, C. K., Saunders, B. E., & Kilpatrick, D. G. (2011b). PTSD symptoms, potentially traumatic event exposure, and binge drinking: A prospective study with a national sample of adolescents. *Journal of Anxiety Disorders, 25*, 978-987. <https://doi.org/10.1016/j.janxdis.2011.06.006>
- Cisler, J. M., Begle, A. M., Amstadter, A. B., Resnick, H. S., Danielson, C. K., Saunders, B. E., & Kilpatrick, D. G. (2012). Exposure to interpersonal violence and risk for PTSD, depression, delinquency, and binge drinking among adolescents: Data from the NSA-R. *Journal of Traumatic Stress, 25*, 33-40. <https://doi.org/10.1002/jts.21672>
- Felton, J. W., Kofler, M. J., Lopez, C. M., Saunders, B. E., & Kilpatrick, D. G. (2015). The

- emergence of co-occurring adolescent polysubstance use and depressive symptoms: A latent growth modeling approach. *Development and Psychopathology*, *27*, 1367-1383. <https://doi.org/10.1017/S0954579414001473>
- Goodrum, N. M., Smith, D. W., Hanson, R. F., Moreland, A. D., Saunders, B. E., & Kilpatrick, D. G. (2020). Longitudinal relations among adolescent risk behavior, family cohesion, violence exposure, and mental health in a national sample. *Journal of Abnormal Child Psychology*, *48*, 1455-1469. <https://doi.org/10.1007/s10802-020-00691-y>
- Hawkins, A., Kmett Danielson, C., de Arellano, M. A., Hanson, R. F., Ruggiero, K. J., Smith, D. W., Saunders, B., & Kilpatrick, D. G. (2010). Ethnic/racial differences in the prevalence of injurious spanking and other child physical abuse in a national survey of adolescents. *Child Maltreatment*, *15*, 242-249. <https://doi.org/10.1177/1077559510367938>
- Jackson, C. L., Hanson, R. F., Amstadter, A. B., Saunders, B. E., & Kilpatrick, D. G. (2013). The longitudinal relation between peer violent victimization and delinquency: Results from a national representative sample of US adolescents. *Journal of Interpersonal Violence*, *28*, 1596-1616. <https://doi.org/10.1177/0886260512468328>
- Jobe-Shields, L., Moreland, A. D., Hanson, R. F., Amstadter, A., Saunders, B. E., & Kilpatrick, D. G. (2018). Co-occurrence of witnessed parental violence and child physical abuse from a national sample of adolescents. *Journal of Child & Adolescent Trauma*, *11*, 129-139. <https://doi.org/10.1007/s40653-015-0057-9>
- Kmett Danielson, C., Macdonald, A., Amstadter, A. B., Hanson, R., de Arellano, M. A., Saunders, B. E., & Kilpatrick, D. G. (2010). Risky behaviors and depression in conjunction with—or in the absence of—lifetime history of PTSD among sexually abused adolescents. *Child Maltreatment*, *15*(1), 101-107. <https://doi.org/10.1177/1077559509350075>
- Kofler, M. J., McCart, M. R., Zajac, K., Ruggiero, K. J., Saunders, B. E., & Kilpatrick, D. G. (2011). Depression and delinquency covariation in an accelerated longitudinal sample of adolescents. *Journal of Consulting and Clinical Psychology*, *79*(4), 458-469.

<https://doi.org/10.1037/a0024108>

- López, C. M., Andrews III, A. R., Chisolm, A. M., De Arellano, M. A., Saunders, B., & Kilpatrick, D. (2017). Racial/ethnic differences in trauma exposure and mental health disorders in adolescents. *Cultural Diversity and Ethnic Minority Psychology, 23*, 382–387. <https://doi.org/10.1037/cdp0000126>
- McCart, M. R., Zajac, K., Danielson, C. K., Strachan, M., Ruggiero, K. J., Smith, D. W., Saunders, B., & Kilpatrick, D. G. (2011). Interpersonal victimization, posttraumatic stress disorder, and change in adolescent substance use prevalence over a ten-year period. *Journal of Clinical Child & Adolescent Psychology, 40*, 136-143. <https://doi.org/10.1080/15374416.2011.533411>
- McCart, M. R., Zajac, K., Kofler, M. J., Smith, D. W., Saunders, B. E., & Kilpatrick, D. G. (2012). Longitudinal examination of PTSD symptoms and problematic alcohol use as risk factors for adolescent victimization. *Journal of Clinical Child & Adolescent Psychology, 41*, 822-836. <https://doi.org/10.1080/15374416.2012.717872>
- McCauley, J. L., Danielson, C. K., Amstadter, A. B., Ruggiero, K. J., Resnick, H. S., Hanson, R. F., Smith, D., & Saunders, B., & Kilpatrick, D. G. (2010). The role of traumatic event history in non-medical use of prescription drugs among a nationally representative sample of US adolescents. *Journal of Child Psychology and Psychiatry, 51*, 84-93. <https://doi.org/10.1111/j.1469-7610.2009.02134.x>
- McCauley, J. L., Conoscenti, L. M., Ruggiero, K. J., Resnick, H. S., Saunders, B. E., & Kilpatrick, D. G. (2009). Prevalence and correlates of drug/alcohol-facilitated and incapacitated sexual assault in a nationally representative sample of adolescent girls. *Journal of Clinical Child & Adolescent Psychology, 38*, 295-300. <https://doi.org/10.1080/15374410802698453>
- Moreland, A. D., Walsh, K., Hartley, C., Hanson, R., Danielson, C. K., Saunders, B., & Kilpatrick, D. G. (2018). Investigating longitudinal associations between sexual assault, substance use, and delinquency among female adolescents: Results from a nationally

representative sample. *Journal of Adolescent Health*, 63, 320-326.

<https://doi.org/10.1016/j.jadohealth.2018.04.002>

Rheingold, A. A., Zinzow, H., Hawkins, A., Saunders, B. E., & Kilpatrick, D. G. (2012).

Prevalence and mental health outcomes of homicide survivors in a representative US sample of adolescents: Data from the 2005 National Survey of Adolescents. *Journal of Child Psychology and Psychiatry*, 53, 687-694. <https://doi.org/10.1111/j.1469-7610.2011.02491.x>

Saunders, B. E., & Adams, Z. W. (2014). Epidemiology of traumatic experiences in childhood.

*Child and Adolescent Psychiatric Clinics*, 23, 167-184.

<https://doi.org/10.1016/j.chc.2013.12.003>

Walsh, K., Danielson, C. K., McCauley, J., Hanson, R. F., Smith, D. W., Resnick, H. S.,

Saunders, B., & Kilpatrick, D. G. (2012b). Longitudinal trajectories of posttraumatic stress disorder symptoms and binge drinking among adolescent girls: The role of sexual victimization. *Journal of Adolescent Health*, 50, 54-59.

<https://doi.org/10.1016/j.jadohealth.2011.05.017>

Walsh, K., Danielson, C. K., McCauley, J. L., Saunders, B. E., Kilpatrick, D. G., & Resnick, H.

S. (2012a). National prevalence of posttraumatic stress disorder among sexually revictimized adolescent, college, and adult household-residing women. *Archives of General Psychiatry*, 69, 935-942. <https://doi.org/10.1001/archgenpsychiatry.2012.132>

Walsh, K., Resnick, H. S., Danielson, C. K., McCauley, J. L., Saunders, B. E., & Kilpatrick, D.

G. (2014). Patterns of drug and alcohol use associated with lifetime sexual revictimization and current posttraumatic stress disorder among three national samples of adolescent, college, and household-residing women. *Addictive Behaviors*, 39, 684-689.

<https://doi.org/10.1016/j.addbeh.2013.12.006>

Walsh, K., Moreland, A. M., Hanson, R. F., Resnick, H. S., Saunders, B. E., & Kilpatrick, D. G.

(2017). Relationship violence victimization and binge drinking trajectories among a nationally representative sample of adolescents. *Journal of Adolescence*, 58, 49-55.

<https://doi.org/10.1016/j.adolescence.2017.05.002>

Williams, J. L., Rheingold, A. A., Knowlton, A. W., Saunders, B. E., & Kilpatrick, D. G. (2015). Associations between motor vehicle crashes and mental health problems: Data from the national survey of adolescents-replication. *Journal of Traumatic Stress, 28*, 41-48.

<https://doi.org/10.1002/jts.21983>

Walsh, K., Zinzow, H. M., Badour, C. L., Ruggiero, K. J., Kilpatrick, D. G., & Resnick, H. S. (2016). Understanding disparities in service seeking following forcible versus drug-or alcohol-facilitated/incapacitated rape. *Journal of Interpersonal Violence, 31*, 2475-2491.

<https://doi.org/10.1177/0886260515576968>

Wolitzky-Taylor, K. B., Ruggiero, K. J., Danielson, C. K., Resnick, H. S., Hanson, R. F., Smith, D. W., Saunders, B., & Kilpatrick, D. G. (2008). Prevalence and correlates of dating violence in a national sample of adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry, 47*, 755-762. <https://doi.org/10.1097/CHI.0b013e318172ef5f>

Wolitzky-Taylor, K. B., Ruggiero, K. J., McCart, M. R., Smith, D. W., Hanson, R. F., Resnick, H. S., de Arellano, M., & Kilpatrick, D. G. (2009). Has adolescent suicidality decreased in the United States? Data from two national samples of adolescents interviewed in 1995 and 2005. *Journal of Clinical Child & Adolescent Psychology, 39*, 64-76.

<https://doi.org/10.1080/15374410903401146>

Zajac, K., Ruggiero, K. J., Smith, D. W., Saunders, B. E., & Kilpatrick, D. G. (2011). Adolescent distress in traumatic stress research: Data from the National Survey of Adolescents-Replication. *Journal of Traumatic Stress, 24*, 226-229. <https://doi.org/10.1002/jts.20621>

Zinzow, H. M., Amstadter, A. B., McCauley, J. L., Ruggiero, K. J., Resnick, H. S., & Kilpatrick, D. G. (2011). Self-rated health in relation to rape and mental health disorders in a national sample of college women. *Journal of American College Health, 59*, 588-594.

<https://doi.org/10.1080/07448481.2010.520175>

Zinzow, H. M., Rheingold, A. A., Hawkins, A. O., Saunders, B. E., & Kilpatrick, D. G. (2009b). Losing a loved one to homicide: Prevalence and mental health correlates in a national

sample of young adults. *Journal of Traumatic Stress*, 22, 20-27.

<https://doi.org/10.1002/jts.20377>

Zinzow, H. M., Ruggiero, K. J., Resnick, H., Hanson, R., Smith, D., Saunders, B., & Kilpatrick, D. (2009a). Prevalence and mental health correlates of witnessed parental and community violence in a national sample of adolescents. *Journal of Child Psychology and Psychiatry*, 50, 441-450. <https://doi.org/10.1111/j.1469-7610.2008.02004.x>

Zinzow, H. M., Ruggiero, K. J., Hanson, R. F., Smith, D. W., Saunders, B. E., & Kilpatrick, D. G. (2009c). Witnessed community and parental violence in relation to substance use and delinquency in a national sample of adolescents. *Journal of Traumatic Stress*, 22, 525-533. <https://doi.org/10.1002/jts.20469>