

Data supplement to:

Du Preez et al. Differential effects of ethnic density on the risk of postnatal depression and personality dysfunction. *Br J Psychiatry* doi: 10.1192/bjp.bp.114.148874

Table DS1. Ethnic breakdown of all women screened in the study and associated prevalence rates for postnatal depression and personality dysfunction

Ethnic group	Sample size n (%)	Prevalence postnatal depression (%)	Prevalence personality dysfunction (%)
White population:			
White British	771 (34.1)	2.5	10.9
White Irish	31 (1.4)	6.5	13.5
White Other	238 (10.5)	13.5	14.7
BME population:			
Mixed: White/Black Caribbean	50 (2.2)	10	18
Mixed: White/Black African	20 (0.9)	10	30
Mixed: White and Asian	6 (0.3)	17	16.7
Mixed: Other	25 (1.1)	4	16
Asian: Indian	37 (1.6)	2.7	13.5
Asian: Pakistani	15 (0.7)	6.7	20
Asian: Bangladeshi	13 (0.6)	7.7	7.7
Asian: Other	39 (1.7)	2.6	5.1
Black: Caribbean	379 (16.8)	5.5	16.4
Black: African	527 (23.3)	5.3	15.7
Black: Other	35 (1.5)	8.6	11.4
Chinese	18 (0.8)	0	22.2
Other	58 (2.6)	10.3	24.2

BME, Black and minority ethnic.