

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) pov5

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: pov5

Bond precision:	O- B = 0.0030 A	Wavelength=0.71073	
Cell:	a=16.2366(3) alpha=90	b=16.2366(3) beta=90	c=7.4688(2) gamma=120
Temperature:	293 K		
	Calculated	Reported	
Volume	1705.19(8)	1705.19(8)	
Space group	R 3 m	R 3 m :H	
Hall group	R 3 -2"	R 3 -2"	
Moiety formula	Al5.17 B9 Fe21 H9 Mg0.83 O93 Si18, 0.66(K), 2.34(Na)	?	
Sum formula	Al5.17 B9 Fe21 H9 K0.66 Mg0.83 Na2.34 O93 Si18	H3 Al1.72 B3 Fe7.01 K0.22 Mg0.28 Na0.78 O31 Si6	
Mr	3512.28	1170.95	
Dx, g cm-3	3.420	3.421	
Z	1	3	
Mu (mm-1)	4.942	4.942	
F000	1711.5	1898.0	
F000'	1721.61		
h, k, lmax	27, 27, 12	27, 27, 12	
Nref	2161[1087]	2088	
Tmin, Tmax	0.496, 0.708	0.631, 0.747	
Tmin'	0.449		

Correction method= # Reported T Limits: Tmin=0.631 Tmax=0.747

AbsCorr = MULTII-SCAN

Data completeness= 1.92/0.97

Theta(max)= 37.481

R(reflections)= 0.0201(1996)

wR2(reflections)=
0.0366(2088)

S = 1.054

Npar= 94

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT041_ALERT_1_C	Calc. and Reported SumFormula	Strings Differ	Please Check
PLAT068_ALERT_1_C	Reported F000 Differs from Calcd (or Missing)...		Please Check
PLAT077_ALERT_4_C	Unitcell Contains Non-integer Number of Atoms ..		Please Check
PLAT926_ALERT_1_C	Reported and Calculated	R1 Differ by	-0.0012 Check
PLAT927_ALERT_1_C	Reported and Calculated	wR2 Differ by	-0.0048 Check
PLAT928_ALERT_1_C	Reported and Calculated	S value Differ by .	-0.139 Check
PLAT975_ALERT_2_C	Check Calcd Resid. Dens.	0.60Ang From O4 .	0.57 eA-3
PLAT975_ALERT_2_C	Check Calcd Resid. Dens.	0.56Ang From O3 .	0.46 eA-3
PLAT975_ALERT_2_C	Check Calcd Resid. Dens.	0.50Ang From O3 .	0.46 eA-3
PLAT975_ALERT_2_C	Check Calcd Resid. Dens.	0.65Ang From O5 .	0.44 eA-3



Alert level G

PLAT002_ALERT_2_G	Number of Distance or Angle Restraints on AtSite	2	Note
PLAT004_ALERT_5_G	Polymeric Structure Found with Maximum Dimension	1	Info
PLAT017_ALERT_1_G	Check Scattering Type Consistency of T	as	SI
PLAT045_ALERT_1_G	Calculated and Reported Z Differ by a Factor ...	0.333	Check
PLAT168_ALERT_4_G	The CIF-Embedded .res File Contains EXYZ Records	3	Report
PLAT171_ALERT_4_G	The CIF-Embedded .res File Contains EADP Records	3	Report
PLAT172_ALERT_4_G	The CIF-Embedded .res File Contains DFIX Records	1	Report
PLAT199_ALERT_1_G	Reported _cell_measurement_temperature	(K)	293 Check
PLAT200_ALERT_1_G	Reported _diffrn_ambient_temperature	(K)	293 Check
PLAT301_ALERT_3_G	Main Residue Disorder	(Resd 1)	19% Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 2)		100% Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 3)		100% Note
PLAT396_ALERT_2_G	Deviating Si-O-Si Angle From 150 for O5	.	133.2 Degree
PLAT720_ALERT_4_G	Number of Unusual/Non-Standard Labels		5 Note
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .		Please Do !
PLAT912_ALERT_4_G	Missing # of FCF Reflections Above STh/L= 0.600		15 Note
PLAT982_ALERT_1_G	The O-f' = 0.0080 Deviates from IT-value =		0.0106 Check

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
10 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
17 **ALERT level G** = General information/check it is not something unexpected

- 11 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
6 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
8 ALERT type 4 Improvement, methodology, query or suggestion
1 ALERT type 5 Informative message, check

Validation response form

Please find below a validation response form (VRF) that can be filled in and pasted into your CIF.

```
# start Validation Reply Form
_vrf_PLAT041_pov5
;
PROBLEM: Calc. and Reported SumFormula   Strings   Differ       Please Check
RESPONSE: ...
;
_vrf_PLAT068_pov5
;
PROBLEM: Reported F000 Differs from Calcd (or Missing)...       Please Check
RESPONSE: ...
;
_vrf_PLAT077_pov5
;
PROBLEM: Unitcell Contains Non-integer Number of Atoms ..       Please Check
RESPONSE: ...
;
_vrf_PLAT926_pov5
;
PROBLEM: Reported and Calculated   R1 Differ by .....       -0.0012 Check
RESPONSE: ...
;
_vrf_PLAT927_pov5
;
PROBLEM: Reported and Calculated   wR2 Differ by .....       -0.0048 Check
RESPONSE: ...
;
_vrf_PLAT928_pov5
;
PROBLEM: Reported and Calculated   S value   Differ by .       -0.139 Check
RESPONSE: ...
;
_vrf_PLAT975_pov5
;
PROBLEM: Check Calcd Resid. Dens.  0.60Ang From O4           .       0.57 eA-3
RESPONSE: ...
;
# end Validation Reply Form
```

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

