

Percentage of population treated	10%			20%			40%			80%			100%		
Prevalence of trypanocide non-susceptibility (%)	4	7.5	11	4	7.5	11	4	7.5	11	4	7.5	11	4	7.5	11
Drug 1 vs. 2	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01
Drug 2 vs. 3	0.03	0.02	0.01	0.03	0.02	0.01	0.03	0.02	0.01	0.03	0.02	0.01	0.03	0.02	0.01
Drug 1 vs. 3	0.05	0.03	0.02	0.05	0.03	0.02	0.05	0.03	0.02	0.05	0.03	0.02	0.05	0.03	0.02
Drugs 1 & 3 vs 2 & 3	0.07	0.07	0.08	0.07	0.07	0.08	0.07	0.07	0.08	0.07	0.08	0.08	0.07	0.08	0.08
Drugs 1 & 2 vs. 1 & 3	0.09	0.10	0.10	0.09	0.10	0.10	0.09	0.10	0.10	0.10	0.10	0.11	0.10	0.10	0.10
Drugs 1 & 2 vs. 2 & 3	0.17	0.18	0.18	0.17	0.18	0.18	0.17	0.18	0.18	0.18	0.19	0.19	0.17	0.19	0.19
Drug 3 vs. 1 & 2	2.57	3.29	3.65	2.63	3.36	3.73	2.65	3.38	3.76	2.84	3.62	4.00	2.77	3.53	3.90
Drug 2 vs. 1 & 2	2.69	3.37	3.72	2.76	3.44	3.80	2.78	3.47	3.82	2.98	3.72	4.08	2.91	3.62	3.97
Drug 1 vs. 1 & 2	2.77	3.43	3.76	2.84	3.50	3.84	2.86	3.52	3.87	3.07	3.78	4.12	3.00	3.68	4.01
Drug 3 vs. 1 & 3	2.85	3.64	4.05	2.92	3.72	4.14	2.94	3.75	4.17	3.16	4.03	4.46	3.10	3.93	4.35
Drug 2 vs. 1 & 3	2.98	3.74	4.12	3.06	3.82	4.21	3.08	3.84	4.24	3.31	4.13	4.53	3.24	4.03	4.42
Drug 1 vs. 1 & 3	3.07	3.80	4.17	3.15	3.88	4.26	3.17	3.90	4.29	3.41	4.20	4.58	3.34	4.09	4.47
Drug 3 vs. 2 & 3	3.06	3.92	4.36	3.14	4.01	4.46	3.16	4.03	4.49	3.41	4.35	4.82	3.35	4.25	4.71
Drug 2 vs. 2 & 3	3.20	4.02	4.44	3.28	4.11	4.54	3.31	4.13	4.57	3.57	4.46	4.90	3.50	4.36	4.79
Drug 1 vs. 2 & 3	3.30	4.08	4.48	3.38	4.17	4.58	3.40	4.20	4.62	3.67	4.53	4.95	3.60	4.43	4.84