

Web-appendix 5: References of studies included in the meta-analysis.

- W1: **Anderson T, Guajardo JF, Luthra R, & Edwards KM.** (2010). Effects of clinician-assisted emotional disclosure for sexual assault survivors: A pilot study. *Journal of Interpersonal Violence*, **25**, 1113-1131.
- W2: **Arntz A, Tiesema M, & Kindt M.** (2007). Treatment of PTSD: A comparison of imaginal exposure with and without imagery rescripting. *Journal of Behavior Therapy & Experimental Psychiatry*, **38**, 345-370.
- W3: **Basoglu M, Salcioglu E, & Livanou M.** (2007). A randomized controlled study of single-session behavioural treatment of earthquake-related post-traumatic stress disorder using an earthquake simulator. *Psychological Medicine*, **37**, 203-213.
- W4: **Blanchard EB, Hickling EJ, Devineni T, Veazey CH, Galovski TE, Mundy E, et al.** (2003). A controlled evaluation of cognitive behavioural therapy for posttraumatic stress in motor vehicle accident survivors. *Behaviour Research & Therapy*, **41**, 79-96.
- W5: **Brom D, Kleber RJ, & Defares PB.** (1989). Brief psychotherapy for posttraumatic stress disorders. *Journal of Consulting & Clinical Psychology*, **57**, 607-612.
- W6: **Bryant RA, Moulds ML, Guthrie RM, Dang ST, & Nixon RDV.** (2003). Imaginal exposure alone and imaginal exposure with cognitive restructuring in treatment of posttraumatic stress disorder. *Journal of Consulting & Clinical Psychology*, **71**, 706-712.
- W7: **Bryant RA, Moulds ML, Guthrie RM, Dang ST, Mastrodomenico J, Nixon RDV, et al.** (2008). A randomized controlled trial of exposure therapy and cognitive restructuring for posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, **76**, 695-703.

- W8: **Carlson JG, Chemtob CM, Rusnak K, Hedlund NL, & Muraoka MY.** (1998). Eye movement desensitization and reprocessing (EMDR) treatment for combat-related posttraumatic stress disorder. *Journal of Traumatic Stress*, **11**, 3-24.
- W9: **Cloitre M, Stovall-McClough KC, Noonan K, Zorbas P, Cherry S, Jackson CL, et al.** (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *American Journal of Psychiatry*, **167**, 915-924.
- W10: **Coffey SF, Stasiewicz PR, Hughes PM, & Brimo ML.** (2006). Trauma-focused imaginal exposure for individuals with comorbid posttraumatic stress disorder and alcohol dependence: Revealing mechanisms of alcohol craving in a cue reactivity paradigm. *Psychology of Addictive Behaviors*, **20**, 425-435.
- W11: **Cottraux J, Yao SN, de Mey-Guillard C, Bonasse F, Djamoussian D, Mollard E, et al.** (2008). Randomized controlled comparison of cognitive behavior therapy with Rogerian supportive therapy in chronic post-traumatic stress disorder: A 2-year follow-up. *Psychotherapy and Psychosomatics*, **77**, 101-110.
- W12: **Cusack K, & Spates CR.** (1999). The cognitive dismantling of eye movement desensitization and reprocessing (EMDR) treatment of posttraumatic stress disorder (PTSD). *Journal of Anxiety Disorders*, **13**, 87-99.
- W13: **Davis JL, & Wright DC.** (2007). Randomized clinical trial for treatment of chronic nightmares in trauma-exposed adults. *Journal of Traumatic Stress*, **20**, 123-133.
- W14: **Devilley GJ, & Spence SH.** (1999). The relative efficacy and treatment distress of EMDR and a cognitive-behavior trauma treatment protocol in the amelioration of posttraumatic stress disorder. *Journal of Anxiety Disorders*, **13**, 131-157.
- W15: **Devilley GJ, Spence SH, & Rapee RM.** (1998). Statistical and reliable change with eye movement desensitization and reprocessing: Treating trauma within a veteran population. *Behavior Therapy*, **29**, 435-455.

- W16: **Difede J, Cukor J, Jayasinghe N, Patt I, Jedel S, Spielman L, et al.** (2007). Virtual reality exposure therapy for the treatment of posttraumatic stress disorder following September 11, 2001. *The Journal of Clinical Psychiatry*, **68**, 1639-1647.
- W17: **Difede J, Malta LS, Best S, Henn-Haase C, Metzler T, Bryant R, et al.** (2007). A randomized controlled clinical treatment trial for World Trade Center attack-related PTSD in disaster workers. *The Journal of Nervous and Mental Disease*, **195**, 861-865.
- W18: **Duffy M, Gillespie K, & Clark DM.** (2007). Post-traumatic stress disorder in the context of terrorism and other civil conflict in Northern Ireland: Randomised controlled trial. *BMJ* **334**, 1147-1154.
- W19: **Echeburua E, de Corral P, Sarasua B, & Zubizarreta I.** (1996). Treatment of acute posttraumatic stress disorder in rape victims: An experimental study. *Journal of Anxiety Disorders*, **10**, 185-199.
- W20: **Echeburua E, de Corral P, Zubizarreta I, & Sarasua B.** (1997). Psychological treatment of chronic posttraumatic stress disorder in victims of sexual aggression. *Behavior Modification*, **21**, 433-456.
- W21: **Edmond T, Rubin A, & Wambach KG.** (1999). The effectiveness of EMDR with adult female survivors of childhood sexual abuse. *Social Work Research*, **23**, 103-116.
- W22: **Ehlers A, Clark DM, Hackmann A, McManus F, & Fennell M.** (2005). Cognitive therapy for post-traumatic stress disorder: Development and evaluation. *Behaviour Research and Therapy*, **43**, 413-431.
- W23: **Ehlers A, Clark DM, Hackmann A, McManus F, Fennell M, Herbert C, et al.** (2003). A randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder. *Archives of General Psychiatry*, **60**, 1024-1032.

- W24: **Fecteau G, & Nicki R.** (1999). Cognitive behavioural treatment of post traumatic stress disorder after motor vehicle accident. *Behavioural and Cognitive Psychotherapy*, **27**, 201-214.
- W25: **Foa EB, Dancu CV, Hembree EA, Jaycox LH, Meadows EA, & Street GP.** (1999). A comparison of exposure therapy, stress inoculation training, and their combination for reducing posttraumatic stress disorder in female assault victims. *Journal of Consulting & Clinical Psychology*, **67**, 194-200.
- W26: **Foa EB, Hembree EA, Cahill SP, Rauch SAM, Riggs DS, Feeny NC, et al.** (2005). Randomized trial of prolonged exposure for posttraumatic stress disorder with and without cognitive restructuring: Outcome at academic and community clinics. *Journal of Consulting & Clinical Psychology*, **73**, 953-964.
- W27: **Foa EB, Rothbaum BO, Riggs DS, & Murdock TB.** (1991). Treatment of posttraumatic stress disorder in rape victims: A comparison between cognitive-behavioral procedures and counseling. *Journal of Consulting & Clinical Psychology*, **59**, 715-723.
- W28: **Gersons BP, Carlier IV, Lamberts RD, & van der Kolk BA.** (2000). Randomized clinical trial of brief eclectic psychotherapy for police officers with posttraumatic stress disorder. *Journal of Traumatic Stress*, **13**, 333-347.
- W29: **Grothe C, Bering R, Spiess R, Lueneburg E, & Fischer G.** (2003). Mehrdimensionale Psychodynamische Traumatherapie (MPTT): Forschungsergebnisse zur Standardversion. *Zeitschrift für Psychotraumatologie und Psychologische Medizin*, **1**, 27-43.
- W30: **Hinton DE, Chhean D, Pich V, Safren SA, Hofmann SG, & Pollack MH.** (2005). A randomized controlled trial of cognitive-behavior therapy for Cambodian refugees with treatment-resistant PTSD and panic attacks: A cross-over design. *Journal of Traumatic Stress*, **18**, 617-629.

- W31: **Högberg G, Pagani M, Sundin O, Soares J, Aberg-Wistedt A, Tärnell B, et al.** (2007). On treatment with eye movement desensitization and reprocessing of chronic post-traumatic stress disorder in public transportation workers--a randomized controlled trial. *Nordic Journal of Psychiatry*, **61**, 54-61.
- W32: **Ironson G, Freud B, Strauss J, & Williams J.** (2002). Comparison for two treatments for traumatic stress: A community-based study of EMDR and prolonged exposure. *Journal of Clinical Psychology*, **58**, 113-128.
- W33: **Johnson DR, & Lubin H.** (2006). The counting method: Applying the rule of parsimony to the treatment of posttraumatic stress disorder. *Traumatology* **12**, 83-99.
- W34: **Keane T, Fairbank J, Caddell J, & Zimering R.** (1989). Implosive (flooding) therapy reduces symptoms of PTSD in Vietnam combat veterans. *Behavior Therapy*, **20**, 245-260.
- W35: **Kubany ES, Hill EE, & Owens JA.** (2003). Cognitive trauma therapy for battered women with PTSD: Preliminary findings. *Journal of Traumatic Stress*, **16**, 81-91.
- W36: **Kubany ES, Hill EE, Owens JA, Iannce-Spencer C, McCaig MA, Tremayne KJ, et al.** (2004). Cognitive trauma therapy for battered women with PTSD (CTT-BW). *Journal of Consulting & Clinical Psychology*, **72**, 3-18.
- W37: **Lee C, Gavriel H, Drummond P, Richards J, & Greenwald R.** (2002). Treatment of PTSD: Stress inoculation training with prolonged exposure compared to EMDR. *Journal of Clinical Psychology*, **58**, 1071-1089.
- W38: **Lindauer RJJ, Gersons BPR, van Meijel EPM, Blom K, Carlier IVE, Vrijlandt I, et al.** (2005). Effects of brief eclectic psychotherapy in patients with posttraumatic stress disorder: Randomized clinical trial. *Journal of Traumatic Stress*, **18**, 205-212.
- W39: **Lytle RA, Hazlett-Stevens H, & Borkovec TD.** (2002). Efficacy of eye movement desensitization in the treatment of cognitive intrusions related to a past stressful event. *Journal of Anxiety Disorders*, **16**, 273-288.

- W40: **Maercker A, Zoellner T, Menning H, Rabe S, & Karl A.** (2006). Dresden PTSD treatment study: randomized controlled trial of motor vehicle accident survivors. . *BMC Psychiatry*, **6**, 29.
- W41: **Marks I, Lovell K, Noshirvani H, Livanou M, & Thrasher S.** (1998). Treatment of posttraumatic stress disorder by exposure and/or cognitive restructuring: A controlled study. *Archives of General Psychiatry*, **55**, 317-325.
- W42: **McDonagh A, Friedman M, McHugo G, Ford J, Sengupta A, Mueser K, et al.** (2005). Randomized trial of cognitive-behavioral therapy for chronic posttraumatic stress disorder in adult female survivors of childhood sexual abuse. *Journal of Consulting & Clinical Psychology*, **73**, 515-524.
- W43: **Monson CM, Schnurr PP, Resick PA, Friedman MJ, Young-Xu Y, & Stevens SP.** (2006). Cognitive processing therapy for veterans with military-related posttraumatic stress disorder. *Journal of Consulting & Clinical Psychology*, **74**, 898-907.
- W44: **Neuner F, Onyut PL, Ertl V, Odenwald M, Schauer E, & Elbert T.** (2008). Treatment of posttraumatic stress disorder by trained lay counselors in an African refugee settlement: a randomized controlled trial. *Journal of Consulting and Clinical Psychology*, (4), 686-694.
- W45: **Neuner F, Schauer M, Klaschik C, Karunakara U, & Elbert T.** (2004). A comparison of narrative exposure therapy, supportive counseling, and psychoeducation for treating posttraumatic stress disorder in an African refugee settlement. *Journal of Consulting & Clinical Psychology*, **72**, 579-587.
- W46: **Pasternak J.** (2009). Eye movement desensitization and reprocessing effectiveness in outpatient psychotherapy for posttraumatic stress disorder. *Postepy Psychiatrii i Neurologii*, **18**, 247-254.
- W47: **Paunovic N, & Öst LG.** (2001). Cognitive-behavior therapy vs exposure therapy in the treatment of PTSD in refugees. *Behaviour Research & Therapy*, **39**, 1183-1197.

- W48: **Peres JF, Newberg AB, Mercante JP, Simão M, Albuquerque VE, Peres MJ, et al.** (2007). Cerebral blood flow changes during retrieval of traumatic memories before and after psychotherapy: A SPECT study. *Psychological Medicine*, **37**, 1481-1491.
- W49: **Power K, McGoldrick T, Brown K, Buchanan R, Sharp D, Swanson V, et al.** (2002). A controlled comparison of eye movement desensitization and reprocessing versus exposure plus cognitive restructuring versus waiting list in the treatment of post-traumatic stress disorder. *Clinical Psychology and Psychotherapy*, **9**, 299-318.
- W50: **Reed GL, & Enright RD.** (2006). The effects of forgiveness therapy on depression, anxiety, and posttraumatic stress for women after spousal emotional abuse. *Journal of Consulting & Clinical Psychology*, **74**, 920-929.
- W51: **Resick PA, Galovski TE, Uhlmansiek MOB, Scher CD, Clum GA, & Young-Xu Y.** (2008). A randomized clinical trial to dismantle components of cognitive processing therapy for posttraumatic stress disorder in female victims of interpersonal violence. *Journal of Consulting and Clinical Psychology*, **76**, 243-258.
- W52: **Resick PA, Nishith P, Weaver TL, Astin MC, & Feuer CA.** (2002). A comparison of cognitive-processing therapy with prolonged exposure and a waiting condition for the treatment of chronic posttraumatic stress disorder in female rape victims. *Journal of Consulting & Clinical Psychology*, **70**, 867-879.
- W53: **Rogers S, Silver SM, Goss J, Obenchain J, Willis A, & Whitney RL.** (1999). A single session, group study of exposure and eye movement desensitization and reprocessing in treating posttraumatic stress disorder among Vietnam War veterans: Preliminary data. *Journal of Anxiety Disorders*, **13**, 119-130.
- W54: **Rothbaum BO.** (1997). A controlled study of eye movement desensitization and reprocessing in the treatment of posttraumatic stress disorder sexual assault victims. *Bulletin of the Menninger Clinic*, **61**, 317-334.

- W55: **Rothbaum BO, Astin MC, & Marsteller F.** (2005). Prolonged exposure versus eye movement desensitization and reprocessing (EMDR) for PTSD rape victims. *Journal of Traumatic Stress*, **18**, 607-616.
- W56: **Scheck MM, Schaeffer JA, & Gillette C.** (1998). Brief psychological intervention with traumatized young women: The efficacy of eye movement desensitization and reprocessing. *Journal of Traumatic Stress*, **11**, 25-44.
- W57: **Schnurr PP, Friedman MJ, Engel CC, Foa EB, Shea MT, Chow BK, et al.** (2007). Cognitive behavioral therapy for posttraumatic stress disorder in women: A randomized controlled trial. *Journal of the American Medical Association*, **297**, 820-830.
- W58: **Sijbrandij M, Olf M, Reitsma JB, Carlier IV, de Vries MH, & Gersons BP.** (2007). Treatment of acute posttraumatic stress disorder with brief cognitive behavioral therapy: A randomized controlled trial. *The American Journal of Psychiatry*, **164**, 82-90.
- W59: **Tarrier N, Pilgrim H, Sommerfield C, Faragher B, Reynolds M, Graham E, et al.** (1999). A randomized trial of cognitive therapy and imaginal exposure in the treatment of chronic posttraumatic stress disorder. *Journal of Consulting & Clinical Psychology*, **67**, 13-18.
- W60: **Taylor S, Thordarson D, Fedoroff I, Maxfield L, Lovell K, & Ogrodniczuk J.** (2003). Comparative efficacy, speed, and adverse effects of three PTSD treatments: Exposure therapy, EMDR, and relaxation training. *Journal of Consulting and Clinical Psychology*, **71**, 330-338.
- W61: **Thompson J, Chung MC, Jackson G, & Rosser R.** (1995). A comparative trial of psychotherapy in the treatment of post-trauma stress reactions. *Clinical Psychology and Psychotherapy*, **2**, 168-176.

- W62: **Valentine PV, & Smith TE.** (2001). Evaluating traumatic incident reduction therapy with female inmates: A randomized controlled clinical trial. *Research on Social Work Practice, 11*, 40-52.
- W63: **van Emmerik AAP, Kamphuis JH, & Emmelkamp PMG.** (2008). Treating acute stress disorder and posttraumatic stress disorder with cognitive behavioral therapy or structured writing therapy: A randomized controlled trial. *Psychotherapy and Psychosomatics, 77*, 93-100.
- W64: **Vaughan K, Armstrong MS, Gold R, O'Connor N, Jenneke W, & Tarrier N.** (1994). A trial of eye movement desensitization compared to image habituation training and applied muscle relaxation in post-traumatic stress disorder. *Journal of Behavior Therapy & Experimental Psychiatry, 25*, 283-291.
- W65: **Vitriol VG, Ballesteros ST, U FR, Weil KP, & Benadof DF.** (2009). Evaluation of an outpatient intervention for women with severe depression and a history of childhood trauma. *Psychiatric Services, 60*, 936-942.
- W66: **Wilson SA, Becker LA, & Tinker RH.** (1995). Eye movement desensitization and reprocessing (EMDR) treatment for psychologically traumatized individuals. *Journal of Consulting & Clinical Psychology, 63*, 928-937.