

Supplement 2: Baseline and past DSM-IV diagnoses of COPE sample

**Supplementary Table**

Baseline DSM-IV Axis I Diagnoses for CHR sample (n = 182)

	Total CHR Sample (n = 182)	Converters (n = 57)	Non-Converters (n = 125)	Test Statistic
SCID DSM-IV Diagnosis	Count (%)	Count (%)	Count (%)	$\chi^2$
Anxiety Disorders	88 (48.3%)	25 (43.9%)	63 (50.4%)	0.671
Anxiety NOS	19 (10.4%)	4 (7.0%)	15 (12%)	1.039
Current	17 (9.3%)	4 (7.0%)	13 (10.4%)	
Past	2 (1.1%)	0 (0.0%)	2 (1.6%)	
Generalized Anxiety Disorder	16 (8.7%)	6 (10.5%)	10 (8%)	0.312
Current	13 (7.1%)	6 (10.5%)	7 (5.6%)	
Past	3 (1.6%)	0 (0.0%)	3 (2.4%)	
Obsessive-Compulsive Disorder	31 (17.0%)	8 (14.0%)	23 (18.4%)	0.528
Current	23 (12.6%)	7 (12.3%)	16 (12.8%)	
Past	8 (4.4%)	1 (1.8%)	7 (5.6%)	
Panic Disorder w/o Agoraphobia	4 (2.2%)	1 (1.8%)	3 (2.4%)	1.378
Current	4 (2.2%)	1 (1.8%)	3 (2.4%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Panic Disorder w/ Agoraphobia	8 (4.4%)	1 (1.8%)	7 (5.6%)	0.076
Current	8 (4.4%)	1 (1.8%)	7 (5.6%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Post-traumatic Stress Disorder	8 (4.4%)	2 (3.5%)	6 (4.8%)	0.155
Current	5 (2.7%)	0 (0.0%)	5 (4.0%)	
Past	3 (1.6%)	2 (3.5%)	1 (0.8%)	
Social Phobia	24 (13.1%)	5 (8.8%)	19 (15.2%)	1.413
Current	20 (10.9%)	3 (5.3%)	17 (13.6%)	
Past	4 (2.2%)	2 (3.5%)	2 (1.6%)	
Specific Phobia	12 (6.6%)	1 (1.8%)	11 (8.8%)	3.155
Current	11 (6.0%)	1 (1.8%)	10 (8.0%)	
Past	1 (0.6%)	0 (0.0%)	1 (0.8%)	
Mood Disorders	107 (58.7%)	33 (57.9%)	74 (59.2%)	0.028
Bipolar I	7 (3.8%)	3 (5.3%)	4 (3.2%)	0.451
Current	6 (3.3%)	2 (3.5%)	4 (3.2%)	
Past	1 (0.5%)	1 (1.8%)	0 (0.0%)	
Bipolar II	2 (1.1%)	1 (1.8%)	1 (0.8%)	0.328
Current	1 (0.5%)	1 (1.8%)	0 (0.0%)	
Past	1 (0.5%)	0 (0.0%)	1 (0.8%)	

Bipolar NOS	2 (1.1%)	0 (0.0%)	2 (1.6%)	0.922
Current	2 (1.1%)	0 (0.0%)	2 (1.6%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Depression NOS	15 (8.2%)	7 (12.3%)	8 (6.4%)	1.790
Current	15 (8.2%)	7 (12.3%)	8 (6.4%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Dysthymia	11 (6.0%)	3 (5.3%)	8 (6.4%)	0.089
Current	6 (3.3%)	1 (1.8%)	5 (4.0%)	
Past	5 (2.7%)	2 (3.5%)	3 (2.4%)	
Major Depressive Disorder	73 (40.1%)	19 (33.3%)	54 (43.2%)	1.587
Current	40 (21.9%)	12 (21.1%)	28 (22.4%)	
Past	33 (18.1%)	7 (12.3%)	26 (20.8%)	
Mood Disorder NOS	2 (1.1%)	0 (0.0%)	2 (1.6%)	0.922
Current	2 (1.1%)	0 (0.0%)	2 (1.6%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Past Substance Use Disorders	38(20.9%)	11 (19.3%)	27 (21.6%)	0.126
Substance Abuse	18 (9.9%)	8 (14.0%)	10 (8.0%)	1.600
Ambien	1 (0.5%)	0 (0.0%)	1 (0.8%)	
Bupropion	1 (0.5%)	0 (0.0%)	1 (0.8%)	
Cannabis	16 (8.7%)	7 (12.3%)	9 (7.2%)	
Cocaine	1 (0.5%)	0 (0.0%)	1 (0.8%)	
LSD	1 (0.5%)	1 (1.8%)	0 (0.0%)	
Substance Dependence	16 (8.8%)	6 (10.5%)	10 (8.0%)	0.312
Cannabis	16 (8.7%)	6 (10.5%)	10 (9.0%)	
Cocaine	3 (1.6%)	1 (1.8%)	2 (1.6%)	
Alcohol Abuse	13 (7.1%)	2 (3.5%)	11 (8.8%)	1.652
Alcohol Dependence	8 (4.4%)	3 (5.3%)	5 (4.0%)	0.149
Eating Disorders	4 (2.2%)	0 (0.0%)	4 (3.2%)	1.865
Anorexia	1 (0.5%)	0 (0.0%)	1 (0.8%)	0.459
Current	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Past	1 (0.5%)	0 (0.0%)	1 (0.8%)	
Binge Eating Disorder	1 (0.5%)	0 (0.0%)	1 (0.8%)	0.459
Current	1 (0.5%)	0 (0.0%)	1 (0.8%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Bulimia	2 (1.1%)	0 (0.0%)	2 (1.6%)	0.922
Current	1 (0.5%)	0 (0.0%)	1 (0.8%)	
Past	1 (0.5%)	0 (0.0%)	1 (0.8%)	

---

Other Disorders				
Body Dysmorphic Disorder	4 (2.2%)	0 (0.0%)	4 (3.2%)	1.865
Current	4 (2.2%)	0 (0.0%)	4 (3.2%)	
Past	0 (0.0%)	0 (0.0%)	0 (0.0%)	
Somatoform Disorder	1 (0.5%)	1 (1.7%)	0.0 (0.0%)	2.205
Current	1 (0.5%)	1 (1.7%)	0.0 (0.0%)	
Past	0 (0.0%)	0 (0.0%)	0.0 (0.0%)	
No Axis 1 diagnosis	40 (22.0%)	13 (22.8%)	27 (21.6%)	0.033

---

Comparisons between converters and non-converters, based on lifetime diagnosis.