

		No.	U-ratio	sand/%	silt/%	clay/%	Mean/ μm	Mode 1/ μm	Mode 2/ μm
S1-1	U2b	1	1.28	27	56	17	38	27	475
S1-2		2	0.98	73	19	7	193	598	24
S1-3		3	0.76	87	8	5	448	598	
S1-4		4	0.96	85	11	4	334	533	
S1-5	U2a	5	1.04	86	11	4	407	671	
S1-6		6	0.90	80	14	6	258	671	
S1-7		7	1.35	8	71	21	17	27	
S1-8		8	1.00	72	21	6	131	336	24
S1-9		9	0.91	90	8	2	562	671	
S1-10		10	0.87	87	10	3	435	533	
S1-11		11	0.91	84	13	3	295	533	
S2-1	U2b	1	1.33	69	23	8	127	336	34
S2-2		2	1.61	68	25	7	152	475	38
S2-3		3	1.60	62	29	8	113	377	38
S2-4	U2a	4	0.76	92	6	3	493	533	
S2-5		5	1.39	62	29	9	118	423	34
S2-6		6	0.90	72	19	9	204	753	27
S2-7		7	1.70	8	74	17	19	30	
S2-8		8	1.85	16	68	16	24	34	
S2-9		9	1.89	10	73	17	21	34	
S2-10	U2b	10	1.87	18	66	16	25	38	
S2-11		11	1.94	5	77	18	19	34	
S2-12		12	1.87	5	77	18	18	34	
S2-13		13	1.69	32	53	15	40	34	300
S2-14		14	1.75	50	39	10	61	212	38
S3-1		1	1.16	3	68	28	13	30	
S3-2		2	0.87	1	69	30	11	24	
S3-3		3	0.82	2	74	25	13	17	
S3-4	U4	4	1.15	3	70	26	13	27	
S3-5		5	1.19	6	68	26	14	27	
S3-6		6	1.11	6	66	28	13	27	
S3-7		7	1.14	2	70	28	12	27	
S3-8		8	0.98	4	69	27	12	24	
S3-9		9	1.60	3	76	21	16	30	
S3-10		10	1.04	2	69	29	12	27	
S3-11		11	1.49	2	76	22	15	30	
S3-12		12	1.03	6	68	26	13	24	
S3-13		13	0.81	81	12	7	318	845	
S3-14		14	1.01	78	15	7	234	598	
S3-15	U3	15	0.77	77	15	7	208	598	
S3-16		16	1.20	67	24	9	152	533	38
S3-17		17	1.49	2	79	18	17	30	
S3-18		18	2.36	4	81	15	21	34	
S3-19		19	1.25	2	76	22	14	27	
S3-20		20	0.95	0	74	26	12	21	
S3-21		21	0.90	0	73	27	12	21	

S3-22	U2b	22	1.07	43	41	16	59	671	30
S3a-1		1	1.08	16	59	25	17	27	533
S3a-2		2	1.07	19	58	24	19	27	475
S3a-3		3	0.97	12	62	27	14	24	336
S3a-4		4	0.93	6	67	27	13	24	
S3a-5		5	1.01	11	61	27	14	24	533
S3a-6		6	0.59	3	60	37	9	8	
S3a-7		7	1.08	8	64	29	13	27	
S3a-8		8	0.82	4	60	37	10	27	6
S3a-9		9	1.13	5	68	27	13	27	
S3a-10		10	1.04	7	65	29	12	27	
S3a-11	U5	11	1.11	31	49	20	37	27	533
S6-1		1	0.96	54	32	14	75	475	30
S6-2		2	0.97	64	26	10	126	475	30
S6-3		3	0.80	73	19	8	134	377	15
S6-4		4	1.03	80	15	5	265	598	
S6-5		5	1.18	11	66	22	16	27	377
S6-6		6	0.99	67	23	9	171	671	34
S6-7		7	0.86	62	26	12	120	598	21
S6-8		8	0.88	17	61	22	19	19	423
S6-8.5		8.5	1.19	32	51	17	32	38	
S6-9		9	1.04	18	61	21	20	24	533
S6-10		10	0.93	72	19	8	175	533	27
S6-11	U4	11	0.66	12	50	39	10	8	533
S7-1		1	1.11	78	16	6	241	598	42
S7-2		2	1.14	87	10	3	467	753	
S7-3		3	0.91	87	10	4	447	671	
S7-4		4	1.24	82	14	4	312	671	84
S7-5		5	0.86	82	13	5	293	598	
S7-6		6	0.82	68	22	11	142	533	13
S7-7	U6	7	1.38	3	76	20	16	30	
S7-8		8	1.08	7	72	21	16	27	
S7-9		9	1.51	7	74	19	18	30	
S7-10		10	1.52	18	66	16	23	34	267
S7-11		11	1.03	78	15	7	226	598	
S7-12		12	0.82	76	18	6	192	533	15
S7-13		13	1.09	78	17	5	227	598	60
S7-14		14	0.96	86	10	4	418	671	
S7-15		15	1.15	30	50	20	33	30	300
S7-16		16	1.12	51	35	14	62	377	30
S7-17	U5	17	1.23	68	24	8	164	533	42
S7-18		18	0.95	3	67	30	12	24	
S7-19		19	0.73	6	62	32	11	17	

Units	U-ratio	Sand/%	Silt/%	Clay/%	Mean/ μm	Mode 1/ μm	Mode 2/ μm	Sample number
U2a	1.06	74	20	7	277	516	31	S1-2 to S1-11; S2-2 to S2-6.
U2b	1.66	26	59	15	41	135	175	S1-1; S2-1; S3-22; S2-7 to S2-14.
U3	1.22	25	57	18	80	217	38	S3-9 to S3-21.
U4	1.01	4	67	29	12	23	533	S3-1 to S3-8; S6-11.
U5	0.99	31	48	21	59	188	238	S3a-1 to S3a-11; S6-1 to S6-10; S7-15 to S7-19.
U6	1.10	60	31	9	217	453	80	S7-1 to S7-14.

Number of samples

15

11

13

9

27

14