Supplementary Material

- 1. Table S1: Treatment experiences and preferences regarding reperfusion therapy in post-partum patients
- 2. English survey
- 3. French survey

Table S1: Treatment experience and preferences regarding reperfusion therapy in post-partumpatients

| Have you ever given tPA to a patient who was <1 week postpartum? (n=35) | Yes | No, I did not feel comfortable | No, the patient refused consent | No, not to my knowledge |
|---|-------------|-----------------------------------|--|----------------------------|
| | 2 (6) | 0 | 0 | 33 (95) |
| If this issue has not yet | Yes, always | Yes, in some situations | No, Never | |
| come up in your practice, would you give tPA to an <i>otherwise eligible</i> patient who was <1 week postpartum? (n = 33) | 4 (12) | 28 (85) | 1 (3) | |
| Have you ever given tPA to a patient who was ≥1 week postpartum? (n=35) | Yes | No, I did not feel comfortable | No, the patient refused consent | No, not to my knowledge |
| | 7 (20) | 0 | 0 | 28 (80) |
| If this issue has not yet | Yes, always | Yes, in some situations | No, Never | |
| come up in your practice, would you give tPA to an otherwise eligible patient who was ≥1 week postpartum? (n = 28) | 11 (39) | 17 (61) | 0 | |



| - 0 | |
|--|----------------|
| 12:29 | |
| | |
| | |
| | |
| | |
| | English 🗸 |
| Have you ever given tPA to a wo pregnant? | man who was |
| O Yes | |
| O No, not to my knowledge | |
| O No, I had a pregnant patient otherwise eligible for tPA but I d because she refused consent | |
| O No, I had a pregnant patient otherwise eligible for tPA but I d because I did not feel comfortab a pregnant woman | id not give it |
| Other comments? | |
| | |
| | |
| | → |
| | |
| | |

| - 0 |
|---|
| 12:29 .ıl 💻 |
| |
| |
| |
| |
| |
| English 🗸 |
| If this issue has not yet come up in your practice, would you give tPA to an otherwise eligible woman who was pregnant? |
| O Yes, always |
| O Yes, in some instances (please elaborate) |
| O No, never |
| Please elaborate on above. Other Comments? |
| \rightarrow |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |

| - 0 |
|---|
| 12:29 |
| |
| |
| |
| |
| |
| English 🗸 |
| Have you ever recommended or performed endovascular therapy (EVT) on an otherwise eligible woman who was pregnant? |
| O Yes |
| O No, not to my knowledge |
| O No, I had a pregnant patient who was otherwise eligible for EVT but I did not provide it because she or her family refused consent |
| O No, I had a pregnant patient who was otherwise eligible but I did not provide it because I did not feel comfortable providing EVT to a pregnant woman |
| Other Comments? |
| |
| → |
| |

| 12: | 29 .ul = |
|-----|--|
| | |
| | |
| | |
| | |
| | |
| | English 🗸 |
| pra | his issue has not yet come up in your ctice, would you provide EVT to an otherwise yible woman who was pregnant? |
| 0 | Yes, always |
| 0 | Yes, in some instances (please elaborate) |
| 0 | No, never |
| Ple | ase elaborate on above. Other Comments? |
| | |
| | |
| | oth tPA and EVT were readily available and |
| | essible at your center, what would be your ferred treatment course in an otherwise |
| • | ible pregnant patient? |
| 0 | tPA only |
| 0 | EVT only |
| 0 | tPA followed by EVT |
| 0 | Conservative/Supportive Approach |

| 12:29 | - In. | |
|--|---------------------|-----|
| | | |
| | | |
| | | |
| | English 🗸 | [|
| Have you ever given tPA to a less than one week postpartur | | |
| O YesO No, not to my knowlesge | | |
| | → | |
| UEC THE UNIVERSITY OF BRITISH COLUMBIA | THE UBC SURVEY TOOL | |
| | | |
| Powered by Qual | trics 🖸 | |
| | | 1 I |



| - • | |
|---|---------------------|
| 12:29 | - II. |
| | |
| | |
| | |
| | |
| | English 🗸 |
| Please elaborate on above. Ar comments? | ny other |
| | |
| | → |
| THE UNIVERSITY OF BRITISH COLUMBIA | THE UBC SURVEY TOOL |
| | |
| Powered by Qual | trics 🖸 |
| | |
| | |
| | |
| | |


| - 0 |
|---|
| 12:29 .tl 💻 |
| |
| |
| |
| |
| |
| English 🗸 |
| Have you ever given tPA to a woman who was recently, but more than one week, post-partum? |
| O Yes |
| O No, not to my knowledge. |
| |
| Other comments? |
| |
| → |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| Powered by Qualtrics [] |

| - 0 | |
|--|---------------------|
| 12:29 | .al 💻 |
| | |
| | |
| | |
| | |
| | |
| | English 🗸 |
| Please elaborate on above. An comments? | y other |
| comments: | |
| | |
| | → |
| | |
| | |
| THE UNIVERSITY OF BRITISH COLUMBIA | THE UBC SURVEY TOOL |
| | |
| Powered by Qualt | rrics 🖸 |
| | |
| | |
| | |
| | |
| | |

| - • |
|--|
| 12:29 |
| |
| |
| |
| |
| English 🗸 |
| What is your specialty? |
| O Neurology, stroke specialist |
| O Neurology, non-stroke specialist |
| O Internist |
| O Emergency Physician |
| O Other (please specify) |
| → |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| Powered by Qualtrics [乙 |

| | - 0 |
|--------------------|--|
| 12:2 | 29 .11 🗖 |
| Нον | v long have you been in practice? |
| 0 | l am a trainee. |
| 0 | 1-4 years |
| 0 | 5-9 years |
| 0 | 10+ years |
| | at proportion of your practice is dedicated to cular/stroke neurology? |
| 0 | <25% |
| 0 | 25-50% |
| 0 | 51-75% |
| 0 | >75% |
| Wha | at province do you practice in? |
| ove pos: hav | at hospital do you practice in? (Due to the rall low prevalence of this condition, it is sible that many specialists at a single centre e been involved with the same case. This prmation will help us to interpret the results he survey.) |

| - 0 |
|---|
| 12:29 .II = |
| |
| |
| |
| |
| |
| English 🗸 |
| What is your sex? (optional) |
| O Male |
| O Female |
| Have you had any close personal experience with pregnancy or delivery outside of a professional context? (Optional) O Yes, I have been pregnant or have given birth O Yes, I have lived with someone who was pregnant/gave birth while we were living together O Yes, other (please specify) O No |
| → |





| - 0 |
|--|
| 12:29 .11 - |
| |
| |
| |
| |
| |
| Français 🗸 |
| Avez-vous déjà donné du tPA à une femme enceinte? |
| O Oui |
| O Non, pas à ma connaissance |
| O Non, j'avais une patiente enceinte qui était par ailleurs éligible au tPA mais je ne l'ai pas donnée parce qu'elle a refusé son consentement |
| O Non, j'avais une patiente enceinte qui était par ailleurs éligible pour le tPA mais je ne l'ai pas donnée car je ne me sentais pas à l'aise de donner du tPA à une femme enceinte |
| Autres commentaires? |
| |
| |
| \rightarrow |
| |
| |

| - 0 | |
|---|---------------------|
| 12:29 | |
| | |
| | |
| | |
| | |
| | |
| | Français 🗸 |
| Si cette question n'a pas enco dans votre pratique, donnerie femme par ailleurs enceinte? | |
| O Oui toujours | |
| O Oui, dans certains cas (ve | uillez préciser) |
| O Non jamais | |
| S'il vous plaît élaborer sur ci-c commentaires? | dessus. Autres |
| | |
| | → |
| THE UNIVERSITY OF BRITISH COLUMBIA | THE UBC SURVEY TOOL |

| - 0 |
|---|
| 12:29 .11 |
| |
| |
| |
| |
| |
| Français 🗸 |
| Avez-vous déjà recommandé ou effectué un traitement endovasculaire (EVT) chez une femme par ailleurs enceinte? |
| O Oui |
| O Non, pas à ma connaissance |
| O Non, j'ai eu une patiente enceinte qui était par ailleurs éligible pour EVT mais je ne l'ai pas fournie parce qu'elle ou sa famille a refusé son consentement |
| O Non, j'avais une patiente enceinte qui était par ailleurs éligible, mais je ne l'ai pas fournie parce que je ne me sentais pas à l'aise d'administrer le TEV à une femme enceinte |
| Autres commentaires? |
| |
| → |
| |
| |

| - 0 | |
|---|---------------------------------|
| 12:29 | .al 💻 |
| | Français 🗸 |
| Si cette question n'a pas encor dans votre pratique, fournirez traitement à une femme éligit enceinte? | -vous le |
| O Oui toujours | |
| O Oui, dans certains cas (ver | uillez préciser) |
| O Non jamais | |
| S'il vous plaît élaborer sur ci-d commentaires? | lessus. Autres |
| Si les deux tPA et EVT étaient disponibles et accessibles à vo serait votre traitement préfére patiente enceinte autrement e | otre centre, quel é chez une |
| O tPA seulement | |
| O EVT seulement | |
| O tPA suivi par EVT | |
| O Approche conservatrice / | de soutien |
| | → |

| 12:29 | | .at 💻 |
|----------------------|----------------|--------------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | Français 🗸 |
| | | tPA à une femme ns d'une semaine? |
| O Oui | | |
| O Non, pas à n | non knowlesg | e |
| | | → |
| | | |
| _ | | |
| THE UNIVERSITY OF BR | ITISH COLUMBIA | THE UBC SURVEY TOOL |
| | | |
| Pro | duit par Qual | |
| | | |
| | | |
| | | |



| - 0 |
|--|
| 12:29 .11 📼 |
| |
| |
| |
| |
| |
| Français 🗸 |
| S'il vous plaît élaborer sur ci-dessus. D'autres commentaires? |
| commentaires: |
| |
| |
| |
| |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| |
| |
| Produit par Qualtrics 🗅 |
| |
| |
| |
| |

| - 0 |
|---|
| 12:29 .II 🖛 |
| |
| |
| |
| |
| |
| Français 🗸 |
| Avez-vous déjà donné du tPA à une femme qui était récemment, mais plus d'une semaine, après l'accouchement? |
| O Oui |
| O Non, pas à ma connaissance. |
| Autres commentaires? |
| |
| → |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| Produit par Qualtrics 🖸 |



| - 0 |
|--|
| 12:29 .il 🖛 |
| |
| |
| |
| |
| |
| Français 🗸 |
| Avez-vous déjà donné du tPA à une femme qui avait ses règles? |
| O Oui |
| O Non, pas à ma connaissance |
| |
| Autres commentaires? |
| |
| → |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| Produit par Qualtrics 🖸 |

| - 0 |
|--|
| 12:29 .il 🖛 |
| |
| |
| |
| |
| Français 🗸 |
| Quelle est votre spécialité? |
| O Neurologie, spécialiste de l'AVC |
| O Neurologie, spécialiste non-AVC |
| O Interniste |
| O Médecin d'urgence |
| O Autre (veuillez préciser) |
| \rightarrow |
| THE UNIVERSITY OF BRITISH COLUMBIA THE UBC SURVEY TOOL |
| |
| Produit par Qualtrics 🖸 |
| |

| 12:29 .11 | |
|---|---------|
| Depuis combien de temps pratiquez-vous? | |
| O Je suis un stagiaire. | |
| O 1-4 ans | |
| O 5-9 ans | |
| O 10+ ans | |
| Quelle proportion de votre pratique est dédiée la neurologie vasculaire / cérébrale? | à |
| O <25% | |
| O 25-50% | |
| O 51-75% | |
| O > 75% | |
| Dans quelle province pratiquez-vous? | |
| Dans quel hôpital pratiquez-vous? (En raison de la faible prévalence globale de cette affection il est possible que de nombreux spécialistes d'u même centre aient été impliqués dans le même cas, ce qui nous aidera à interpréter les résultats de l'enquête.) | , ın |
| | |

| - 0 |
|--|
| 12:29 .11 = |
| |
| |
| |
| |
| |
| Français 🗸 |
| Quel est ton sexe? (optionnel) |
| O Mâle |
| O Femelle |
| Avez-vous eu une expérience personnelle proche de la grossesse ou de l'accouchement en dehors d'un contexte professionnel? (Optionnel) |
| O Oui, j'ai été enceinte ou j'ai accouché |
| O Oui, j'ai vécu avec quelqu'un qui était enceinte / a donné naissance pendant que nous vivions ensemble |
| O Oui, autre (veuillez préciser) |
| O Non |
| → |
| |

