



SHEA Epi Competition: The Use of All Cause Hospital-Acquired Bloodstream Infection (BSI) Rates as an Objective Surrogate Marker for Central Line-Associated Bloodstream Infection (CLABSI)

All information will be kept confidential; reporting of data will be in aggregate. All identifiers will be removed and your facility will NOT be identified in any way. Email address is required for de-duplication purposes only and will be removed before the data are provided to investigators.

Thank you for your participation in this study!

Email address:

*

Total number of beds in your institution:

Number of infection preventionists (IPs) in facility:

Total number of hours spent by all IPs per week performing CLABSI surveillance:

Are you required by the state to report CLABSI rates?

Yes No

During the study period (January 2011-December 2012) did the ICUs at your institution:

| | Yes | No |
|---|-----------------------|-----------------------|
| Use the NHSN CDC definition to define CLABSI? | <input type="radio"/> | <input type="radio"/> |
| Enter data into the NHSN CLABSI module? | <input type="radio"/> | <input type="radio"/> |

Number of ICUs in your facility:

Will you be responding on behalf of all ICUs in your facility?

Yes No

If no, please provide the number of ICUs for which you will be responding. We will ask for

further details on the next page.

For each ICU, please complete the following information:

ICU Type (1):

Other:

How many beds in this ICU? (numeric only)

ICU Type (2):

Other:

How many beds in this ICU? (numeric only)

Do you have a dedicated ICU, critical care unit, or other unit for the care of critically ill oncology patients?

Yes No

If yes, what is the name of that unit?

Other:

If no, in which ICUs are critically ill oncology patients usually cared for? (check all that apply)

Adult: Burn Critical Care

- Adult: Medical Cardiac Critical Care
- Adult: Medical Critical Care
- Adult: Medical/Surgical Critical Care
- Adult: Neurologic Critical Care
- Adult: Neurosurgical Critical Care
- Adult: ONC Medical Critical Care
- Adult: ONC Surgical Critical Care
- Adult: ONC Medical/Surgical Critical Care
- Adult: Prenatal Critical Care
- Adult: Respiratory Critical Care
- Adult: Surgical Cardiothoracic Critical Care
- Adult: Surgical Critical Care
- Adult: Trauma Critical Care
- Adult: Mixed Acuity Unit
- Adult: ONC Mixed Acuity Unit
- Pediatric: Burn Critical Care
- Pediatric: Cardiothoracic Critical Care
- Pediatric: Medical Critical Care
- Pediatric: Medical/Surgical Critical Care
- Pediatric: Neurosurgical Critical Care
- Pediatric: Respiratory Critical Care
- Pediatric: Surgical Critical Care
- Pediatric: Trauma Critical Care
- Pediatric: Mixed Acuity Unit
- Pediatric: ONC Mixed Acuity Unit
- Neonatal: Critical Care (Level II/III)
- Neonatal: Critical Care (Level III)
- Mixed Age Mixed Acuity Unit
- Mixed Age ONC Mixed Acuity Unit
- Other Critical Care



Thank you for responding to this SHEA Research Network questionnaire. We appreciate your commitment to advancing the science of healthcare epidemiology and infection prevention, and supporting the mission of the SHEA Research Network. Please reach out with questions and comments by emailing srn@shea-online.org.