

Utility of DSM-5 Section III BPD Traits

Table S1. *Alpha coefficients and interfacet correlations of PID-5 scales*

	α	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.
1. Emotional lability^b	.86																									
2. Anxiousness^b	.92	.65																								
3. Separation Insecurity^b	.90	.59	.62																							
4. Submissiveness	.88	.39	.45	.38																						
5. Hostility^b	.88	.51	.49	.46	.12																					
6. Perseveration	.84	.55	.68	.53	.48	.48																				
7. Withdrawal	.92	.38	.58	.35	.37	.39	.55																			
8. Intimacy avoidance	.86	.19	.36	.08	.17	.24	.38	.57																		
9. Anhedonia	.88	.54	.73	.49	.44	.45	.65	.74	.50																	
10. Depressivity^b	.95	.59	.76	.55	.49	.39	.69	.70	.47	.84																
11. Restricted affectivity	.82	-.10	.15	.08	.05	.35	.27	.47	.39	.34	.22															
12. Suspiciousness^b	.89	.53	.62	.53	.32	.65	.59	.61	.40	.63	.65	.33														
13. Manipulativeness	.84	-.05	.02	-.01	-.04	.41	.15	.04	.10	.00	-.02	.33	.21													
14. Deceitfulness	.85	.17	.19	.21	.10	.51	.35	.16	.11	.18	.17	.32	.39	.72												
15. Grandiosity	.79	-.08	-.07	-.02	-.16	.24	.10	.00	-.04	-.06	-.14	.21	.12	.50	.48											
16. Attention seeking	.87	.07	-.02	.12	-.03	.25	.11	-.23	-.11	-.17	-.13	.02	.11	.50	.48	.51										
17. Callousness	.91	.05	.09	.15	-.07	.60	.30	.27	.23	.24	.14	.52	.43	.57	.64	.49	.27									
18. Irresponsibility	.73	.43	.47	.49	.23	.58	.56	.48	.31	.50	.52	.32	.59	.30	.48	.14	.13	.48								
19. Impulsivity^b	.87	.39	.26	.36	.13	.55	.42	.14	.05	.25	.30	.17	.44	.36	.46	.15	.33	.44	.53							
20. Distractibility	.92	.56	.62	.45	.38	.48	.72	.46	.33	.66	.63	.20	.48	.13	.28	-.03	.08	.24	.60	.46						
21. Risk taking^b	.88	-.09	-.26	-.09	-.24	.24	-.04	-.15	-.02	-.19	-.15	.16	.09	.45	.37	.37	.39	.48	.18	.40	-.03					
22. Rigid perfectionism	.91	.35	.51	.38	.30	.43	.58	.39	.27	.41	.40	.24	.39	.13	.19	.16	.06	.20	.18	.12	.33	-.14				
23. Unusual beliefs & experiences	.83	.31	.34	.25	.14	.42	.47	.33	.18	.33	.33	.27	.43	.28	.27	.24	.12	.37	.36	.29	.38	.21	.31			
24. Eccentricity	.95	.51	.56	.46	.33	.55	.65	.49	.31	.56	.57	.35	.62	.32	.48	.20	.26	.46	.54	.50	.60	.18	.38	.55		
25. Perceptual Dysregulation^b	.87	.56	.61	.48	.34	.54	.69	.48	.33	.57	.59	.34	.61	.19	.36	.10	.08	.35	.55	.42	.64	.10	.42	.69	.73	
<i>Mean</i>	.87	.33	.39	.33	.21	.43	.46	.36	.24	.40	.40	.25	.45	.23	.34	.14	.13	.33	.41	.33	.40	.09	.29	.33	.47	.45

Note. $N = 303$. ^bNine specified facets hypothesized to differentiate BPD from non-BPD patients and non-clinical controls. Mean inter-facet correlation coefficient = .33