

Supplementary Table

STable 1
Correlates of missing data.

| | Participation at T1 | Participation at T2 | Participation at T3 | Total number of follow-up participation |
|------------------------------------|------------------------|------------------------|------------------------|--|
| Gender (Female) | 0.02 ^a | 0.05 ^a | 0.10* ^a | 0.10* ^a |
| Age (Older) | -0.01 ^a | -0.07 ^a | 0.01 ^a | -0.04 ^a |
| Socio-economic status (Higher) | 0.00 ^a | 0.05 ^a | 0.02 ^a | 0.04 ^a |
| Ever had any mental health problem | -0.01 ^a | -0.07 ^a | -0.09* ^a | -0.10* ^a |
| Current schizophrenia diagnosis | 0.02 ^a | 0.09* ^a | 0.07 ^a | 0.10* ^a |
| Emotional abuse | 0.02 ^a | 0.05 ^a | 0.03 ^a | 0.06 ^a |
| Psychological abuse | -0.05 ^a | 0.06 ^a | 0.00 ^a | 0.01 ^a |
| Physical abuse | -0.09* ^a | 0.07 ^a | -0.01 ^a | -0.01 ^a |
| Sexual abuse | 0.03 ^a | 0.09* ^a | 0.02 ^a | 0.08 ^a |
| Childhood trauma | -0.05 ^a | 0.09* ^a | 0.03 ^a | 0.04 ^a |
| T0 Symptom frequency | -0.13** ^a | 0.03 ^a | -0.04 ^a | -0.06 ^a |
| T0 Symptom distress | -0.05 ^a | 0.02 ^a | -0.07 ^a | -0.05 ^a |
| T1 Symptom frequency | - | -0.09 ^b | -0.03 ^b | -0.07 ^b |
| T1 Symptom distress | - | 0.12* ^b | -0.07 ^b | -0.11* ^b |
| T1 Emotion regulation | - | 0.08 ^b | 0.06 ^b | 0.08 ^b |
| T2 Symptom frequency | -0.19** ^c | - | 0.01 ^c | -0.11 ^c |
| T2 Symptom distress | 0.01 ^c | - | 0.08 ^c | 0.06 ^c |
| T2 Emotion regulation | -0.04 ^c | - | 0.05 ^c | 0.01 ^c |
| T3 Symptom frequency | -0.16** ^d | -0.06 ^d | - | -0.14* ^d |
| T3 Symptom distress | -0.03 ^d | -0.07 ^d | - | -0.06 ^d |
| T3 Emotion regulation | -0.03 ^d | 0.20** ^d | - | 0.09 ^d |

Note. ^a N = 2350; ^b n = 562; ^c n = 423; ^d n = 139; ** p < 0.01; * p < 0.05