Aldrich CG, Merchen NR and Drackley JK 1995a. The effect of roasting temperature applied to whole soybeans on site of digestion by steers: I. Organic matter, energy, fiber, and fatty acid digestion. Journal of Animal Science 73, 2120-2130.

Aldrich CG, Merchen NR, Nelson DR and Barmore JA 1995b. The effects of roasting temperature applied to whole soybeans on site of digestion by steers: II. Protein and amino acid digestion. Journal of Animal Science 73, 2131-2140.

Aldrich CG, Merchen NR, Drackley JK, Gonzalez SS, Fahey Jr. GC and Berger LL 1997. The effects of chemical treatment of whole canola seed on lipid and protein digestion by steers. Journal of Animal Science 75, 502–511.

Avila CD, DePeters EJ, Perez-Monti H, Taylor SJ and Zinn R. A 2000. Influences of saturation ratio of supplemental dietary fat on digestion and milk yield in dairy cows. Journal of Dairy Science 83, 1505-1519.

Bock BJ, Harmon DL Brandt Jr. RT and Schneiders JE 1991.Fat source and calcium level effects on finishing steer performance, digestion, and metabolism. Journal of Animal Science 69, 2211-2224.

Bauchart D, Doreau M. and Kindler A. 1987. Effect of fat and lactose supplementation on digestion in dairy cows. 2. Long-chain fatty acids. Journal of Dairy Science 70, 71-80.

Brumby PE, Storry JE, Sutton JD and Oldham JD. 1979. Fatty acids digestion and utilization by dairy cows. Annales de Recherches Vétérinaires 10, 317-319.

Chang JHP, Sturdivant CA, Greene LW, Lunt DK and Smith SB 1991. Fatty acid absorption of cattle fed diets containing high-oleate sunflower seeds. Journal of Animal Science 69 suppl1, 547-548.

Chelikani PK, Bell JA and Kennelly JJ 2004. Effects of feeding or abomasal infusion of canola oil in Holstein cows 1. Nutrient digestion and milk composition. Journal of Dairy Research 71, 279 – 287.

Chikunya S, Demirel G, Enser M, Wood JD, Wilkinson RG and Sinclair LA 2004. Biohydrogenation of dietary n-3 PUFA and stability of ingested vitamin E in the rumen, and their effects on microbial activity in sheep. British Journal of Nutrition 91, 539-550.

Christensen RA, Overton TR, Clark JH, Drackley JK, Nelson DR and Blum SA 1996. Effects of dietary fat with or without nicotinic acid on nutrient flow to the duodenum of dairy cows. Journal of Dairy Science 79, 1410-1424.

Christensen RA, Clark JH, Drackley JK and Blum SA 1998. Fatty acid flow to the duodenum and in milk from cows fed diets that contained fat and nicotinic acid. Journal of Dairy Science 81, 1078-1088.

Cooper SL, Sinclair LA, Wilkinson RG, Chikunya S, Hallet K, Enser M and Wood JD 2002. Rumen biohydrogenation of polyunsaturated fatty acid sources and their effect on plasma fatty acid status in sheep. Annual meeting of the British Society of Animal Science 177A.

Crocker LM, DePeters EJ, Fadel JG, Perez-Monti H, Taylor SJ, Wyckoff JA and Zinn RA 1998. Influence of processed corn grain in diets of dairy cows on digestion of nutrients and milk composition. Journal of Dairy Science 81, 2394-2407.

Dewhurst RJ, Fisher WJ, Tweed JKS and Wilkins RJ 2003a. Comparison of grass and legume silages for milk production. 1. Production responses with different levels of concentrate. Journal of Dairy Science 86, 2598-2611.

Dewhurst RJ, Evans RT, Scollan ND, Moorby JM, Merry RJ and Wilkins RJ 2003b. Comparison of grass and legume silages for milk production. 2. In vivo and in sacco evaluations of rumen function. Journal of Dairy Science. 86, 2612-2621.

Doreau M, Ferlay A and Elmeddah Y 1993. Organic matter and nitrogen digestion by dairy cows fed calcium salts of rapeseed oil fatty acids or rapeseed oil. Journal of Animal Science 71, 499-504.

Doreau M, Ueda K and Poncet C 2003. Fatty acid ruminal metabolism and intestinal digestibility in sheep fed ryegrass silage and hay. Tropical and Subtropical Agroecosystems 3, 289-293.

Duckett SK, Andrae JG, and Owens FN 2002. Effect of high-oil corn or added corn oil on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets. Journal of Animal Science 80, 3353-3360.

Elizalde JC, C. Aldrich G, LaCount DW, Drackley JK and Merchen NR 1999. Ruminal and total tract digestibilities in steers fed diets containing liquefied or prilled saturated Fatty Acids. Journal of Animal Science 77, 1930–1939.

Elliott JP, Drackley JK, Beaulieu AD, Aldrich CG and Merchen NR 1999. Effects of saturation and esterification of fat sources on site and extent of digestion in steers: digestion of fatty acids, triglycerides, and energy. Journal of Animal Science 77, 1919-1929.

Enjalbert F, Nicot MC, Bayourthe C, Vernay M and Moncoulon R 1997. Effects of dietary calcium soaps of unsaturated fatty acids on digestion, milk composition and physical properties of butter. Journal of Dairy Research 64, 181-195.

Espindola MS, DePeters EJ, Fadel JG, Zinn RA, and Perez-Monti H 1997. Effects on nutrient digestion of wheat processing and method of tallow addition to the diets of lactating dairy cows. Journal of Dairy Science 80, 1160-1171.

Faichney GJ and White GA 1977. Formaldehyde treatment of concentrate diets for sheep. I. Partition of the digestion of organic matter and nitrogen between the stomach and intestines. Australian Journal of Agricultural Research 28, 1055-1067.

Ferlay A, Chabrot J, Elmeddah Y and Doreau M 1993. Ruminal lipid balance and intestinal digestion by dairy cows fed calcium salts of rapeseed oil fatty acids or rapeseed oil Journal of Animal Science 71, 2237-2245.

Gonthier C, Mustafa AF, Berthiaume R, Petit H V, Martineau R and Ouellet DR 2004a. Effects of feeding micronized and extruded flaxseed on ruminal fermentation and nutrient utilization by dairy cows. Journal of Dairy Science 87, 1854-1863.

Gonthier C, Mustafa AF, Berthiaume R, Petit HV and Ouellet DR 2004b. Feeding micronized and extruded flaxseed to dairy cows: Effects on digestion and ruminal biohydrogenation of long-chain fatty acids. Canadian Journal of Animal Science 84, 705-711.

Harvatine KJ and Allen MS 2006. Effects of fatty acid supplements on ruminal and total tract nutrient digestion in lactating dairy cows. Journal of Dairy Science 89, 1092-1103.

Harvatine DI, Firkins JL and Eastridge ML 2002. Whole linted cottonseed as a forage substitute fed with ground or steam-flaked corn: digestibility and performance. Journal of Dairy Science 85, 1976-1987.

Hogan JP 1973. Intestinal digestion of subterranean clover by sheep. Australian Journal of Agricultural Research 24, 587-598.

Hogan JP, Connell PJ and Mills SC 1972. The digestion of safflower oil-casein particles protected against ruminal hydrogenation in sheep. Australian Journal of Agricultural Research 23, 87-95.

Hogan JP and Hogan RM 1976. The evaluation of formaldehyde-treated sunflower seedcasein supplement as a source of linoleic acid for ruminant lipids. Australian Journal of Agricultural Research 27,129-138.

Howlett CM, Vanzant ES, Anderson LH, Burris WR, Fieser BG and Bapst RF 2003. Effect of supplemental nutrient source on heifer growth and reproductive performance, and on utilization of corn silage-based diets by beef steers. Journal of Animal Science 81, 2367–2378.

Hussein HS, Merchen NR and Fahey Jr GC 1996. Effects of chemical treatment of whole canola seed on digestion of long-chain fatty acids by steers fed high or low forage diets. Journal of Dairy Science 79, 87-97.

Ieki H, Zhao Y, Taniguchi K and Obitsu T 1997. Ruminal balance and small intestinal digestion of fatty acids by steers fed full fat rice bran. Animal Science and Technology (Japan) 68, 860:868

Jenkins T. C. and Fotouhi N 1990. Effects of lecithin and corn oil on site of digestion, ruminal fermentation and microbial protein synthesis in sheep. Journal of Animal Science 68, 460-466.

Joy MT, DePeters EJ, Fadel JG and Zinn RA 1997. Effects of corn processing on the site and extent of digestion in lactating cows. Journal of Dairy Science 80, 2087-2097.

Kalscheur KF, Teter BB, Piperova LS, and Erdman RA 1997a. Effect of dietary forage concentration and buffer addition on duodenal flow of Trans-C18:1 fatty acids and milk fat production in dairy cows. Journal of Dairy Science 80, 2104-2114.

Kalscheur KF, Teter BB, Piperova LS, and Erdman RA 1997b. Effect of fat source on duodenal flow of Trans-C18:1 fatty acids and milk fat production in dairy cows. Journal of

Dairy Science 80, 2115-2126.

Keele JW, Roffler RE and Beyers KZ. 1989. Ruminal Metabolism in Nonlactating Cows Fed Whole Cottonseed or Extruded Soybeans. Journal of Animal Science 67, 1612-1622.

Klusmeyer TH and Clark JH 1991a. Effects of dietary fat and protein on fatty acid flow to the duodenum and in milk produced dairy cows. Journal of Dairy Science 74, 3055-3067.

Klusmeyer TH, GL Lynch and Clark JH 1991b. Effects of Calcium salt of fatty acids and protein source on ruminal fermentation and nutrient flow to duodenum of cows. Journal of Dairy Science 74, 2206-2219.

Knight R, Sutton JD, Storry JE and Brumby PE 1977. Rumen microbial synthesis of longchain fatty acids. Proceeding of the Nutrition society 36,69A.

Kowalski ZM 1997. Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps. Animal Feed Science and Technology 69, 289-303.

Kucuk O, Hess BW and Rule DC. 2004. Soybean oil supplementation of a highconcentrate diet does not affect site and extent of organic matter, starch, neutral detergent fiber, or nitrogen digestion, but influences both ruminal metabolism and intestinal flow of fatty acids in limit-fed lambs. Journal of Animal Science 82, 2985-2994.

Kucuk O, Hess BW, Ludden PA and Rule DC 2001. Effect of forage:concentrate ratio on ruminal digestion and duodenal flow of fatty acids in ewes. Journal of Animal Science 79, 2233-2240.

Lebzien P. Rohr K, Engling FP and Schafft H Effect of protected lipids (crystalline fat and Ca-soaps of fatty acids) on the digestive process of lactating cows. 1991. Agribiological Research 44,247-259.

Lee MRF, Harris LJ, Moorby JM, Humphreys MO, Theodorou MK, McRae JC and Scollan ND 2002. Rumen metabolism and nitrogen flow to the small intestine in steers offered Lolium perenne containing different levels of water-soluble carbohydrates. Animal Science 74:587-596.

Lee MRF, Harris LJ, Dewhurst RJ, Merry RJ, and Scollan ND 2003. The effect of clover silages on long chain fatty acid rumen transformations and digestion in beef steers. Animal Science 76, 491-501.

Lee MRF, Tweed JKS, Moloney AP and Scollan ND 2005. The effect of fish oil supplementation on rumen metabolism and the biohydrogenation of unsaturated fatty acids in beef steers given diets containing sunflower oil. Animal Science 80:361-367.

Lee MRF, Connely PL, Tweed JKS, Dewhurst RJ, Merry RJ and Scollan ND 2006. Effect of high sugar ryegrass silage and mixtures with red clover silage on ruminant digestion. 2. Lipids. Journal of Animal Science, 84:3061-3070.

Legay-Carmier F 1989. Effet de rations riches en matières grasses sur le métabolisme lipidique des principaux compartiments microbiens du contenu de rumen chez la vache

laitière; conséquences sur le flux duodénal des constituants microbiens. Université Clermont 2 Blaise Pascal, Clermont-Ferrand, France.

Lock AL and Garnsworthy PC 2002. Independent effects of dietary linoleic and linolenic fatty acids on the conjugated linoleic content of cow's milk. Animal Science 74:163-176.

Loor JJ, Herbein J and Jenkins T 2002. Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide. Animal Feed Science and Technology 97, 65–82.

Loor JJ, Ueda K, Ferlay A, Chilliard Y and Doreau M 2004. Biohydrogenation, duodenal flow, and intestinal digestibility of Trans fatty acids and conjugated linoleic acids in response to dietary forage:concentrate ratio and linseed oil in dairy cows. Journal of Dairy Science 87, 2472-2485.

Loor JJ, Ueda K, Ferlay A, Chilliard Y and Doreau M 2005. Intestinal flow and digestibility of trans fatty acids and conjugated linoleic acids (CLA) in dairy cows fed a high-concentrate diet supplemented with fish oil, linseed oil, or sunflower oil. Animal Feed Science and Technology 119, 203-225.

Lundy FP III, Block E, Bridges WC Jr, Bertrand JA and Jenkins TC 2004. Ruminal biohydrogenation in Holstein cows fed soybean fatty acids as amides or calcium salts Journal of Dairy Science 87, 1038-1046.

Murphy M, Udén P, Palmquist DL and Wiktorsson H 1987. Rumen and total diet digestibilities in lactating cows fed diets containing full-fat rapeseed. Journal of Dairy Science 1987 70, 1572-1582.

Ohajuruka OA, Wu Z and Palmquist DL 1991. Ruminal metabolism, fiber, and protein digestion by lactating cows fed calcium soap or animal-vegetable fat. Journal of Dairy Science 74, 2601-2609.

Oldick BS and Firkins JL 2000. Effects of degree of fat saturation on fiber digestion and microbial protein synthesis when diets are fed twelve times daily. Journal of Animal Science 78, 2412-2420.

Outen GE, Beever DE, Osbourn DF and Thomson DJ 1975. The digestion of the lipids of processed red clover herbage by sheep. Journal of Food Science and Agriculture 26, 1381-1389.

Palmquist DL, Weisbjerg MR and Hvelplund T 1993. Ruminal, intestinal, and total digestibilities of nutrients in cows fed diets high in fat and undegradable protein. Journal of Dairy Science 76, 1353-1364.

Pantoja J, Firkins JL, and Eastridge ML 1995. Site of digestion and milk production by cows fed fats differing in saturation, esterification, and chain length. Journal of Dairy Science 78, 2247-2258.

Pantoja J, Firkins JL, Eastridge ML and Hull BL 1996. Fatty acid digestion in lactating dairy cows fed fats varying in degree of saturation and different fiber sources. Journal of

Dairy Science 79, 575-584.

Piperova LS, J Sampugna, Teter BB, Kalscheur KF, Yurawecz MP, Ku Y, Morehouse KM and Erdman RA 2002. Duodenal and milk Trans octadecenoic acid and conjugated linoleic acid (CLA) isomers indicate that post absorptive synthesis is the predominant source of cis-9-containing CLA in lactating dairy cows. Journal of Nutrition 132, 1235-1241.

Pires AV, Eastridge ML, Firkins JL and Lin YC 1997.Effects of Heat Treatment and Physical Processing of Cottonseed on Nutrient Digestibility and Production Performance by Lactating Cows. Journal of Dairy Science 80, 1685-1694.

Plascencia A, Estrada M and Zinn RA 1999. Influence of free fatty acid content on the feeding value of yellow grease in finishing diets for feedlot cattle. Journal of Animal Science 77, 2603-2609.

Plascencia A, Mendoza GD, Vásquez C and Zinn RA 2003. Relationship between body weight and level of fat supplementation on fatty acid digestion in feedlot cattle. Journal of Animal Science 81, 2653-2659.

Qiu X, Eastridge ML and Firkins JL 2004. Effects of dry matter intake, addition of buffer, and source of fat on duodenal flow and concentration of conjugated linoleic acid and trans-11 C18:1 in milk. Journal of Dairy Science 87, 4278-4286.

Ramirez JE and Zinn RA 2000. Interaction of dietary magnesium level on the feeding value of supplemental fat in finishing diets for feedlot steers. Journal of Animal Science 78, 2072-2080.

Sackmann R, Duckett SK, Gillis MH, Realini CE, Parks AH and Eggelston RB 2003. Effects of forage and sunflower oil levels on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets. Journal of Animal Science 81, 3174-3181.

Sasaki K, Horiguchi T and Takahashi T 2001. Effects of different concentrate and roughage ratios on ruminal balance of long-chain fatty acids in sheep. Asian-Australian Journal of Animal Science14, 960-967.

Schingfield KJ, Ahvenjârvi S, Toivonen V, Arölä A, Nurmela KVV, Huthanen P and Griinari JM 2003. Effect of dietary fish oil on biohydrogenation of fatty acids and milk fatty acid content in cows. Animal Science 77, 165-179.

Scholljegerdes EJ, Hess BW, Moss GE, Hixon DL and Rule DC 2004. Influence of supplemental cracked high-linoleate or high-oleate safflower seeds on site and extent of digestion in beef cattle. Journal of Animal Science 82, 3577–3588.

Scollan ND, Lee MRF and Enser M 2003. Biohydrogenation and digestion of long chain fatty acids in steers fed on Lolium perenne bred for elevated levels of water-soluble carbohydrates. Animal Research 52:501-511.

Scollan ND, Dhanoa MS, Choi NJ, Maeng WJ, Enser M and Wood JD 2001.

Biohydrogenation and digestion of long chain fatty acids in steers fed on different sources of lipid. Journal of Agricultural Science (Cambridge) 136:345-355.

Sinclair LA, Cooper SL, Chikunya S, Wilkinson RG, Hallet KG, Enser M and Wood JD 2005. Biohydrogenation of n-3 polyunsaturated fatty acid in the rumen and their effect on microbial metabolism and plasma fatty acid concentration in sheep. Animal Science 81:239-248.

Sutton JD, Storry JE and Nicholson JWG 1970. The digestion of fatty acids in the stomach and intestines of sheep given widely different rations. Journal of Dairy Research 37, 97-105.

Sutton JD, Smith RH, McAllan AB, Storry JE and Corse DA 1975. Effect of variations in dietary protein and of supplements of cod-liver oil on energy digestion and microbial synthesis in the rumen of sheep fed hay and concentrate. Journal of Agricultural science (Cambridge) 84, 317-326.

Tice EM, Eastridge ML and Firkins JL 1994. Raw soybeans and roasted soybeans of different particle sizes. 2. Fatty acid utilization by lactating cows. Journal of Dairy Science 77, 166-180.

Ueda K, Ferlay A, Chabrot J, Loor JJ, Chilliard Y and Doreau M 2003. Effect of linseed oil supplementation on ruminal digestion in dairy cows fed diets with different forage:concentrate ratios. Journal of Dairy Science 86, 3999–4007.

Wachira AM, Sinclair LA, Wilkinson RG, Hallett K, Enser M and Wood JD 2000. Rumen biohydrogenation of n-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep. Journal of Agricultural Science 135, 419-428.

Weisbjerg MR, Borsting CF and Hvelplund T 1992. Fatty acid metabolism in the digestive tract of lactating cows fed tallow in increasing amounts at two feed levels. Acta Agriculturae Scandinavica. Section A, Animal Science 42, 106-114.

White BG, Ingalls JR, Sharma HR and McKirdy JA 1987. The effect of whole sunflower seeds on the flow of fat and fatty acids through the gastrointestinal tract of cannulated Holstein steers. Canadian Journal of Animal Science 67, 447-459.

Wonsil BJ, Herbein JH and Watkins BA. Dietary and ruminally derived trans-18:1 fatty acids alter bovine milk lipid. Journal of Nutrition 124, 556-565.

Wu Z, Ohajuruka OA and Palmquist DL 1991. Ruminal synthesis, biohydrogenation, and digestibility of fatty acids by dairy cows. Journal of Dairy Science 74, 3025-3034.

Zinn RA 1988. Comparative feeding value of supplemental fat in finishing diets for feedlot steers supplemented with and without monensin. Journal of Animal Science 66, 213-227.

Zinn RA 1989a. Influence of level and source of dietary fat on its comparative feeding value in finishing diets for Steers: feedlot cattle growth and performance. Journal of Animal Science 67, 1029-1037.

Zinn RA 1989b. Influence of level and source of dietary fat on its comparative feeding

value in finishing diets for feedlot steers: Metabolism. Journal of Animal Science 67, 1038-1049.

Zinn RA 1992. Comparative feeding value of supplemental fat in steam-flaked corn- and steam-flaked wheat-based finishing diets for feedlot steers. Journal of Animal Science 70, 2959-2969.

Zinn RA and Plascencia A 1992. Comparative digestion of yellow grease and calcium soaps of long-chain fatty acids in cattle. Journal of Animal Science 70 (suppl 1), 128A.

Zinn RA and Plascencia A 1993. Interaction of whole cottonseed and supplemental fat on digestive function in cattle. Journal of Animal Science 71, 11-17.

Zinn RA and Plascencia A 1996. Effects of forage level on the comparative feeding value of supplemental fat in growing-finishing diets for feedlot cattle. Journal of Animal Science 74, 1194-1201.

Zinn RA and Shen Y 1996. Interaction of dietary calcium and supplemental fat on digestive function and growth performance in feedlot steers. Journal of Animal Science 74, 2303-2309.

Zinn RA, Gulati SK, Plascencia A and Salinas J 2000. Influence of ruminal biohydrogenation on the feeding value of fat in finishing diets for feedlot cattle. Journal of Animal Science 78, 1738-1746.