

Electronic Supplementary Material for Barrett, P. M., Butler, R. J. & Nesbitt, S. J. “The roles of herbivory and omnivory in early dinosaur evolution”. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh* 101, 383–396

Table of Late Triassic to Middle Jurassic dinosaur taxa used to construct Figure 3. The majority of information used is based on the compilation of Weishampel *et al.* (2004); additional sources used are indicated below. The list of taxa includes: taxa generally considered to be valid; taxa yet to be formally described, but that are generally accepted as valid and listed in faunal surveys (e.g. Weishampel *et al.* 2004); and a small number of indeterminate taxa that represent unique examples of a clade in a particular region/timeslice. Although the latter provide little useful taxonomic information, they do provide valuable data on the spatial and temporal distribution of the clade and are included herein to be as representative as possible. Four taxa that have previously been considered as basal saurischians are included in Theropoda herein (*Herrerasaurus*, *Staurikosaurus*, *Chindesaurus* and *Eoraptor*), following recent work (e.g. Nesbitt *et al.* 2010). Other early dinosaurs of doubtful affinity (*Guaibasaurus* and *Agnosphitys*) are excluded.

Taxon	First appearance	Taxonomic source	Stratigraphical source
Ornithischia			
<i>Abriktosaurus concors</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)
<i>Agilisaurus louderbacki</i>	early Bathonian	-	-
<i>‘Alocodon kuehnei’</i>	late Callovian	-	-
<i>Bienosaurus lufengensis</i>	early Sinemurian	-	-
<i>Callovosaurus leedsi</i>	middle Callovian	-	-
<i>Emausaurus ernsti</i>	early Toarcian	-	-
<i>Eocursor parvus</i>	early Norian	Butler <i>et al.</i> (2007)	Lucas & Hancox (2001)
<i>Heterodontosaurus tucki</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)
<i>Hexinlusaurus (=Yandusaurus) multidens</i>	early Bathonian	Barrett <i>et al.</i> (2005)	-
<i>Huayangosaurus taibaii</i>	early Bathonian	-	-
Kayenta thyreophoran (=‘ <i>Scelidosaurus</i> ’ sp.)	early Sinemurian	-	-
<i>Lesothosaurus diagnosticus</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)

Taxon	First appearance	Taxonomic source	Stratigraphical source
Ornithischia (Cont.)			
<i>Loricatosaurus priscus</i>	early Callovian	Maidment <i>et al.</i> (2008)	-
<i>Lycorhinus angustidens</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)
<i>Pisanosaurus mertii</i>	late Carnian	-	Brusatte <i>et al.</i> (2010)
<i>Sarcolestes leedsi</i>	early Callovian	-	-
<i>Scelidosaurus harrisonii</i>	late Sinemurian	-	-
<i>Scutellosaurus lawleri</i>	early Sinemurian	-	-
<i>Stormbergia dangershoeki</i>	early Pliensbachian	Butler (2005)	Yates <i>et al.</i> (2004)
' <i>Tatisaurus oehleri</i> '	early Sinemurian	-	-
' <i>Tianchiasaurus nedegoaperferima</i> '	early Bathonian	-	-
Unnamed Elliot heterodontosaurid (NHM A100)	early Pliensbachian	Butler <i>et al.</i> (2008)	Yates <i>et al.</i> (2004)
Unnamed Kayenta heterodontosaurid	early Sinemurian	-	-
Unnamed Laguna Colorado heterodontosaurid	early Norian	-	-
Unnamed La Quinta ornithischian	early Hettangian	Barrett <i>et al.</i> (2008)	Barrett <i>et al.</i> (2008)
<i>Xiaosaurus dashanpensis</i>	early Bathonian	-	-
Theropoda			
<i>Berberosaurus liassicus</i>	early Pliensbachian	Allain <i>et al.</i> (2007)	Allain <i>et al.</i> (2007)
<i>Camposaurus arizonensis</i>	early Norian	-	Brusatte <i>et al.</i> (2010)
<i>Chindesaurus bryansmalli</i>	middle Norian	-	Brusatte <i>et al.</i> (2010)
<i>Coelophysis bauri</i>	early Norian	-	Brusatte <i>et al.</i> (2010)
<i>Coelophysis</i> (= <i>Syntarsus</i>) <i>rhodesiensis</i>	early Pliensbachian	Bristowe & Raath (2004)	Yates <i>et al.</i> (2004)

Taxon	First appearance	Taxonomic source	Stratigraphical source
Theropoda (Cont.)			
<i>Condorraptor currumili</i>	early Callovian	Rauhut (2005)	Rauhut (2005)
<i>Cryolophosaurus ellioti</i>	early Hettangian	-	Smith <i>et al.</i> (2007)
' <i>Dilophosaurus</i> ' <i>sinensis</i>	early Sinemurian	-	-
<i>Dilophosaurus wetherilli</i>	early Sinemurian	-	-
<i>Dracovenator regenti</i>	early Pliensbachian	Yates (2005)	Yates <i>et al.</i> (2004)
<i>Dubreuillosaurus</i> (= <i>Poekilopleuron</i>) <i>valesdunensis</i>	middle Bathonian	Allain (2005)	-
<i>Duriavenator</i> (= <i>Megalosaurus</i>) <i>hesperis</i>	late Bajocian	Benson (2008)	-
<i>Eoraptor lunensis</i>	late Carnian	-	Brusatte <i>et al.</i> (2010)
<i>Eshanosaurus deguchiianus</i>	early Hettangian	-	-
<i>Eustreptospondylus oxoniensis</i>	late Callovian	-	-
<i>Gasosaurus constructus</i>	early Bathonian	-	-
<i>Gojirasaurus quayi</i>	Norian	-	Brusatte <i>et al.</i> (2010)
<i>Herrerasaurus ischigualastensis</i>	late Carnian	-	Brusatte <i>et al.</i> (2010)
<i>Kaijiangosaurus lini</i>	early Bathonian	-	-
<i>Liliensternus liliensterni</i>	late Norian	-	-
<i>Lophostropheus airelensis</i>	late Rhaetian	Ezcurra & Cuny (2007)	Ezcurra & Cuny (2007)
<i>Magnosaurus nethercombensis</i>	early Bajocian	-	Benson & Barrett (2009)
<i>Megapnosaurus</i> (= <i>Syntarsus</i>) <i>kayentakatae</i>	early Sinemurian	Ivie <i>et al.</i> (2001)	-
<i>Megalosaurus bucklandii</i>	early Bathonian	-	Benson (2010)
<i>Ozraptor subotaii</i>	early Bajocian	-	-
<i>Piatnitzkysaurus floresi</i>	early Callovian	-	-

Taxon	First appearance	Taxonomic source	Stratigraphical source
Theropoda (Cont.)			
<i>Piveteausaurus divesensis</i>	late Callovian	-	-
<i>Poekilopleuron bucklandii</i>	middle Bathonian	-	-
<i>Proceratosaurus bradleyi</i>	middle Bathonian	-	-
<i>Procompsognathus triassicus</i>	middle Norian	-	-
<i>Sarcosaurus woodi</i>	early Sinemurian	-	-
<i>Segisaurus halli</i>	early Pliensbachian	-	-
'Shake-and-bake' theropod	early Sinemurian	-	-
<i>Staurikosaurus pricei</i>	late Carnian	-	Brusatte <i>et al.</i> (2010)
<i>Streptospondylus altdorfensis</i>	late Callovian	-	-
'Szechuanosaurus' <i>zigongensis</i>	early Bathonian	-	-
<i>Tawa hallae</i>	early Norian	Nesbitt <i>et al.</i> (2009)	Nesbitt <i>et al.</i> (2009)
Unnamed Chinle coelophysoid	early Norian	Brusatte <i>et al.</i> (2010)	Brusatte <i>et al.</i> (2010)
<i>Xuanhanosaurus qilixiaensis</i>	early Bathonian	-	-
<i>Zupaysaurus rougieri</i>	early Norian	-	-
Sauropodomorpha			
<i>Aardonyx celestae</i>	early Pliensbachian	Yates <i>et al.</i> (2010)	Yates <i>et al.</i> (2004)
<i>Abrosaurus dongpoi</i>	early Bathonian	-	-
<i>Adeopapposaurus mognai</i>	early Hettangian	Martínez (2009)	Martínez (2009)
<i>Amygdalodon patagonicus</i>	early Bajocian	-	-
<i>Anchisaurus polyzelus</i>	early Pliensbachian	-	-

Taxon	First appearance	Taxonomic source	Stratigraphical source
Sauropodomorpha (Cont.)			
<i>Antetonitrus ingenipes</i>	early Norian	Yates & Kitching (2003)	Lucas & Hancox (2001)
<i>Archaeodontosaurus descouensi</i>	early Bathonian	Buffetaut (2005)	Buffetaut (2005)
<i>Asylosaurus yalensis</i>	early Rhaetian	Galton (2007)	Galton (2007)
<i>Atlasaurus imelaki</i>	late Bathonian	-	-
<i>Barapasaurus tagorei</i>	early Sinemurian	-	Bandyhopadhyay <i>et al.</i> (2010)
<i>Bellusaurus sui</i>	early Bathonian	- -	Clark <i>et al.</i> (2004)
<i>Blikanasaurus cromptoni</i>	early Norian	-	Lucas & Hancox (2001)
<i>Camelotia borealis</i>	early Rhaetian	-	-
<i>Cardiodon rugulosus</i>	late Bathonian	-	-
<i>Cetiosauriscus stewartii</i>	middle Callovian	-	-
<i>Cetiosaurus oxoniensis</i>	late Bajocian	-	-
' <i>Cetiosaurus</i> ' <i>glymptonensis</i>	middle Bathonian	-	-
<i>Chebsaurus algeriensis</i>	early Aalenian	Mahammed <i>et al.</i> (2005)	Mahammed <i>et al.</i> (2005)
<i>Chinshakiangosaurus chunghoensis</i>	early Hettangian	-	-
<i>Chuanjiesaurus anaensis</i>	early Aalenian	-	-
<i>Coloradisaurus brevis</i>	early Norian	-	-
<i>Dashanpusaurus dongi</i>	early Bathonian	Peng <i>et al.</i> (2005)	Peng <i>et al.</i> (2005)
<i>Datousaurus bashanensis</i>	early Bathonian	-	-
<i>Efraasia minor</i>	early Norian	Yates (2003)	Yates (2003)
<i>Eomamenchisaurus yuanmouensis</i>	early Aalenian	Lü <i>et al.</i> (2008)	Lü <i>et al.</i> (2008)
<i>Eucnemesaurus fortis</i>	early Norian	Yates (2007)	Lucas & Hancox (2001)

Taxon	First appearance	Taxonomic source	Stratigraphical source
Sauropodomorpha (Cont.)			
<i>Ferganasaurus verzilini</i>	early Callovian	Alifanov & Averianov (2003)	Alifanov & Averianov (2003)
<i>Glacialisaurus hammeri</i>	early Hettangian	Smith & Pol (2007)	Smith & Pol (2007)
<i>Gongxianosaurus shibeiensis</i>	early Hettangian	-	-
' <i>Gyposaurus</i> ' <i>sinensis</i>	early Hettangian	-	-
<i>Isanosaurus attavipachi</i>	late Norian	-	-
Kayenta ' <i>Massospondylus</i> '	early Sinemurian	-	-
<i>Klamelisaurus gobiensis</i>	early Bathonian	-	Clark <i>et al.</i> (2004)
<i>Kotasaurus yamanpalliensis</i>	early Sinemurian	-	Bandyhopadhyay <i>et al.</i> (2010)
<i>Jingshanosaurus xinwaensis</i>	early Hettangian	-	-
<i>Lamplughsaura dharmaramensis</i>	early Sinemurian	Kutty <i>et al.</i> (2007)	Kutty <i>et al.</i> (2007)
<i>Lapparentosaurus madagascariensis</i>	early Bathonian	-	-
<i>Lessemsaurus sauropoides</i>	early Norian	-	-
<i>Lufengosaurus huenei</i>	early Hettangian	-	-
' <i>Mamenchisaurus</i> ' <i>fuxiensis</i>	early Bathonian	-	-
<i>Massospondylus carinatus</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)
<i>Massospondylus kaalae</i>	early Pliensbachian	Barrett (2009)	Yates <i>et al.</i> (2004)
<i>Melanorosaurus readi</i>	early Norian	-	Lucas & Hancox (2001)
' <i>Melanorosaurus</i> ' <i>thabanensis</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)
<i>Mussaurus patagonicus</i>	early Norian	-	-
<i>Ohmdenosaurus liasicus</i>	middle Toarcian	-	-
<i>Omeisaurus junghsiensis</i>	early Bathonian	-	-

Taxon	First appearance	Taxonomic source	Stratigraphical source
Sauropodomorpha (Cont.)			
<i>Omeisaurus tianfuensis</i>	early Bathonian	-	-
<i>Panphagia protos</i>	late Carnian	Martinez & Alcobar (2009)	Brusatte <i>et al.</i> (2010)
<i>Pantydraco (=Thecodontosaurus) caducus</i>	early Rhaetian	Galton <i>et al.</i> (2007)	Galton <i>et al.</i> (2007)
<i>Patagosaurus fariasi</i>	early Callovian	-	-
<i>Plateosauravus cullingworthi</i>	early Norian	Yates (2004)	Lucas & Hancox (2001)
<i>Plateosaurus englehardti</i>	late Norian	Yates (2003)	Yates (2003)
<i>Plateosaurus gracilis</i>	early Norian	Yates (2003)	Yates (2003)
<i>Plateosaurus ingens</i>	late Norian	Moser (2003)	-
<i>Pradhania gracilis</i>	early Sinemurian	Kutty <i>et al.</i> (2007)	Kutty <i>et al.</i> (2007)
<i>Rhoetosaurus brownii</i>	early Bajocian	-	-
<i>Riojasaurus incertus</i>	early Norian	-	-
<i>Ruehleia bedheimensis</i>	early Norian	-	-
<i>Sanpasaurus yaoi</i>	early Hettangian	-	-
<i>Saturnalia tupiniquim</i>	early Carnian	-	-
<i>Seitaad ruessi</i>	early Pliensbachian	Sertich & Loewen (2010)	Sertich & Loewen (2010)
<i>Shunosaurus lii</i>	early Bathonian	-	-
<i>Tazoudasaurus naimi</i>	early Pliensbachian	Allain & Aquesbi (2008)	Allain <i>et al.</i> (2008)
<i>Tehuelchesaurus benitezii</i>	early Callovian	-	-
<i>Unaysaurus tolentinoi</i>	early Norian	Leal <i>et al.</i> (2004)	Brusatte <i>et al.</i> (2010)
<i>Volkheimeria chubutensis</i>	early Callovian	-	-
<i>Vulcanodon karibaensis</i>	early Pliensbachian	-	Yates <i>et al.</i> (2004)

Taxon	First appearance	Taxonomic source	Stratigraphical source
Sauropodomorpha (Cont.)			
<i>Yimenosaurus youngi</i>	early Pliensbachian	-	-
<i>Yuanmousaurus jiangyiensis</i>	early Aalenian	Lü <i>et al.</i> (2006)	Lü <i>et al.</i> (2006)
<i>Yunnanosaurus huangi</i>	early Sinemurian	-	-
' <i>Yunnanosaurus</i> ' <i>youngi</i>	early Aalenian	Lü <i>et al.</i> (2007)	Lü <i>et al.</i> (2007)

References

- Alifanov, V. R. & Averianov, A. O. 2003. *Ferganasaurus verzilini*, gen. et sp. nov., a new neosauropod (Dinosauria, Saurischia, Sauropoda) from the Middle Jurassic of Fergana Valley, Kirghizia. *Journal of Vertebrate Paleontology* **23**, 358–72.
- Allain, R. 2005. The postcranial anatomy of the megalosaur *Dubreuillosaurus valesdunensis* (Dinosauria, Theropoda) from the Middle Jurassic of Normandy, France. *Journal of Vertebrate Paleontology* **25**, 850–58.
- Allain, R. & Aquesbi, N. 2008. Anatomy and phylogenetic relationships of *Tazoudasaurus naimi* (Dinosauria, Sauropoda) from the late Early Jurassic of Morocco. *Geodiversitas* **30**, 345–424.
- Allain, R., Tykoski, R., Aquesbi, N., Jalil, N.-E., Monbaron, M., Russell, D. & Taquet, P. 2007. An abelisauroid (Dinosauria: Theropoda) from the Early Jurassic of the High Atlas Mountains, Morocco, and the radiation of ceratosaurs. *Journal of Vertebrate Paleontology* **27**, 610–24.
- Bandyhopadhyay, S., Gillette, D. D., Ray, S. & Sengupta, D. P. 2010. Osteology of *Barapasaurus tagoreri* (Dinosauria: Sauropoda) from the Early Jurassic of India. *Palaeontology* **53**, 533–69.
- Barrett, P. M. 2009. A new basal sauropodomorph dinosaur from the upper Elliot Formation (Lower Jurassic) of South Africa. *Journal of Vertebrate Paleontology* **29**, 1032–1045.
- Barrett, P. M., Butler, R. J. & Knoll, F. 2005. Small-bodied ornithischian dinosaurs from the Middle Jurassic of Sichuan, China. *Journal of Vertebrate Paleontology* **25**, 823–34.

- Barrett, P. M., Butler, R. J., Novas, F. E., Moore-Fay, S., Moody, J. M., Clark, J. M. & Sánchez-Villagra, M. R. 2008. Dinosaur remains from the La Quinta Formation (Lower or Middle Jurassic) of the Venezuelan Andes. *Paläontologische Zeitschrift* **82**, 163–77.
- Benson, R. B. J. 2008. A redescription of ‘*Megalosaurus*’ *hesperis* (Dinosauria, Theropoda) from the Inferior Oolite (Bajocian, Middle Jurassic) of Dorset, United Kingdom. *Zootaxa* **1931**, 57–67.
- Benson, R. B. J. 2010. A description of *Megalosaurus bucklandii* (Dinosauria: Theropoda) from the Bathonian of the UK and the relationships of Middle Jurassic theropods. *Zoological Journal of the Linnean Society* **158**, 882–935.
- Benson, R. B. J. & Barrett, P. M. 2009. Dinosaurs of Dorset: Part 1, the carnivorous dinosaurs (Saurischia, Theropoda). *Proceedings of the Dorset Natural History and Archaeological Society* **130**, 133–47.
- Bristowe, A. & Raath, M. A. 2004. A juvenile coelophysoid skull from the Early Jurassic of Zimbabwe and the synonymy of *Coelophysis* and *Syntarsus*. *Palaeontologia Africana* **40**, 31–41.
- Brusatte, S. L., Nesbitt, S. J., Irmis, R. B., Butler, R. J., Benton, M. J. & Norell, M. A. 2010. The origin and early radiation of dinosaurs. *Earth Science Reviews* **101**, 68–100.
- Buffetaut, E. 2005. A new sauropod dinosaur with prosauropod-like teeth from the Middle Jurassic of Madagascar. *Bulletin de la Société Géologique de France* **176**, 467–73.
- Butler, R. J. 2005. The ‘fabrosaurid’ ornithischian dinosaurs of the Upper Elliot Formation (Lower Jurassic) of South Africa and Lesotho. *Zoological Journal of the Linnean Society* **145**, 175–218.
- Butler, R. J., Smith, R. M. H. & Norman, D. B. 2007. A primitive ornithischian dinosaur from the Late Triassic of South Africa, and the early evolution and diversification of Ornithischia. *Proceedings of the Royal Society of London, Series B* **274**, 2041–46.
- Butler, R. J., Norman, D. B. & Upchurch, P. 2008. The phylogeny of the ornithischian dinosaurs. *Journal of Systematic Palaeontology* **6**, 1–40.
- Clark, J. M., Xu, X., Forster, C. A. & Wang, Y. 2004. A Middle Jurassic ‘sphenosuchian’ from China and the origin of the crocodylian skull. *Nature* **430**, 1021–24.
- Ezcurra, M. D. & Cuny, G. 2007. The coelophysoid *Lophostropheus airelensis*, gen. nov.: a review of the systematics of “*Liliensternus*” *airelensis* from the Triassic-Jurassic outcrops of Normandy (France). *Journal of Vertebrate Paleontology* **27**, 73–86.

- Galton, P. M. 2007. Notes on the remains of archosaurian reptiles, mostly basal sauropodomorph dinosaurs, from the 1834 fissure fill (Rhaetian, Upper Triassic) at Clifton in Bristol, southwest England. *Revue de Paléobiologie* **26**, 505–91.
- Galton, P. M., Yates, A. M. & Kermack, D. 2007. *Pantydraco* n. gen. for *Thecodontosaurus caducus* Yates, 2003, a basal sauropodomorph dinosaur from the Upper Triassic or Lower Jurassic of South Wales, UK. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* **243**, 119–25.
- Ivie, M. A., Slipinski, S. A. & Wegrzynowicz, P. 2001. Generic homonyms in the Colydiinae (Coleoptera: Zopheridae). *Insecta Mundi* **15**, 63–64.
- Kutty, T. S., Chatterjee, S., Galton, P. M. & Upchurch, P. 2007. Basal sauropodomorphs (Dinosauria: Saurischia) from the Lower Jurassic of India: their anatomy and relationships. *Journal of Paleontology* **81**, 1218–40.
- Leal, L. A., Azevedo, S. A. K., Kellner, A. W. A. & Da Rosa, Á. A. S. 2004. A new early dinosaur (Sauropodomorpha) from the Caturrita Formation (Late Triassic), Paraná Basin, Brazil. *Zootaxa* **690**, 1–24.
- Lü, J.-C., Li, S.-X., Ji, Q., Wang, G.-F., Zhang, J.-H. & Dong, Z.-M. 2006. New eusauropod dinosaur from Yuanmou of Yunnan Province, China. *Acta Geologica Sinica* **80**, 1–10.
- Lü, J.-C., Li, T.-G., Zhong, S.-M., Azuma, Y., Fujita, M., Dong, Z.-M. & Ji, Q. 2007. New yunnanosaurid dinosaur (Dinosauria, Prosauropoda) from the Middle Jurassic Zhanghe Formation of Yuanmou, Yunnan Province of China. *Memoir of the Fukui Prefectural Dinosaur Museum* **6**, 1–15.
- Lü, J.-C., Li, T.-G., Zhong, S.-M., Ji, Q. & Li, S.-X. 2008. A new mamenchisaurid dinosaur from the Middle Jurassic of Yuanmou, Yunnan Province, China. *Acta Geologica Sinica* **82**, 17–26.
- Lucas, S. G. & Hancox, P. J. 2001. Tetrapod-based correlation of the nonmarine Upper Triassic of southern Africa. *Albertiana* **25**, 5–9.
- Mahammed, F., Läng, E., Mami, L., Mekhali, L., Benhamou, M., Bouterfa, B., Kacemi, A., Chérief, S.-A., Chaouati, H. & Taquet, P. 2005. The ‘Giant of Ksour’, a Middle Jurassic sauropod dinosaur from Algeria. *Comptes Rendus Palevol* **4**, 707–14.
- Maidment, S. C. R., Norman, D. B., Barrett, P. M. & Upchurch, P. 2008. Systematics and phylogeny of Stegosauria (Dinosauria: Ornithischia). *Journal of Systematic Palaeontology* **6**, 367–407.
- Martínez, R. N. 2009. *Adeopapposaurus mognai*, gen. et sp. nov. (Dinosauria: Sauropodomorpha), with comments on adaptations of basal Sauropodomorpha. *Journal of Vertebrate Paleontology* **29**, 142–64.
- Martínez, R. N. & Alcober, O. A. 2009. A basal sauropodomorph (Dinosauria: Saurischia) from the Ischigualasto Formation (Triassic, Carnian) and the early evolution of Sauropodomorpha. *PLoS One* **4**(2), e4397 (doi:10.1371/journal.pone.0004397).

- Moser, M. 2003. *Plateosaurus engelhardti* Meyer, 1837 (Dinosauria: Sauropodomorpha) aus dem Feuerletten (Mittelkeuper; Obertrias) von Bayern. *Zitteliana (Reihe B, Abhandlungen der Bayerischen Staatssammlung für Paläontologie und Geologie)* **24**, 3–186.
- Nesbitt, S. J., Smith, N. D., Irmis, R. B., Turner, A. H., Downs, A. & Norell, M. A. 2009. A complete skeleton of a Late Triassic saurischian and the early evolution of dinosaurs. *Science* **326**, 1530–33.
- Nesbitt, S. J., Sidor, C. A., Irmis, R. B., Angielczyk, K. D., Smith, R. M. H. & Tsuji, L. A. 2010. Ecologically distinct dinosaurian sister group shows early diversification of Ornithodira. *Nature* **464**, 95–98.
- Peng, G.-Z., Ye, Y., Gao, Y.-H., Shu, C.-K. & Jiang, S. 2005. *Jurassic Dinosaur Faunas in Zigong*. Beijing: China Intercontinental Press. 236 pp [In Chinese, with English summary.]
- Rauhut, O. W. M. 2005. Osteology and relationships of a new theropod dinosaur from the Middle Jurassic of Patagonia. *Palaeontology* **48**, 87–110.
- Sertich, J. W. J. & Loewen, M. A. 2010. A new basal sauropodomorph dinosaur from the Lower Jurassic Navajo Sandstone of southern Utah. *PLoS One* **5**(3), e9789 (doi:10.1371/journal.pone.0009789).
- Smith, N. D. & Pol, D. 2007. Anatomy of a basal sauropodomorph dinosaur from the Early Jurassic Hanson Formation of Antarctica. *Acta Palaeontologica Polonica* **52**, 657–74.
- Smith, N. D., Makovicky, P. J., Hammer, W. R. & Currie, P. J. 2007. Osteology of *Cryolophosaurus ellioti* (Dinosauria: Theropoda) from the Early Jurassic of Antarctica and implications for theropod evolution. *Zoological Journal of the Linnean Society* **151**, 377–421.
- Yates, A. M. 2003. The species taxonomy of the sauropodomorph dinosaurs from the Löwenstein Formation (Norian, Late Triassic) of Germany. *Palaeontology* **46**, 317–37.
- Weishampel, D. B., Dodson, P. & Osmólska, H. (eds) 2004a. *The Dinosauria* (2nd edn). Berkeley: University of California Press. 861 pp.
- Yates, A. M. 2004. A definite prosauropod dinosaur from the lower Elliot Formation (Norian: Upper Triassic) of South Africa. *Palaeontologia Africana* **39**, 63–68.
- Yates, A. M. 2005. A new theropod dinosaur from the Early Jurassic of South Africa and its implications for the early evolution of theropods. *Palaeontologia Africana* **41**, 105–22.
- Yates, A. M. 2007. Solving a dinosaurian puzzle: the identity of *Aliwalia rex* Galton. *Historical Biology* **19**, 93–123.

Yates, A. M., Hancox, P. J. & Rubidge, B. S. 2004. First record of a sauropod dinosaur from the upper Elliot Formation (Early Jurassic) of South Africa. *South African Journal of Science* **100**, 504–06.

Yates, A. M., Bonnan, M. F., Neveling, J., Chinsamy, A. & Blackbeard, M. G. 2010. A new transitional sauropodomorph dinosaur from the Early Jurassic of South Africa and the evolution of sauropod feeding and quadrupedalism. *Proceedings of the Royal Society B* **277**, 787–94.

Yates, A. M. & Kitching, J. W. 2003. The earliest known sauropod dinosaur and the first steps towards sauropod locomotion. *Proceedings of the Royal Society B* **270**, 1753–58.