

## Appendix 1

- 4 Cooper GJ, Maynard RL, Cross N L, et al. Casualties from terrorist bombings. *J Trauma*. 1983; 23(11): 955-967.
- 7 Frykberg ER, Tepas 3rd J J. Terrorist bombings. Lessons learned from Belfast to Beirut. *Ann Surg*. 1988; 208(5): 569.
- 8 Holbrook PR. Pediatric disaster medicine. *Crit Care Clin*. 1991; 7(2): 463-470.
- 24 Coupland RM. Epidemiological approach to surgical management of the casualties of war. *BMJ*. 1994; 308(6945): 1693-1697.
- 25 Sharp TW, Yip R, Malone JD. US military forces and emergency international humanitarian assistance: observations and recommendations from three recent missions. *Jama*. 1994; 272(5): 386-390.
- 36 Schultz CH, Koenig KL, Noji EK. A medical disaster response to reduce immediate mortality after an earthquake. *N Engl J Med*. 1996; 334(7): 438-444.
- 38 Benson J, Nicholson LA, Gaffucin L, et al. Complications of unsafe abortion in sub-Saharan Africa: a review. *Health Policy Plan*. 1996; 11(2): 117-131.
- 39 Koenig KL, Dinerman N, Kuehl AE. Disaster nomenclature—a functional impact approach: the PICE system. *Acad Emerg Med*. 1996; 3(7): 723-727.
- 42 Kennedy K, Aghababian RV, Gans L, et al. Triage: techniques and applications in decisionmaking. *Ann Emerg Med*. 1996; 28(2): 136-144.
- 44 Mallonee S, Shariat S, Stennies G, et al. Physical injuries and fatalities resulting from the Oklahoma City bombing. *Jama*. 1996; 276(5): 382-387.
- 57 Okumura T, Suzuki K, Fukuda A, et al. The Tokyo subway sarin attack: disaster management, Part 1: Community emergency response. *Acad Emerg Med*. 1998; 5(6): 613-617.
- 58 Okumura T, Suzuki K, Fukuda A, et al. The Tokyo subway sarin attack: disaster management, part 2: hospital response. *Acad Emerg Med*. 1998; 5(6): 618-624.
- 60 Carley S, Mackway-Jones K, Donnan S. Major incidents in Britain over the past 28 years: the case for the centralised reporting of major incidents. *J Epidemiol Community Health*. 1998; 52(6): 392-398.
- 65 Garshnek V, Burkle Jr FM. Applications of telemedicine and telecommunications to disaster medicine: historical and future perspectives. *J Am Med Inform Assoc*. 1999; 6(1): 26-37.
- 70 Pesik N, Keim M, Sampson TR. Do US emergency medicine residency programs provide adequate training for bioterrorism?. *Ann Emerg Med*. 1999; 34(2): 173-176.
- 72 Nocera A, Garner A. An Australian mass casualty incident triage system for the future based upon triage mistakes of the past: the Homebush Triage Standard. *Aust N Z J Surg*. 1999; 69(8): 603-608.
- 76 Hirshberg A, Stein M, Walden R. Surgical resource utilization in urban terrorist bombing: a computer simulation. *J Trauma Acute Care Surg*. 1999; 47(3): 545-550.
- 102 Waeckerle JF, Seamans S, Whiteside M, et al. Executive summary: developing objectives, content, and competencies for the training of emergency medical technicians, emergency physicians, and emergency nurses to care for casualties resulting from nuclear, biological, or chemical (NBC) incidents. *Ann Emerg Med*. 2001; 37(6): 587-601.
- 103 Pesik N, Keim ME, Iserson KV. Terrorism and the ethics of emergency medical care. *Ann Emerg Med*. 2001; 37(6): 642-646.
- 104 Hirshberg A, Holcomb JB, Mattox KL. Hospital trauma care in multiple-casualty incidents: a critical view. *Ann Emerg Med*. 2001; 37(6): 647-652.
- 108 Garner A, Lee A, Harrison K, et al. Comparative analysis of multiple-casualty incident triage algorithms. *Ann Emerg Med*. 2001; 38(5): 541-548.
- 110 Gebbie K M, Qureshi K. Emergency and Disaster Preparedness: Core Competencies for Nurses: What every nurse should but may not know. *Am J Nurs*. 2002; 102(1): 46-51.
- 113 Galea S, Ahern J, Resnick H, et al. Psychological sequelae of the September 11 terrorist attacks in New York City. *N Engl J Med*. 2002; 346(13): 982-987.
- 117 Liroy PJ, Weisel CP, Millette JR, et al. Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect*. 2002; 110(7): 703.
- 120 Frykberg E R. Medical management of disasters and mass casualties from terrorist bombings: how can we cope?. *J Trauma Acute Care Surg*. 2002; 53(2): 201-212.

- 121 Prezant DJ, Weiden M, Banauch GI, et al. Cough and bronchial responsiveness in firefighters at the World Trade Center site[J]. *N Engl J Med*. 2002; 347(11): 806-815.
- 122 Norris FH, Friedman MJ, Watson PJ, et al. 60,000 disaster victims speak: Part I. An empirical review of the empirical literature, 1981–2001. *Psychiatry: Interpersonal and biological processes*. 2002; 65(3): 207-239.
- 123 Norris FH, Friedman MJ, Watson PJ. 60,000 disaster victims speak: Part II. Summary and implications of the disaster mental health research. *Psychiatry: Interpersonal and biological processes*. 2002; 65(3): 240-260.
- 133 McGee JK, Chen LC, Cohen MD, et al. Chemical analysis of World Trade Center fine particulate matter for use in toxicologic assessment. *Environ Health Perspect*. 2003; 111(7): 972.
- 138 Banauch GI, Alleyne D, Sanchez R, et al. Persistent hyperreactivity and reactive airway dysfunction in firefighters at the World Trade Center. *Am J Respir Crit Care Med*. 2003; 168(1): 54-62.
- 140 Alexander GC, Wynia MK. Ready and willing? Physicians' sense of preparedness for bioterrorism. *Health Aff*. 2003; 22(5): 189-197.
- 142 Galea S, Vlahov D, Resnick H, et al. Trends of probable post-traumatic stress disorder in New York City after the September 11 terrorist attacks. *Am J Epidemiol*. 2003; 158(6): 514-524.
- 145 Markenson D, Redlener I. Pediatric terrorism preparedness national guidelines and recommendations: findings of an evidenced-based consensus process. *Biosecur Bioterror*. 2004; 2(4): 301-319.
- 147 Barbarosoglu G, Arda Y. A two-stage stochastic programming framework for transportation planning in disaster response. *J Oper Res Soc*. 2004; 55(1): 43-53.
- 148 Arnold JL, Halpern P, Tsai MC, et al. Mass casualty terrorist bombings: a comparison of outcomes by bombing type. *Ann Emerg Med*. 2004; 43(2): 263-273.
- 149 Almogy G, Belzberg H, Mintz Y, et al. Suicide bombing attacks: update and modifications to the protocol. *Ann Surg*. 2004; 239(3): 295.
- 150 Einav S, Feigenberg Z, Weissman C, et al. Evacuation priorities in mass casualty terror-related events: implications for contingency planning. *Ann Surg*. 2004; 239(3): 304.
- 151 Peleg K, Aharonson-Daniel L, Stein M, et al. Gunshot and explosion injuries: characteristics, outcomes, and implications for care of terror-related injuries in Israel. *Ann Surg*. 2004; 239(3): 311.
- 152 Frykberg E R. Principles of mass casualty management following terrorist disasters. *Ann Surg*. 2004; 239(3): 319.
- 156 Landrigan P J, Lioy P J, Thurston G, et al. Health and environmental consequences of the world trade center disaster. *Environ Health Perspect*. 2004; 112(6): 731.
- 175 Markenson D, DiMaggio C, Redlener I. Preparing health professions students for terrorism, disaster, and public health emergencies: core competencies. *Acad Med*. 2005; 80(6): 517-526.
- 178 Bulut M, Fedakar R, Akkose S, et al. Medical experience of a university hospital in Turkey after the 1999 Marmara earthquake. *Emerg Med J*. 2005; 22(7): 494-498.
- 179 Cone DC, MacMillan DS. Mass - casualty triage systems: a hint of science. *Acad Emerg Med*. 2005; 12(8): 739-741.
- 180 Sacco W J, Navin DM, Fiedler KE, et al. Precise formulation and evidence - based application of resource - constrained triage. *Acad Emerg Med*. 2005; 12(8): 759-770.
- 181 Rubinson L, O'Toole T. Critical care during epidemics. *Crit Care*. 2005; 9(4): 311.
- 182 Hawryluck L, Lapinsky SE, Stewart TE. Clinical review: SARS—lessons in disaster management. *Crit Care*. 2005; 9(4): 384.
- 186 Parrish A R, Oliver S, Jenkins D, et al. A short medical school course on responding to bioterrorism and other disasters. *Acad Med*. 2005; 80(9): 820-823.
- 187 Qureshi K, Gershon RRM, Sherman MF, et al. Health care workers' ability and willingness to report to duty during catastrophic disasters. *J Urban Health*. 2005; 82(3): 378-388.
- 189 Parker C L, Barnett D J, Fews A L, et al. The road map to preparedness: a competency-based approach to all-hazards emergency readiness training for the public health workforce. *Public Health Rep*. 2005; 120(5): 504-514.
- 190 Rubinson L, Nuzzo JB, Talmor DS, et al. Augmentation of hospital critical care capacity after bioterrorist attacks or epidemics: recommendations of the Working Group on Emergency Mass Critical Care. *Crit Care Med*. 2005; 33(10): E2393.
- 193 deBoisblanc BP. Black Hawk, please come down: reflections on a hospital's struggle to survive in the wake of Hurricane Katrina. *Am J Respir Crit Care Med*. 2005; 172(10): 1239-1240.
- 198 Cone DC, Koenig KL. Mass casualty triage in the chemical, biological, radiological, or nuclear environment. *Eur J Emerg*

Med. 2005; 12(6): 287-302.

- 200 Rubinson L, Branson RD, Pesik N, et al. Positive-pressure ventilation equipment for mass casualty respiratory failure. *Biosecur Bioterror*. 2006; 4(2): 183-194.
- 201 Eisenman DP, Wold C, Fielding J, et al. Differences in individual-level terrorism preparedness in Los Angeles County. *Am J Prev Med*. 2006; 30(1): 1-6.
- 208 Committee on Pediatric Emergency Medicine. The pediatrician and disaster preparedness. *Pediatrics*. 2006; 117(2): 560-565.
- 212 Sever MS, Vanholder R, Lameire N. Management of crush-related injuries after disasters. *N Engl J Med*. 2006; 354(10): 1052-1063.
- 219 Galante JM, Jacoby RC, Anderson JT. Are surgical residents prepared for mass casualty incidents?. *J Surg Res*. 2006; 132(1): 85-91.
- 221 Barkemeyer BM. The university hospital NICU in the midst of Hurricane Katrina: Caring for children without power or water. *Pediatrics*. 2006; 117(5): S369-S374.
- 228 Banauch GI, Hall C, Weiden M, et al. Pulmonary function after exposure to the world trade center collapse in the New York City fire department. *Am J Respir Crit Care Medicine*. 2006; 174(3): 312-319.
- 229 Martin SD, Bush AC, Lynch JA. A national survey of terrorism preparedness training among pediatric, family practice, and emergency medicine programs. *Pediatrics*. 2006; 118(3): e620-e626.
- 234 Barbisch D F, Koenig K L. Understanding surge capacity: essential elements. *Acad Emerg Med*. 2006; 13(11): 1098-1102.
- 236 Kaji A, Koenig KL, Bey T. Surge capacity for healthcare systems: a conceptual framework. *Acad Emerg Med*. 2006; 13(11): 1157-1159.
- 243 Currier M, King DS, Wofford MR, et al. A Katrina experience: lessons learned. *Am J Med*. 2006; 119(11): 986-992.
- 246 Christian MD, Hawryluck L, Wax R S, et al. Development of a triage protocol for critical care during an influenza pandemic. *CMAJ*. 2006; 175(11): 1377-1381.
- 247 Herbert R, Moline J, Skloot G, et al. The World Trade Center disaster and the health of workers: five-year assessment of a unique medical screening program. *Environ Health Perspect*. 2006; 114(12): 1853.
- 255 Kanter RK, Moran JR. Pediatric hospital and intensive care unit capacity in regional disasters: expanding capacity by altering standards of care. *Pediatrics*. 2007; 119(1): 94-100.
- 256 Daugherty EL, Branson R, Rubinson L. Mass casualty respiratory failure. *Curr Opin Crit Care*. 2007; 13(1): 51-56.
- 261 Moye PK, Pesik N, Terndrup T, et al. Bioterrorism training in US emergency medicine residencies: has it changed since 9/11? [J]. *Acad Emerg Med*. 2007; 14(3): 221-227.
- 292 Perrin MA, DiGrande L, Wheeler K, et al. Differences in PTSD prevalence and associated risk factors among World Trade Center disaster rescue and recovery workers. *Am J Psychiatry*. 2007; 164(9): 1385-1394.
- 296 Shirm S, Liggin R, Dick R, et al. Prehospital preparedness for pediatric mass-casualty events. *Pediatrics*. 2007; 120(4): e756-e761.
- 298 Wheeler K, McKelvey W, Thorpe L, et al. Asthma diagnosed after 11 September 2001 among rescue and recovery workers: findings from the World Trade Center Health Registry. *Environ Health Perspect*. 2007; 115(11): 1584.
- 307 Silenas R, Akins R, Parrish A, et al. Developing disaster preparedness competence: an experiential learning exercise for multiprofessional education. *Teach Learn Med*. 2008; 20(1): 62-68.
- 316 Subbarao I, Lyznicki JM, Hsu EB, et al. A consensus-based educational framework and competency set for the discipline of disaster medicine and public health preparedness. *Disaster Medicine Public*. 2008; 2(1): 57-68.
- 330 Devereaux AV, Dichter JR, Christian MD, et al. Definitive care for the critically ill during a disaster: a framework for allocation of scarce resources in mass critical care: from a Task Force for Mass Critical Care summit meeting, January 26-27, 2007, Chicago, IL. *Chest*. 2008; 133(5): 51S-66S.
- 331 Mulvey JM, Awan SU, Qadri AA, et al. Profile of injuries arising from the 2005 Kashmir earthquake: the first 72 h. *Injury*. 2008; 39(5): 554-560.
- 337 Blau S, Robertson S, Johnstone M. Disaster victim identification: new applications for postmortem computed tomography. *J Forensic Sci*. 2008; 53(4): 956-961.
- 346 Kaji AH, Langford V, Lewis RJ. Assessing hospital disaster preparedness: a comparison of an on-site survey, directly observed drill performance, and video analysis of teamwork. *Ann Emerg Med*. 2008; 52(3): 195-201.
- 347 Kaji AH, Lewis RJ. Assessment of the reliability of the Johns Hopkins/Agency for Healthcare Research and Quality hospital

disaster drill evaluation tool. *Ann Emerg Med.* 2008; 52(3): 204-210.

348 Williams J, Nocera M, Casteel C. The effectiveness of disaster training for health care workers: a systematic review[J]. *Ann Emerg Med.* 2008; 52(3): 211-222.

349 Lerner EB, Schwartz RB, Coule PL, et al. Mass casualty triage: an evaluation of the data and development of a proposed national guideline. *Disaster Medicine Public.* 2008; 2(S1): S25-S34.

350 Stellman JM, Smith RP, Katz CL, et al. Enduring mental health morbidity and social function impairment in world trade center rescue, recovery, and cleanup workers: the psychological dimension of an environmental health disaster. *Environ Health Perspect;* 2008, 116(9): 1248.

359 Gillett B, Peckler B, Sinert R, et al. Simulation in a disaster drill: Comparison of high - fidelity simulators versus trained actors. *Acad Emerg Med.* 2008; 15(11): 1144-1151.

382 Yang C, Wang H, Zhong H, et al. The epidemiological analyses of trauma patients in Chongqing teaching hospitals following the Wenchuan earthquake. *Injury,* 2009; 40(5): 488-492.

385 Webber MP, Gustave J, Lee R, et al. Trends in respiratory symptoms of firefighters exposed to the World Trade Center disaster: 2001–2005. *Environ Health Persp.* 2009; 117(6): 975.

392 Cicero MX, Blake E, Gallant N, et al. Impact of an educational intervention on residents' knowledge of pediatric disaster medicine. *Pediatr Emerg Care.* 2009; 25(7): 447-451.

400 Brackbill RM, Hadler JL, DiGrande L, et al. Asthma and posttraumatic stress symptoms 5 to 6 years following exposure to the World Trade Center terrorist attack. *Jama.* 2009; 302(5): 502-516.

413 Kaiser HE, Barnett DJ, Hsu EB, et al. Perspectives of future physicians on disaster medicine and public health preparedness: challenges of building a capable and sustainable auxiliary medical workforce. *Disaster Medicine Public.* 2009; 3(4): 210-216.

417 Pang SMC, Chan SSS, Cheng Y. Pilot training program for developing disaster nursing competencies among undergraduate students in China. *Nurs Health Sci,* 2009, 11(4): 367-373.

439 Merchant RM, Leigh JE, Lurie N. Health care volunteers and disaster response—first, be prepared. *N Engl J Med.* 2010; 362(10): 872-873.

442 Aldrich TK, Gustave J, Hall CB, et al. Lung function in rescue workers at the World Trade Center after 7 years. *N Engl J Med.* 2010; 362(14): 1263-1272.

455 Kreiss Y, Merin O, Peleg K, et al. Early disaster response in Haiti: the Israeli field hospital experience. *Ann Intern Med.* 2010; 153(1): 45-48.

458 Scott LA, Carson DS, Greenwell IB. Disaster 101: a novel approach to disaster medicine training for health professionals. *J Emerg Med.* 2010; 39(2): 220-226.

474 Huntington MK, Gavagan TF. Disaster medicine training in family medicine: a review of the evidence. *Fam Med.* 2011; 43(1): 13.

534 Cone D C, Serra J, Kurland L. Comparison of the SALT and Smart triage systems using a virtual reality simulator with paramedic students. *Eur J Emerg Med.* 2011; 18(6): 314-321.

551 Hick J L, Hanfling D, Cantrill S V. Allocating scarce resources in disasters: emergency department principles. *Ann Emerg Med.* 2012; 59(3): 177-187.

552 Schultz CH, Koenig KL, Whiteside M, et al. Development of national standardized all-hazard disaster core competencies for acute care physicians, nurses, and EMS professionals. *Ann Emerg Med.* 2012; 59(3): 196-208.

553 Burkle FM. The development of multidisciplinary core competencies: the first step in the professionalization of disaster medicine and public health preparedness on a global scale. *Disaster Medicine Public.* 2012; 6(1): 10-12.

554 Walsh L, Subbarao I, Gebbie K, et al. Core competencies for disaster medicine and public health. *Disaster Medicine Public.* 2012; 6(1): 44-52.

595 Aoki T, Fukumoto Y, Yasuda S, et al. The great East Japan earthquake disaster and cardiovascular diseases. *Eur Heart J.* 2012; 33(22): 2796-2803.

643 Kudo D, Furukawa H, Nakagawa A, et al. Resources for business continuity in disaster-based hospitals in the great East Japan earthquake: survey of Miyagi Prefecture disaster base hospitals and the prefectural disaster medicine headquarters. *Disaster Medicine Public.* 2013; 7(5): 461-466.